Description

β-SHEET MIMETICS AND
METHODS RELATING TO THE USE THEREOF

5

Cross-Reference to Prior Applications

This application claims the benefit of PCT Application No. PCT/US97/13622, filed August 4, 1997, and U.S. Provisional Application No. 60/047,067, filed May 19, 1997, and is a continuation-in-part of U.S. Application No. 08/797,915, filed February 10, 1997, U.S. Application No. 08/692,420, filed August 5, 1996, and U.S. Application No. 08/725,073, filed October 2, 1996; which are continuation-in-parts of U.S. Application No. 08/624,690, filed March 25, 1996; which is a continuation-in-part of U.S. Application No. 08/549,006, filed October 27, 1995; which is a continuation-in-part of U.S. Application No. 08/410,518, filed March 24, 1995.

20 ### Technical Field

This invention relates generally to β-sheet mimetics and, more specifically, to β-sheet mimetics which inhibit biologically active peptides and proteins.

25 ### Background of the Invention

The β-sheet conformation (also referred to as a β-strand conformation) is a secondary structure present in many polypeptides. The β-sheet conformation is nearly fully extended, with axial distances between adjacent amino acids of approximately 3.5 Å. The β-sheet is stabilized by hydrogen bonds between NH and CO groups in

different polypeptides strands. Additionally, the dipoles of the peptide bonds alternate along the strands which imparts intrinsic stability to the β-sheet. The adjacent strands in the β-sheet can run in the same direction

5 (*i.e.*, a parallel β-sheet) or in opposite directions (*i.e.*, an antiparallel β-sheet). Although the two forms differ slightly in dihedral angles, both are sterically favorable. The extended conformation of the β-sheet conformation results in the amino acid side chains

10 protruding on alternating faces of the β-sheet.

The importance of β-sheets in peptides and proteins is well established (*e.g.*, Richardson, *Nature 268*:495-499, 1977; Halverson et al., *J. Am. Chem Soc. 113*:6701-6704, 1991; Zhang, *J. Biol. Chem. 266*:15591-

15 15596, 1991; Madden et al., *Nature 353*:321-325, 1991). The β-sheet is important in a number of biological protein-protein recognition events, including interactions between proteases and their substrates, protein kinases and their substrates or inhibitors, the binding of SH2

20 domain containing proteins to their cognate phosphotyrosine containing protein targets, farnesyl transferase to its protein substrates, and MHC I and II and their antigenic peptides, and has been implicated in many disease states.

25 Inhibitors that mimic the β-sheet structure of biologically active proteins or peptides would have utility in the treatment of a wide variety of conditions. For example, Ras, the protein product of the *ras* oncogene, is a membrane bound protein involved in signal

30 transduction regulating cell division and growth. Mutations in the *ras* gene are among the most common

genetic abnormalities associated with human cancers (Barbacid, M. "ras genes," *56*:779-827, 1987). These mutations result in a growth signal which is always "on," leading to a cancerous cell. In order to localize to the

5 cell membrane, Ras requires prenylation of the cysteine within its C-terminal CaaX sequence by farnesyl transferase (FTase). (In the sequence CaaX "a" is defined as an amino acid with a hydrophobic side chain and "X" is another amino acid.) This post-translational modification

10 is crucial to its activity. Peptidyl inhibitors of FTase with the sequence CaaX have been shown to block or slow the growth of tumors in cell culture and in whole animals (Kohl et al., "Selective inhibition of *ras*-dependent transformation by a farnesyltransferase inhibitor,"

15 *Science 260*:1934-1937, 1993; Buss, J.E. & Marsters, Jr., J.C. "Farnesyl transferase inhibitors: the successes and surprises of a new class of potential cancer chemotherapeutics," *Chemistry and Biology 2*:787-791, 1995).

20   SH2 domains, originally identified in the src subfamily of PTKs, are noncatalytic sequences and consist of about 100 amino acids conserved among a variety of signal transducing proteins (Cohen et al., *Cell 80*:237-248, 1995). SH2 domains function as phosphotyrosine-

25 binding modules and mediate critical protein-protein associations (Pawson, *Nature* 573-580, 1995). In particular, the role of SH2 domains has been clearly defined as critical signal transducers for receptor tyrosine kinases (RTKs such as EGF-R, PDGF, insulin

30 receptor, etc.). Phosphotyrosine-containing sites on autophosphorylated RTKs serve as binding sites for SH2-proteins and thereby mediate the activation of biochemical

signaling pathways (Carpenter, G., *FAESEB J.* *6*:3283-3289, 1992; Sierke, S. and Koland, J., *Biochem.* *32*:10102-10108, 1993). The SH2 domains are responsible for coupling the activated growth-factor receptors to cellular responses

5 which include alterations in gene expression, cell proliferation, cytoskeletal architecture and metabolism.

At least 20 cytosolic proteins have been identified that contain SH2 domains and function in intracellular signaling. The distribution of SH2 domains

10 is not restricted to a particular protein family, but is found in several classes of proteins, protein kinases, lipid kinases, protein phosphatases, phospholipases, Ras-controlling proteins and some transcription factors. Many of the SH2-containing proteins have known enzymatic

15 activities while others (Grb2 and Crk) function as "linkers" and "adapters" between cell surface receptors and downstream effector molecules (Marengere, L., et al., *Nature* *369*:502-505, 1994). Examples of proteins containing SH2 domains with enzymatic activities that are

20 activated in signal transduction include, but are not limited to, the *src* subfamily of protein tyrosine kinases (src (pp60^{c-src}), abl, lck, fyn, fgr and others), phospholipase-C-γ (PLC-γ), phosphatidylinositol 3-kinase (Pl-3-kinase), p21-ras GTPase activating protein (GAP) and

25 SH2 containing protein tyrosine phosphatases (SH-PTPase) (Songyang et al., *Cell* *72*:767-778, 1993). Intracellular tyrosines are phosphorylated when surface receptors are engaged by diverse ligands for growth factor receptors, cytokine receptors, insulin receptor, and antigen-mediated

30 signaling through T- or B-cell receptors. The phosphorylation of proteins at tyrosine residues is critical in the cellular signal transduction, neoplastic

transformation and control of the cell cycle. Due to the central role these various SH2-proteins occupy in transmitting signals from activated cell surface receptors into a cascade of additional molecular interactions that

5 ultimately define cellular responses, inhibitors which block specific SH2-protein binding are desirable as agents for a variety of potential therapeutic applications.

Disease areas in which tyrosine phosphorylation and inhibition of SH2 binding represent targets for drug

10 development include the following:

Cancer: SH2 domains which mediate signaling are clearly significant elements in the regulation of oncogene and protooncogene tyrosine kinase activity and cellular proliferation (Carpenter, *Fed. Am. Soc. Exp. Biol. J.*

15 *6*:3283-3289, 1992). The SH2 domains define an important set of substrates through which activated RTKs mediate signaling and through which nonreceptor tyrosine kinases associate with RTKs and are thus targets for anticancer drug development. The ability to block interaction of the

20 RTK with the SH2-containing substrate using a mimetic inhibitor provides a means to abrogate signaling and thereby eliminate oncogenic activity. The biological significance is also illustrated by the v-crk oncogene, a protein composed almost entirely of SH domains, which is

25 able to bring about cellular transformation by interacting with phosphotyrosine containing proteins. As above, the ability of inhibitors to block v-crk binding via its SH2 domain to other proteins would be expected to be effective as an anticancer agent.

30 *Immune Regulation*: Regulation of many immune responses is mediated through receptors that transmit signals through tyrosine kinases containing SH2 domains.

T-cell activation via the antigen specific T-cell receptor (TCR) initiates a signal transduction cascade leading to lymphokine secretion and cell proliferation. One of the earliest biochemical responses following TCR activation is

5   an increase in tyrosine kinase activity. In particular, T-cell activation and proliferation is controlled through T-cell receptor mediated activation of $p56^{lck}$ and $p59^{fyn}$ tyrosine kinases, as well as ZAP-70 and Syk (Weiss and Litman, *Cell* 76:263-274, 1994) which contain SH2 domains.

10 Additional evidence indicates that several src-family kinases (lck, blk, fyn) participate in signal transduction pathways leading from B-cell antigen receptors and hence may serve to integrate stimuli received from several independent receptor structures. Thus, inhibitors that

15 block interactions of these SH2 domain kinases with their cognate receptors could serve as immunosuppressive agents with utility in autoimmune diseases, transplant rejection or as anti-inflammatory agents as well as anticancer drugs in cases of lymphocytic leukemias.

20   Additionally, non-transmembrane PTPase containing SH2 domains are known and nomenclature refers to them as SH-PTP1 and SH-PTP2 (Neel, *Cell Biology* 4:419-432, 1993) SH-PTP1 is identical to PTP1C, HCP or SHP and SH-PTP2 is also known as PTP1D or PTP2C. SH-PTP1 is

25 expressed at high levels in hematopoietic cells of all lineages and all stages of differentiation. Since the SH-PTP1 gene was identified as responsible for the *motheaten* (*me*) mouse phenotype, this provides a basis for predicting the effects of inhibitors that would block its interaction

30 with its cellular substates. Thus, inhibition of SH-PTP1 function would be expected to result in impaired T-cell responses to mitogenic stimulation, decreased NK cell

function, and depletion of B-cell precursors with potential therapeutic applications as described above.

Diabetes: In Type 2 (non-insulin dependent) diabetes, tyrosine phosphatases (SH-PTP2) counter-balance

5   the effect of activated insulin-receptor kinases and may represent important drug targets. *In vitro* experiments show that injection of PTPase blocks insulin stimulated-phosphorylation of tyrosyl residues on endogenous proteins. Thus, inhibitors could serve to modulate

10   insulin action in diabetes.

Neural Regeneration: Glial growth factors are ligands that are specific activators of erb-B2 receptor tyrosine kinase (p185^{erbB2}) to promote tyrosine phosphorylation and mitogenic responses of Schwann cells.

15   Consequently, regulation of tyrosine phosphorylation by altering activity in Schwann cells following nerve injury could be an important therapeutic strategy. Inhibitors of erb-B2 signaling activity could have a significant role in treatment of tumors of glial cell origin.

20   Another class of β-sheet mimetics are inhibitors of protein kinases, which include the protein tyrosine kinases and serine/threonine kinases.

A wide variety of cellular substrates for polypeptide growth factor receptors that possess intrinsic

25   tyrosine kinase activity have now been characterized. Although there is a tremendous diversity among the numerous members of the receptors tyrosine-kinases (RTK) family, the signaling mechanisms used by these receptors share many common features. Biochemical and molecular

30   genetic studies have shown that binding of the ligand to the extracellular domain of the RTK rapidly activates the intrinsic tyrosine kinase catalytic activity of the

intracellular domain. The increased activity results in tyrosine-specific phosphorylation of a number of intracellular substrates which contain a common sequence motif. Consequently, this causes activation of numerous

5 downstream signaling molecules and a cascade of intracellular pathways that regulate phospholipid metabolism, arachidonate metabolism, protein phosphorylation (involving other protein kinases), calcium mobilization and transcriptional regulation. The growth-

10 factor-dependent tyrosine kinase activity of the RTK cytoplasmic domain is the primary mechanism for generation of intracellular signals that initiate multiple cellular responses. Thus, inhibitors which would serve as alternate substrates or inhibitors of tyrosine kinase

15 activity have the potential to block this signaling.

Many of the RTK subfamilies are recognizable on the basis of architectural similarities in the catalytic domain as well as distinctive motifs in the extracellular ligand binding regions. Based upon these structural

20 considerations, a nomenclature defining several subfamilies of RTKs, each containing several members, has been developed (Hanks, *Curr. Opin. Struc. Biol.* 1:369-383, 1991; Ullrich, A., and Schlessinger, *J. Cell* 61:203-212, 1990). Examples of receptor subfamilies referred to on

25 the basis of their prototypic members include: EGF-receptor, insulin receptor, platelet-derived growth factor (PDGF-receptor), fibroblast growth factor receptors (FGFRs), TRK receptor and EPH/ECK receptors. Members in each of these subfamilies represent molecular targets for

30 the development of mimetic inhibitors that would block tyrosine kinase activity and prevent intracellular signal

transduction. Several therapeutic areas in which these targets have value are identified below.

Cancer: In addition to mediating normal cellular growth, members of the EGFR family of RTKs are frequently overexpressed in a variety of aggressive epithelial carcinomas and this is thought to directly contribute to malignant tumor development. A number of studies have shown that the EGFR is frequently amplified in certain types of tumors, including glioblastomas, squamous carcinomas, and brain tumors (Wong et al., *Proc. Natl. Acad Sci USA 84*:6899-6903, 1987). Additionally, HER2/p185^{erbB2} (alternatively referred to as "neu" in the rat), HER3/p160^{erbB3}, HER4/p180^{erbB4} (Plowman, G. et al., *Proc. Natl. Acad. Sci. USA 90*:1746-1750 (1993) are three RTKs which have extensive amino acid sequence homology to the EGFR. HER2/p185^{erbB2} is frequently amplified and overexpressed in human breast tumors and ovarian carcinomas (Wong et al., *Proc. Natl. Acad. Sci. USA 84*:6899-6903, 1987), and this amplification is correlated with poor patient prognosis. Simultaneous overexpression of p185^{neu} and the EGFR synergistically transforms rodent fibroblasts and this condition is often observed in human cancers. Finally, HER3 expression is amplified in a variety of human adenocarcinomas. Several inhibitors are known which demonstrate inhibitory activity *in vitro* against the EGFR and block EGF-dependent cell proliferation which indicates therapeutic potential of compounds with this activity. In addition, in human chronic myelogenous leukemia, enhanced tyrosine kinase activity underlies the disease as a consequence of activation of the cellular c-abl protooncogene. Inhibitors would function as anticancer agents.

Angiogenesis: Currently, there are at least seven FGFR members which mediate a diverse array of biological responses, including the capacity to induce angiogenesis. In addition, a group of RTKs with seven

5 lgLs has been proposed to represent a separate subfamily. Its known members, FLT1, FLK1 and FLT4 show a similarity of structure and expression. These receptors mediate the actions of Vascular Endothelial Growth Factor (VEGF). Several lines of evidence indicate that this subfamily of

10 growth factor receptors play an important role in the formation of blood vessels. Since blood vessel formation is a process reactivated by tumors in order to supply oxygen to these cells, β-strand mimetics that inhibit these growth factors' kinase activities could serve to

15 suppress tumor growth through inhibition of angiogenesis.

Restenosis: The PDGF receptor is of great interest as a target for inhibition in the cardiovascular field since it is believed to play a significant role in restenosis after coronary balloon angioplasties and also

20 in atherosclerosis. The release of PDGF by platelets at damaged surfaces of blood vessels results in stimulation of PDGF receptors on vascular smooth muscle cells, and eventual neointimal thickening. A mimetic inhibitor of kinase activity would prevent proliferation and lead to

25 greater successful outcomes from this surgical procedure.

Many components of signal transduction pathways involve phosphorylation of serine/threonine (ser/thr) residues of protein substrates. Some of these substrates are themselves protein kinases whose activity is modulated

30 by phosphorylation. Two prominent ser/thr-specific protein kinases play a central role in signal transduction: cyclic AMP-dependent protein kinase A (PKA)

and the protein kinase C (PKC family). Numerous other serine/threonine specific kinases, including the family of mitogen-activated protein (MAP) kinases serve as important signal transduction proteins which are activated in either

5 growth-factor receptor or cytokine receptor signaling. Other protein ser/thr kinases important for intracellular signaling are Calcium-dependent protein kinase (CaM-kinase II) and the c-raf-protooncogene.

PKC plays a crucial role in cell-surface signal

10 transduction for controlling a variety of physiological processes (Nishizuka, *Nature* 334:661-665, 1988) and represents a large family of isoenzymes which differ in their structure and expression in different tissues, as well as their substrate specificity (Hug and Sarre,

15 *Biochem J.* 291:329-343, 1993). Molecular cloning has demonstrated at least 8 isoenzymes. Due to this diversity and differential expression, activation of individual isoenzymes produces differing cell-specific responses: stimulation of growth, inhibition of differentiation, or

20 induction of differentiation. Due to its ability to stimulate cellular proliferation, it represents a target for anticancer drug development (Powis, *Trends in Pharm. Sci.* 12:188-194, 1991). Overexpression of PKC isoenzymes in mammalian cells is correlated with enhanced expression

25 of early protooncogenes such as c-jun, c-fos, c-myc and one overexpressing cell line gives rise to tumors in nude mice.

Therapeutic applications within the area of immune regulation are evident since activation of T-cells

30 by antigens involves activation of PKC. Activated PKC subsequently activates a branch of the signal cascade that is necessary for transcriptional activation of NF-κB,

production of IL-2, and ultimately, T-cell proliferation. Inhibitors that block signaling through this branch pathway have been shown to prevent T-cell activation. Thus, mimetics that would function as inhibitors of PKC in

5 T-cells would block signaling and serve as possible immunosuppressants useful in transplant rejection or as anticancer agents for lymphocytic leukemias. Activators of PKC cause edema and inflammation in mouse skin (Hennings et al., *Carcinogenesis* 8:1342-1346, 1987) and

10 thus inhibitors are also expected to serve as potent anti-inflammatory compounds. Such anti-inflammatory activates would find use in asthma, arthritis and other inflammatory mediated processes. In addition, staurosporine and its analogs, UCN01 and CGP4125, which have been characterized

15 as potent PKC inhibitors *in vitro*, have anti-tumor activity in animal models (Powis, *Trends in Pharm. Sci.* 12:188-194, 1991), and related compounds are being considered for clinical trials.

With regard to protease inhibition, Cathepsin B

20 is a lysosomal cysteine protease normally involved in proenzyme processing and protein turnover. Elevated levels of activity have been implicated in tumor metastasis (Sloane, B.F. et al., "Cathepsin B and its endogenous inhibitors: the role in tumor malignancy,"

25 *Cancer Metastasis Rev.* 9:333-352, 1990), rheumatoid arthritis (Werb, Z. "Proteinases and matrix degradation," in Textbook of Rheumatology, Keller, W.N.; Harris, W.D.; Ruddy, S.; Sledge, C.S., Eds., 1989, W.B. Saunder Co., Philadelphia, PA, pp. 300-321), and muscular dystrophy

30 (Katunuma N. & Kominami E., "Abnormal expression of lysosomal cysteine proteinases in muscle wasting

diseases," *Rev. Physiol. Biochem. Pharmacol.* *108*:1-20, 1987).

Calpains are cytosolic or membrane bound Ca++-activated proteases which are responsible for degradation

5   of cytoskeletal proteins in response to changing calcium levels within the cell. They contribute to tissue degradation in arthritis and muscular dystrophy (*see* Wang K.K. & Yuen P.W., "Calpain inhibition: an overview of its therapeutic potential," *Trends Pharmacol. Sci.* *15*:412-419,

10 1994).

Interleukin Converting Enzyme (ICE) cleaves pro-IL-1 beta to IL-1 beta, a key mediator of inflammation, and therefore inhibitors of ICE may prove useful in the treatment of arthritis (*see, e.g.,* Miller B.E. et al.,

15 "Inhibition of mature IL-1 beta production in murine macrophages and a murine model of inflammation by WIN 67694, an inhibitor of IL-1 beta converting enzyme," *J. Immunol.* *154*:1331-1338, 1995). ICE or ICE-like proteases may also function in apoptosis (programmed cell death) and

20 therefore play roles in cancer, AIDS, Alzheimer's disease, and other diseases in which disregulated apoptosis is involved (*see* Barr, P.J.; Tomei, L.D., "Apoptosis and its Role in Human Disease," *Biotechnol.* *12*:487-493, 1994).

HIV protease plays a key role in the life cycle

25 of HIV, the AIDS virus. In the final steps of viral maturation it cleaves polyprotein precursors to the functional enzymes and structural proteins of the virion core. HIV protease inhibitors were quickly identified as an excellent therapeutic target for AIDS (*see* Huff, J.R.,

30 "HIV protease: a novel chemotherapeutic target for AIDS," *J. Med. Chem.* *34*:2305-2314) and have already proven useful

in its treatment as evidenced by the recent FDA approval of ritonavir, Crixivan, and saquinavir.

Hepatitis C virus (HCV) is the major cause of non-A and non-B hepatitis in the world today. It is
5 estimated to infect up to 50 million people. Currently there is no satisfactory treatment available to halt the progression of this debilitating disease. During the life cycle of the virus, a polyprotein of about 3000 amino acids is produced and is proteolytically cleaved by host
10 and viral proteases to produce the mature viral gene products. A serine proteinase located within the HCV NS3 protein cleaves at four specific sites to produce non-structural proteins considered essential for viral replication. Hence, inhibitors of HCV protease are
15 attractive targets for drug design, and could be of great therapeutic benefit. (Neddermann et al., *Biol. Chem. 378*:469-476, 1997.)

Angiotensin converting enzyme (ACE) is part of the renin-angiotensin system which plays a central role in
20 the regulation of blood pressure. ACE cleaves angiotensin I to the octapeptide angiotensin II, a potent pressor agent due to its vasoconstrictor activity. Inhibition of ACE has proved therapeutically useful in the treatment of hypertension (Williams, G.H., "Converting-enzyme
25 inhibitors in the treatment of hypertension," *N. Engl. J. Med. 319*:1517-1525, 1989.

Collagenases cleave collagen, the major constituent of the extracellular matrix (*e.g.*, connective tissue, skin, blood vessels). Elevated collagenase
30 activity contributes to arthritis (Krane S.M. et al., "Mechanisms of matrix degradation in rheumatoid arthritis," *Ann. N.Y. Acad. Sci. 580*:340-354, 1990.),

tumor metastasis (Flug M. & Kopf-Maier P., "The basement membrane and its involvement in carcinoma cell invasion," *Acta Anat. Basel* 152:69-84, 1995), and other diseases involving the degradation of connective tissue.

5   Trypsin-like serine proteases form a large and highly selective family of enzymes involved in hemostasis/coagulation (Davie, E.W. and K. Fujikawa, "Basic mechanisms in blood coagulation," *Ann. Rev.* 799-829, 1975) and complement activation (Muller-Eberhard,

10 H.J., "Complement," *Ann. Rev. Biochem.* 44:697-724, 1975). Sequencing of these proteases has shown the presence of a homologous trypsin-like core with amino acid insertions that modify specificity and which are generally responsible for interactions with other macromolecular

15 components (Magnusson et al., "Proteolysis and Physiological Regulation," *Miami Winter Symposia* 11:203-239, 1976).

Thrombin, a trypsin-like serine protease, acts to provide limited proteolysis, both in the generation of

20 fibrin from fibrinogen and the activation of the platelet receptor, and thus plays a critical role in thrombosis and hemostasis (Mann, K.G., "The assembly of blood clotting complexes on membranes," *Trends Biochem. Sci.* 12:229-233, 1987). Thrombin exhibits remarkable specificity in the

25 removal of fibrinopeptides A and B of fibrinogen through the selective cleavage of only two Arg-Gly bonds of the one-hundred and eighty-one Arg- or Lys-Xaa sequences in fibrinogen (Blomback, H., *Blood Clotting Enzymology*, Seeger, W.H. (ed.), Academic Press, New York, 1967,

30 pp. 143-215).

Many significant disease states are related to abnormal hemostasis, including acute coronary syndromes.

Aspirin and heparin are widely used in the treatment of patients with acute coronary syndromes. However, these agents have several intrinsic limitations. For example, thrombosis complicating the rupture of atherosclerotic

5 plaque tends to be a thrombin-mediated, platelet-dependent process that is relatively resistant to inhibition by aspirin and heparin (Fuster et al., "The pathogenesis of coronary artery disease and the acute coronary syndromes," *N. Engl. J. Med.* 326:242-50, 1992).

10   Thrombin inhibitors prevent thrombus formation at sites of vascular injury *in vivo*. Furthermore, since thrombin is also a potent growth factor which initiates smooth muscle cell proliferation at sites of mechanical injury in the coronary artery, inhibitors block this

15 proliferative smooth muscle cell response and reduce restenosis. Thrombin inhibitors would also reduce the inflammatory response in vascular wall cells (Harker et al., *Am. J. Cardiol.* 75:12B-16B, 1995).

        Furthermore, at least two well-defined

20 transcription factors, nuclear factor (NF) κB and activator protein (AP) -1, are regulated by the intracellular reduction-oxidation (redox) state. The regulation of gene expression by the redox state holds promising therapeutic implications. For example, binding

25 sites of the redox-regulated transcription factors NF-κB and AP-1 are located in the promoter region of a large variety of genes that are directly involved in the pathogenesis of diseases, such as AIDS, cancer, atherosclerosis and diabetic complications (Sen and

30 Packer, *FASEB Journal* 10:709-720, 1996). More specifically, the binding of transcription factors such NF-κB and AP-1 to consensus sites on DNA is driven by

oxidant-antioxidant homeostasis, especially by the thiol-disulfide balance.

In the case of NF-κB, a physiologically relevant thiol that plays a crucial role in the regulation of NF-κB 5 function is reduced thioredoxin or a reduced thioredoxin-like protein. Thioredoxin is an important protein oxidoreductase with antioxidant functions. Thioredoxin has been found to upregulate DNA binding of activated NF-κB and thus augments gene expression (Schenk et al., *Proc.* 10 *Natl. Acad. Sci. USA 91*:1672-1676, 1994). Thioredoxin has been implicated in reducing activated cytosolic NF-κB (specifically reduction of cys-62), which may thus contribute to its nuclear translocation and DNA binding (Hayashi et at., *J. Biol. Chem. 268*:11380-11388, 1993).

15 DNA binding activity of Fos and Jun in the AP-1 complex has also been found to be regulated by the redox state (Abate et al., *Science 249*:1157-1162, 1990). Each protein contains a single conserved cysteine (flanked by lysine and arginine) in its DNA binding domain. This 20 thiol does not appear to be part of a disulfide bond and may exist as a sulfenic or sulfinic acid in its oxidized form. Ref-1, a bifunctional nuclear protein also possessing endonuclease DNA repair activity, stimulates AP-1 DNA binding by reduction of this regulatory cysteine. 25 A Fos mutant in which the critical cysteine was replaced with serine elicited a three-fold increase in AP-1 DNA binding activity and was no longer subject to redox control (Okuno et al., *Oncogene 8*:695-701, 1993). Hence, since at least four members of the fos family, 3 of the 30 jun family, and at least 4 of the ATF/CREB family of transcription factors all contain this conserved cysteine, redox control of transcription factors appears widespread.

As mentioned above, the regulation of transcription factors such as NF-κB and AP-1 have important therapeutic implications. For example, AP-1 is an important mediator of tumor production (Yoshioka et al., *Proc. Natl. Acad. Sci. USA* 92:4972-4976, 1995). Thus, compounds that repress AP-1 transcriptional activity have utility in the treatment of cancer. Furthermore, due to its direct role in regulating responses to inflammatory cytokines and endotoxins, the activation of NF-κB plays an important role in the development of chronic diseases such as rheumatoid arthritis and acute conditions such as septic shock. Autoimmune diseases, such as systemic lupus erythromatus (SLE), and Alzheimer's disease are also believed involved in activation of NF-κB. Similarly, NF-κB plays an important role in the activation of HIV gene expression. Further conditions which are believed to involve NF-κB include the flu, atherosclerosis, oncogenesis and ataxia telangiectasia (AT).

Proteins containing PDZ domains constitute an additional potential target for b-sheet mimetics. These domains of 80-100 amino acid residues mediate protein-protein interactions by binding to a consensus X-Ser/Thr-X-Val sequence at the very carboxyl terminus of proteins. There are also examples of protein interactions via PDZ domains that are internal (or non C-terminal). The crystal structure of liganded and unliganded PDZ domains have been determined and show a six b-strand and two a-helix structure that binds the consensus recognition polypeptide sequence through a b-sheet conformation. Hence, screening of appropriate b-sheet mimetics should prove a valid strategy for targeting PDZ domain-containing proteins. The targets of PDZ domain-containing proteins

are varied but important in signal transduction. PSD-95, a membrane associated guanylate kinase contains three PDZ domains, two of which target the Shaker-type K^+ channel and the N-methyl-D-aspartate (NMDA) receptor resulting in

5 their clustering that is required for their function. PTPL1/FAP1, a protein tyrosine phosphatase, has five PDZ domains, two of which interact with Fas, a transmembrane protein of the tumor necrosis factor receptor family, that mediates apoptosis in many cell types. Hence, compounds

10 targeting proteins containing the PDZ domains may prove useful as anticancer agents.

Tryptase, a trypsin-like serine protease found exclusively in mast cells, has attracted much interest due to its potential role as a mediator of inflammation. For

15 example, in the lung tryptase is released along with other mediators of inflammation in response to binding of an inhaled antigen to cell-surface IgE receptors (Ishizaka and Ishizaka, *Prog. Allergy* 34:188-235, 1984). Tryptase has also been shown to cleave vasoactive intestinal

20 peptide in vitro (Caughey et al., *J. Pharmacol. Exp. Ther.* 244:133-137, 1988; Tam and Caughey, *Am. J. Respir. Cell Mol. Biol.* 3:27-32, 1990). These results suggest that tryptase may increase bronchoconstriction via proteolysis of bronchodilating peptides in asthma patients.

25 Consistent with this hypothesis is the recent finding that synthetic tryptase inhibitors blocked airway responses in allergic sheep (Clark et al., *Am. J. Respir. Crit. Care Med.* 152:2076-2083, 1995).

Tryptase activates extracellular matrix-

30 degrading proteins prostromelysin (pro-MMP-3) and procollagenase (pro-MMP-1) via MMP-3, suggesting a role for the enzyme in tissue remodeling and inflammation

(Gruber et al., *J. Clin. Invest.* 84:8154-8158, 1989) and therefore possibly in rheumatoid arthritis. Additionally, prostromelysin, when activated, has been shown to degrade the extracellular matrix around atherosclerotic plaques.

5   Since abnormally high levels of tryptase-containing mast cells have been found in coronary atheromas, tryptase may play a role in atheromatous rupture (release of the thrombus), the final event of coronary atherosclerosis (Kaartinen et al., *Circulation* 90:1669-1678, 1994).

10   Other activities of tryptase include the following. Tryptase cleaves fibrinogen but is not inactivated in the presence of endogenous proteinase inhibitors (Schwartz et al., *J. Immunol.* 135:2762-2767, 1985; Ren et al., *J. Immunol.* 159:3540-3548, 1997), and

15   may function as a local anticoagulant. It has been demonstrated to be a potent mitogen for fibroblasts and may be involved in pulmonary fibrosis and interstitial lung disease (Ruoss et al., *J. Clin. Invest.* 88:493-499, 1991). Tryptase may also be responsible for the

20   activation of PAR-2 (proteinase activated receptor-2) on endothelial cells and keratinocytes (Molino et al., *J. Biol. Chem.* 272:4043-4049, 1997).

Given the central role of mast cells in allergic and inflammatory responses, inhibition of tryptase may

25   result in significant therapeutic effects. Inhibitors of tryptase may be useful for preventing or treating asthma, pulmonary fibrosis and interstitial pneumonia, nephritis, hepatic fibrosis, hepatitis, hepatic cirrhosis, scleroderma, psoriasis, atopic dermatitis, chronic

30   rheumatoid arthritis, influenza, Crohn's disease, ulcerative colitis, inflammatory bowel disease, nasal allergy, and atherosclerosis.

Chymase is a chymotrypsin-like protease that is also released from mast cells. It has been demonstrated to cleave angiotensin-I (ang-I) to angiotensin-II (ang-II) with greater efficiency and selectivity than angiotensin-I

5 converting enzyme (ACE) (Okunishi et al., *J. Hypertension* 2: 227-284, 1984; Urata et al., *Circ. Res.* 66: 883-890, 1990). In heart tissue chymase has been shown to be a major source of ang-II production from ang-I (Dell'Italia et al., *Am. J. Physiol. (Heart Circ. Physiol. 38)*

10 269:H2065-H2073, 1996). In addition, increased chymase activity has been demonstrated in balloon-injury induced hypertrophied vessels in dogs (Shiota et al., *FEBS Lett.* 323:239-242, 1993). Such evidence suggests that inhibition of chymase may be therapeutic for hypertension,

15 ischaemic heart disease, and congestive heart failure.

Urokinase-type plasminogen activator (uPA) is a trypsin-like serine proteinase which converts plasminogen to plasmin as part of the fibrinolytic system. It has long been used for thrombolysis in acute massive pulmonary

20 embolism. Other research has shown that uPA is also a key initiator of the extra-cellular proteolytic cascade involved in cellular invasiveness (Mullins and Rohlich, *Biochim. Biophys. Acta* 695: 177-214, 1983; Testa and Quigly, *Cancer Metast. Rev.* 9:353-367, 1990). In

25 addition uPA binds to uPA receptor (uPAR) through its growth factor domain and further modulates the activity of other proteins involved in cell migration. Overexpression of uPA appears to play a part in cancer invasiveness and metastasis; high levels of uPA, PAI-1 (plasminogen

30 activator inhibitor-1), and uPAR correlate with poor patient prognosis. A variety of research in various model systems demonstrates that inhibitors of uPA decrease tumor

cell invasiveness and metastasis (Testa and Quigly, *ibid*; Andreasen et al., *Int J Cancer* 72:1-22, 1997). Hence, inhibition of uPA may be useful in the treatment of breast cancer, prostate cancer, ovarian cancer, human renal cell
5 cancer, gastric cancer, and lung cancer. Recent evidence indicates that inhibitors of uPA may also be useful in the prevention of restenosis (Loskutoff, *Circulation* 96:2772-2774, 1997).

In view of the important biological role played
10 by the β-sheet, there is a need in the art for compounds which can stabilize the intrinsic β-sheet structure of a naturally occurring or synthetic peptide, protein or molecule. There is also a need in the art for making stable β-sheet structures, as well as the use of such
15 stabilized structures to effect or modify biological recognition events which involve β-sheet structures. The present invention fulfills these needs and provides further related advantages.

20 <u>Summary of the Invention</u>

Briefly stated, the present invention is directed to β-sheet mimetics and the use thereof, including use for the manufacture of a medicament for achieving therapeutic effects in a warm-blooded animal
25 through one or more of protease inhibition, kinase inhibition, regulation of a transcription factor and/or by inhibiting protein-protein binding interactions. The therapeutic effects result from administering to the warm-blooded animal a therapeutically effective amount of a β-
30 sheet mimetic including a bicyclic ring system, wherein

the β-sheet mimetic has the general structure (I) (including pharmaceutically acceptable salts thereof):

(I)

wherein

A is selected from $-C(=O)-$, $-(CH_2)_{0-4}-$, $-C(=O)(CH_2)_{1-3}-$, $-(CH_2)_{1-2}O-$ and $-(CH_2)_{1-2}S-$;

B is selected from N and CH;

C is selected from $-C(=O)-$, $-C(=O)(CH_2)_{1-3}-$, $-(CH_2)_{0-3}-$, $-O-$, $-S-$, $-O-(CH_2)_{1-2}-$ and $-S(CH_2)_{1-2}-$;

D is selected from N and $C(R_4)$;

E is selected from $-\underset{\underset{NHZ}{|}}{C}(R_1)-$, $-\underset{\underset{Z}{|}}{N}-$ and

$-\underset{\underset{Z}{|}}{C}-(R_1)$

F is an optional carbonyl moiety;

R_1 and R_4 are independently selected from amino acid side chain moieties and derivatives thereof;

R_2 and R_2' represent one or more ring substituents individually selected from an amino acid side chain moiety and derivatives thereof, or R_2 taken together with C or Y forms a fused substituted or unsubstituted homocyclic or heteocyclic ring;

R_3 is selected from an amino acid side chain moiety and derivatives thereof, or taken together with C forms a bridging moiety selected from $-(CH_2)_{1-2}-$, $-O-$ and $-S-$;

Y and Z represent the remainder of the molecule; and

any two adjacent CH groups of the bicyclic ring may form a double bond.

5   In one embodiment where F (*i.e.*, the optional carbonyl moiety) is present and E is -N(Z)-, the compounds of this invention include the following structure (II):

$$R_2' \quad A-B-C \quad R_2$$
$$Z-N \qquad D$$
$$O \quad R_3 \quad O$$

(II)

wherein A, B, C, D, R_2, R_2', R_3, Y and Z are as defined
10   above with regard to structure (I).

In a preferred aspect of this embodiment, A is either -C(=O)- or -(CH$_2$)- and C is -(CH$_2$)$_2$-, as represented by the following structures (IIa) and (IIb):

(IIa)   (IIb)

15   In this embodiment, the six-member ring may be saturated or unsaturated (including aromatic). For example, when B and D of structures (IIa) and (IIb) are both -CH- (and thus constitute adjacent CH groups that may form a double bond), compounds of this invention include the following
20   aromatic structures (IIc) and (IId):

(IIc)   (IId)

Similarly, the following unsaturated compounds having structures (IIe) and (IIf) are also representative of the compounds of structures (IIa) and (IIb):

5   (IIe)   (IIf)

In another embodiment where F is present and E is -C(R_1)(NHZ)-, the compounds of this invention include the following structure (III):

(III)

10   wherein A, B, C, D, R_1, R_2, R_2', R_3, Y and Z are as defined above with regard to structure (I).

In a preferred aspect of this embodiment, A is either -C(=O)- or -(CH$_2$)- and C is -(CH$_2$)$_2$-, as represented by the following structures (IIIa) and (IIIb):

(IIIa)   (IIIb)

In this embodiment, the six-member ring may be saturated
or unsaturated (including aromatic). For example, when B
and D of structures (IIIa) and (IIIb) are both -CH- (and
5 thus constitute adjacent CH groups that may form a double
bond), compounds of this invention include the following
aromatic structures (IIIc) and (IIId):

(IIIc)   (IIId)

Similarly, the following unsaturated compounds having
10 structures (IIIe) and (IIIf) are also representative of
the compounds of structures (IIIa) and (IIIb):

(IIIe)   (IIIf)

In a further embodiment when F is present and E is $-C(R_1)(Z)-$, the compounds of this invention include the following structure (IV):

(IV)

wherein A, B, C, D, R_1, R_2, R_2', R_3, Y and Z are as defined above with regard to structure (I), and with the proviso that Z does not contain an -NH- moiety attached to the carbon atom having the R_1 substituent (and thus distinct from the compounds of structure (III) above).

In a preferred aspect of this embodiment, A is either $-(C=O)-$ or $-(CH_2)-$ and C is $-(CH_2)_2-$, as represented by the following structures (IVa) and (IVb):

(IVa)   (IVb)

In this embodiment, the six-member ring may be saturated or unsaturated (including aromatic). For example, when B and D of structures (IVa) and (IVb) are both -CH- (and thus constitute adjacent CH groups that may form a double bond), compounds of this invention include the following aromatic structures (IVc) and (IVd):

(IVc)   (IVd)

5   Similarly, the following unsaturated compounds having structures (IVe) and (IVf) are also representative of the compounds of structures (IVa) and (IVb):

10   (IVe)   (IVf)

In a further embodiment where F is not present and E is either -N(Z)-, -C(R$_1$)(NHZ)- or -C(R$_1$)(Z)-, the compounds of this invention include the following

15   structures (V), (VI) and (VII):

(V)   (VI)   (VII)

wherein A, B, C, D, R$_1$, R$_2$, R$_2$', R$_3$, Y and Z are as defined

20   above with regard to structure (I).

In still a further embodiment where R_1 taken together with C forms a bridging moiety, compounds of this invention include the following structure (VIII):

(VIII)

5 where X is a bridging moiety selected from $-(CH_2)_{1-2}-$, $-O-$ and $-S-$, and A, B, C, D, E, F, R_2, R_2', Y and Z are as defined above with regard to structure (I).

In one aspect of this embodiment where F is present, A is $-C(=O)-$, C is $-(CH_2)_2-$ and E is either $-N(Z)-$
10 or $-C(R_1)(NHZ)-$, compounds of this invention include those of the following structures (VIIIa) and (VIIIb):

(VIIIa)   (VIIIb)

In yet a further embodiment where F is present,
15 R_2 taken together with C forms a substituted or unsubstituted, homocyclic or heterocyclic fused ring as represented by structures (IX) and (X):

(IX)

(X)

wherein A, B, C, D, E, R_2, R_2', R_3 and Y are as defined above, and R' is one or more optional ring substituents.

5   In one aspect of structure (IX), R_2 and C taken together form a fused five-, six-, seven- or eight-membered ring as represented by structures (IXa) and (IXb):

(IXa)

(IXb)

10

wherein A, B, D, E, R_2, R_2', R_3, R' and Y are as defined above.

15   In one aspect of structure (X), R_2 and C taken together form a fused five-, six-, seven- or eight-membered ring as represented by structures (Xa) and (Xb):

(Xa)   (Xb)

wherein A, B, C, D, E, Y, R_2, R_2', R_3 and R' are as defined
above, and X is selected from -C(=O)-, -NH-, -NR'-, -O-
and -S-.

In still a further embodiment where F is
present, R_2 taken together with Y forms a substituted or
unsubstituted, homocyclic or heterocyclic fused ring as
represented by structure (XI):

(XI)

wherein A, B, C, D, E, R_2, R_2' and R_3 are as defined above.

In one aspect of this embodiment, R_2 and Y taken
together form a fused five-, six-, seven- or eight-
membered ring as represented by structures (XIa) and
(XIb):

(XIa)   (XIb)

wherein A, B, C, D, E, R_2, R_2' and R' are as defined above, R' is an optional substituent, and X is selected from -NH-, -NR'-, -O- and -S-.

These and other aspects of this invention will become apparent upon reference to the following detailed description.

Brief Description of the Drawings

Figure 1 is a plot showing the effect of various concentrations of structure (20b) on platelet deposition in a vascular graft.

Figure 2 is a plot showing the effect of various concentrations of structure (39) on platelet deposition in a vascular graft.

Figure 3 is a plot showing the effect of various concentrations of structure (29b) on platelet deposition in a vascular graft.

Figures 4A and 4B illustrate the bioavailability of structure (20b) via both IV and PO administration.

Figures 5A and 5B illustrate the ability of structures (221-5) and (221-6) to serve as antithrombotic agents.

Detailed Description of the Invention

As mentioned above, the β-sheet is an important structural component for many biological recognition events. The β-sheet mimetics of this invention serve to
5 impart and/or stabilize the β-sheet structure of a natural or synthetic peptide, protein or molecule, particularly with regard to conformational stability. In addition, the β-sheet mimetics of this invention are more resistant to proteolytic breakdown, thus rendering a peptide, protein
10 or molecule containing the same more resistant to degradation. The β-sheet mimetic may be positioned at either the C-terminus or N-terminus of the protein, peptide or molecule, or it may be located within the protein, peptide or molecule itself, and more than one
15 β-sheet mimetic of the present invention may be incorporated in a protein, peptide or molecule.

The β-sheet mimetics of this invention are generally represented by structure (I) above, as well as the more specific embodiments represented by structures
20 (II) through (XI). The β-sheet mimetics of this invention may be constructed to mimic the three-dimensional conformation of a β-sheet comprised of naturally occurring L-amino acids, as well as the structure of a β-sheet comprised of one or more D-amino acids. Thus, all
25 stereoconformations of the β-sheet mimetics of structure (I) are within the scope of this invention.

For example, β-sheet mimetics of structure (II) include the following structures (II') and (II"):

(II')   (II")

Similarly, β-sheet mimetics of structure (III) include the following structures (III') through (III""):

(III)'   (III")

(III"')   (III"")

The β-sheet mimetics of structure (IV) include these same stereoconfirmations, but with the "Z-NH" moiety of structures (III') through (III'''') replaced with a "Z" moiety.

As used herein, the term "an amino acid side chain moiety" as used to define the R_1, R_2, R_2', R_3, and R_4 moieties represents any amino acid side chain moiety present in naturally occurring proteins, including (but not limited to) the naturally occurring amino acid side chain moieties identified in Table 1 below. Other naturally occurring side chain moieties of this invention include (but are not limited to) the side chain moieties of phenylglycine, 3,5-dibromotyrosine, 3,5-diiodotyrosine, hydroxylysine, naphthylalanine, thienylalanine, γ-carboxyglutamate, phosphotyrosine, phosphoserine and

glycosylated amino acids such as glycosylated serine, asparagine and threonine.

Table 1

Amino Acid Side Chain Moiety	Amino Acid
-H	Glycine
$-CH_3$	Alanine
$-CH(CH_3)_2$	Valine
$-CH_2CH(CH_3)_2$	Leucine
$-CH(CH_3)CH_2CH_3$	Isoleucine
$-(CH_2)_4NH_3^+$	Lysine
$-(CH_2)_3NHC(NH_2)NH_2^+$	Arginine
	Histidine
$-CH_2COO^-$	Aspartic acid
$-CH_2CH_2COO^-$	Glutamic acid
$-CH_2CONH_2$	Asparagine
$-CH_2CH_2CONH_2$	Glutamine
	Phenylalanine
	Tyrosine
	Tryptophan
$-CH_2SH$	Cysteine
$-CH_2CH_2SCH_3$	Methionine
$-CH_2OH$	Serine
$-CH(OH)CH_3$	Threonine

In addition to naturally occurring amino acid side chain moieties, the amino acid side chain moieties of the present invention also include various derivatives

5 thereof. As used herein, a "derivative" of an amino acid side chain moiety includes all modifications and/or variations to naturally occurring amino acid side chain moieties. For example, the amino acid side chain moieties of alanine, valine, leucine, isoleucine, phenylglycine and

10 phenylalanine may generally be classified as lower chain alkyl, aryl or aralkyl moieties. Derivatives of amino acid side chain moieties include other straight chain or

• branched, cyclic or noncyclic, substituted or unsubstituted, saturated or unsaturated lower chain alkyl,

15 aryl or aralkyl moieties.

As used herein, "lower chain alkyl moieties" contain from 1-12 carbon atoms, "lower chain aryl moieties" contain from 6-12 carbon atoms, and "lower chain aralkyl moieties" contain from 7-12 carbon atoms. Thus,

20 in one embodiment, the amino acid side chain derivative is selected from a C_{1-12} alkyl, a C_{6-12} aryl and a C_{7-12} aralkyl, and in a more preferred embodiment, from a C_{1-7} alkyl, a C_{6-10} aryl and a C_{7-11} aralkyl.

Amino acid side chain derivatives of this

25 invention further include substituted derivatives of lower chain alkyl, aryl and aralkyl moieties, wherein the substituent is selected from (but are not limited to) one or more of the following chemical moieties: -OH, -OR, -COOH, -COOR, $-CONH_2$, $-NH_2$, -NHR, -NRR, -SH, -SR, $-SO_2R$,

30 $-SO_2H$, -SOR and halogen (including F, Cl, Br and I), wherein each occurrence of R is independently selected from a lower chain alkyl, aryl or aralkyl moiety.

Moreover, cyclic lower chain alkyl, aryl and aralkyl moieties of this invention include naphthalene, as well as heterocyclic compounds such as thiophene, pyrrole, furan, imidazole, oxazole, thiazole, pyrazole, 3-pyrroline,

5   pyrrolidine, pyridine, pyrimidine, purine, quinoline, isoquinoline and carbazole. Amino acid side chain derivatives further include heteroalkyl derivatives of the alkyl portion of the lower chain alkyl and aralkyl moieties, including (but not limited to) alkyl and aralkyl

10 phosphonates and silanes.

As used in the context of this invention, the term "remainder of the molecule" (as represented by Y and Z) may be any chemical moiety, including (but not limited to) amino acid side chain moieties and derivatives thereof

15 as defined above. For example, when the β-sheet mimetic is located within the length of a peptide or protein, Y and Z may represent amino acids of the peptide or protein. Alternatively, if two or more β-sheet mimetics are linked, the Y moiety of a first β-sheet mimetic may represent a

20 second β-sheet mimetic while, conversely, the Z moiety of the second β-sheet mimetic represents the first β-sheet mimetic.

When the β-sheet mimetic is located at the end of a peptide or protein, or when the β-sheet mimetic is

25 not associated with a peptide or protein, Y and/or Z may represent a suitable terminating moiety. For example, representative terminating moieties for the Z moiety include (but are not limited to) -H, -OH, -R, -C(=O)R and -SO$_2$R (where R is selected from a lower chain alkyl

30 moiety, a lower chain aryl moiety and a lower chain aralkyl moiety), or may be a suitable protecting group for

protein synthesis, such as BOC, FMOC and CBZ (*i.e.*, *tert*-butyloxycarbonyl, 9-fluorenylmethoxycarbonyl and benzyloxycarbonyl, respectively).

Similarly, representative terminating moieties for the Y moiety include (but are not limited to) $-H$, $-OH$, $-R$, $-SO_2R$, $-SOR$, $-SO_2NHR$, $-CF_3$, $-C_2F_5$, $-NHOH$, $-NHNHR$, $-C(=O)H$, $-C(=O)R$, $-C(=O)CF_3$, $-C(=O)OR$, $-C(=O)CH_2OR$, $-C(=O)NHR$, $-CH_2X'$, $-C(=O)CH_2X'$, $-C(=O)C(=O)NRR$, $-C(=O)CHN_2$,

$$\overset{O}{\overset{\diagup\diagdown}{-CH-CH}}C(=O)NHR- \qquad\qquad \overset{O}{\overset{\diagup\diagdown}{-CH-CH}}C(=O)OR-$$

$$\overset{O}{\overset{\diagup\diagdown}{-CH-CH}}C(=O)R- \qquad -\underset{OH}{C}-C\equiv C-\overset{O}{\underset{OH}{\diagup}} \qquad -\underset{OH}{C}-C\equiv C-\overset{O}{\underset{R}{\diagup}}$$

$$-\underset{OH}{C}-C\equiv C-\overset{O}{\underset{OR}{\diagup}} \qquad -\underset{OH}{C}-C\equiv C-\overset{O}{\underset{NRR}{\diagup}}$$

$-C(=O)CH=CHC(=O)OH$,
$-C(=O)CH=CHC(=O)R$,
$-C(=O)CH=CHC(=O)OR$,
$-C(=O)CH=CHC(=O)NRR$,
$-CH(OH)CH=CHC(=O)OH$,
$-CH(OH)CH=CHC(=O)R$,
$-CH(OH)CH=CHC(=O)OR$,
$-CH(OH)CH=CHC(=O)NRR$, $-CH=CHSO_2R$ and $-SO_2CH=CHR$ (where X' is Cl, F, Br or I, and each occurrence of R is independently selected from a lower chain alkyl moiety, a lower chain aryl moiety and a lower chain aralkyl moiety), or a heterocyclic moiety, such as pyridine, pyran, thiophan, pyrrole, furan, thiophene, thiazole, benzthiazole, oxazole, benzoxazole, imidazole and benzimidazole.

More specifically, suitable Z and Y terminating moieties of this invention include the following groups:

Z Moieties	Y Moieties
R^6-X-	$-X-R^6$
R^7-X-	$-X-R^7$

$$(R^8)_2N-X- \qquad\qquad -X-N(R^8)_2$$
$$R^9-O-X- \qquad\qquad -X-O-R^9$$
$$R^{10}-S(O)_p-X- \qquad\qquad -X-S(O)_pR^{10}$$

wherein

X is optionally present and selected from a straight chain or branched, cyclic or noncyclic, saturated or nonsaturated C_{1-12} alkyl optionally substituted with one or more substituents selected from halogen, =O, OR, ONRR, C(O)R, C(O)OR, CN, OC(O)R, C(O)NRR, C(O)NROR, NH_2, NO_2, NHOR, C(NR), NHR, C(NR)NHR, NHC(NR)NHR, $P(OR)_3$ and SiRRR;

R^6 is selected from H, CN, NO_2 SiRRR and $P(OR)_3$;

R^7 is selected from C_{5-14} aryl, C_{4-13} heteroaryl, C_{3-14} cycloalkyl, C_{5-14} cycloalkylene, and C_{2-13} heterocycloalkyl, each of which may be optionally substituted with one or more substituents selected from X, halogen, OR, ONRR, C(O)R, C(O)OR, CN, OC(O)R, NR_2, C(O)NRR, C(O)NROR, NRC(O)R, C(NR)NHR, NHC(NR)NHR, NO_2 SO_2R, SO_2NRR, SiRRR, $OP(OR)_3$, $CH_2P(OR)_3$ and $CF_2P(OR)_3$;

R^8 is, at each occurrence, independently selected from H, X, R^7, halogen, OR, =C=O, C(O)R, C(O)OR, CN, OC(O)R, NR_2, C(O)NRR, NRC(O)R, C(NR)NHR, NO_2, SO_2R, SO_2NRR, SiRRR and $P(OR)_3$, or, taken together, may form a saturated or unsaturated C_{2-14} cycloalkyl optionally substituted with one or more substituents selected from =O, X, R^7, halogen, OR, =C=O, C(O)R, C(O)OR, CN, OC(O)R, NR_2, C(O)NRR, NRC(O)R, C(NR)NHR, NO_2 SO_2R, SO_2NRR, SiRRR and $P(OR)_3$;

R^9 is selected from H, X, R^7, halogen C(O)R, C(O)OR, CN, NR_2 C(O)NRR, NRC(O)R, C(NR)NHR, NO_2, SO_2R, SO_2NRR, SiRRR and $P(OR)_3$, where p = 0-2;

R^{10} is selected from H, X, R^7, halogen, OR, C(O)R, C(O)OR, CN, NR_2 and C(O)NRR; and

each occurrence of R in the above definitions of R^6 through R^{10} is independently selected from H, C_{1-6} alkyl, C_{3-14} cycloalkyl, C_{5-14} cycloalkylene, C_{6-14} aryl, C_{4-13} heteroaryl and C_{2-13} heterocycloalkyl, or, when two R groups are present, taken together form a saturated or unsaturated C_{2-8} cycloalkyl.

In the context of protease inhibitors, the Y terminating moiety further includes the following group:

$$-N(\{C(R^{11})_2C(O)-T_m\}_n-W_k-R^{12})_2$$

wherein

m = 0-1;

n = 0-20;

k = 0-1;

R^{11} is, at each occurrence, independently selected from an amino acid side chain moiety and derivative thereof;

T is, at each occurrence, independently selected from C=O, C(O)-$N(R^{12})$ and $N(R^{12})$;

W is, at each occurrence, independently selected from a C_{2-14} heterocycle; and

R^{12} is, at each occurrence, independently selected from H, X, X-R^6, X-R^7, X-$N(R^8)_2$, X-O-R^9, X-S(O)$_p R^{10}$ and P(OR)$_3$, or, taken together, may form a saturated or unsaturated C_{2-14} cycloalkyl optionally substituted with one or more substituents selected from halogen, =O, OR, ONRR, C(O)R, C(O)OR, CN, OC(O)R, C(O)NRR, C(O)NROR, NH_2, NO_2, NHOR, C(NR)NHR, NHC(NR)NHR, P(OR)$_3$ and SiRRR; and

R, R^6, R^7, R^8, R^9, R^{10}, X and p are as defined immediately above;

with the proviso that when n=0 each of R^{12} are not both hydrogen.

In the context of structure (I) above, any two adjacent CH groups of the bicyclic ring may form a double

5   bond. Such double bonds may be present in isolation or conjugation with one or more additional double bonds, including aromatic ring systems. For example, representative isolated double bonds includes compounds of structures (IIe), (IIf), (IIIe), (IIIf), (IVe), (IVf),

10   (VIIIa) and (VIIIb) above. Representative aromatic compounds resulting from conjugated double bonds are depicted by structures (IIc), (IId), (IIIc), (IIId), (IVc) and (IVd) above.

Within a specific embodiment of this invention,

15   β-sheet mimetics are disclosed having structure (II) above, wherein A is -C(=O)-, B is N, C is -(CH$_2$)$_2$- or -C(=O)CH$_2$-, D is N, and the optional carbonyl moiety F is present, as represented by the following structures (IIg), (IIh) and (IIh'):

20

(IIg)   (IIh)   (IIh')

Similarly, when B and D are both CH, representative β-sheet mimetics of this invention include compounds of the following structures (IIi), (IIj) and (IIj'):

(IIi)   (IIj)   (IIj')

Within another specific embodiment of this

5   invention, β-sheet mimetics are disclosed having structure

(III) above. In one aspect of this embodiment, D is N and

the compound has the following structure (IIIi):

(IIIi)

wherein A is selected from $-C(=O)-$, $-(CH_2)_{0-4}-$ and

10   $-C(=O)(CH_2)_{1-3}-$; B is selected from N and CH; C is selected

from $-C(=O)-$ and $-(CH_2)_{0-3}-$; and the bicyclic ring system is

saturated (i.e., contains no double bonds between adjacent

CH groups of the bicyclic ring system).

In this embodiment where B is CH and R_3 is

15   hydrogen, compounds are disclosed having the following

structures (IIIj), (IIIk) and (IIIl):

(IIIj)   (IIIk)   (IIIl)

In an embodiment of structure (IIIi) where B is N and R_3 is hydrogen, compounds are disclosed having the following structures (IIIm), (IIIn) and (IIIo):

5   (IIIm)   (IIIn)   (IIIo)

In preferred embodiments of this aspect of the invention, compounds are disclosed having the following structures (IIIp), (IIIq), (IIIr) and (IIIr'):

10   (IIIp)   (IIIq)   (IIIr)   (IIIr')

In another embodiment of structure (IIIi) above, compounds are disclosed having the following structure (IIIs):

(IIIs)

15   wherein A is selected from $-(CH_2)_{0-4}-$, $-(CH_2)_{1-2}O-$ and $-(CH_2)_{1-2}S-$; C is selected from $-(CH_2)_{0-3}-$, $-O-$, $-S-$, $-O(CH_2)_{1-2}-$ and $-S(CH_2)_{1-2}-$; and the bicyclic ring system is saturated.

In an embodiment of structure (IIIs) where A is $-(CH_2)_{0-4}-$, compounds are disclosed having the following structure (IIIf):

(IIIt)

5   In an embodiment of structure (IIIs) where A is $-(CH_2)_{1-2}O-$ or $-(CH_2)_{1-2}S-$, compounds are disclosed having the following structures (IIIu) and (IIIv):

(IIIu)   (IIIv)

In an embodiment of structure (IIIs) where C is 10 $-(CH_2)_{1-3}-$, compounds are disclosed having the following structure (IIIw):

(IIIw)

where A is selected from $-(CH_2)_{1-4}-$, $-(CH_2)_{1-2}O-$ and $-(CH_2)_{1-2}S-$.

15   In an embodiment of structure (IIIs) where C is -O- or -S-, compounds are disclosed having the following structures (IIIx) and (IIIy):

(IIIx)   (IIIy)

In an embodiment of structure (IIIs) where C is
$-O(CH_2)_{1-2}-$ or $-S(CH_2)_{1-2}-$, compounds are disclosed having the
5 following structures (IIIz) and (IIIza):

(IIIz)   (IIIza)

Within a further embodiment of this invention,
β-sheet mimetics are disclosed having strucutre (IV)
10 above. In one aspect of this embodiment, A is $-C(=O)-$, B
is CH or N, C is $-(CH_2)_2-$ or $-C(=O)CH_2-$, D is N and the
optional carbonyl moiety is present, as represented by the
following structures (IVg), (IVg'), (IVh) and (IVh'):

15

(IVg)   (IVg')   (IVh)   (IVh')

In embodiments of this invention where F is not
present, compounds having structures (V), (VI) and (VII)
20 are disclosed. With respect to compounds of structure
(V), when A is $-C(=O)-$, B and D are both CH or N, and C is

-(CH$_2$)$_2$-, representative compounds of this invention include the following structures (Va), (Vb) and (Vc):

(Va)

(Vb)

(Vc)

Similarly, in structure (VI), when A is -C(=O)-, B and D are both CH or N, and C is -(CH$_2$)$_2$-, representative compounds of this invention include the following structures (VIa), (VIb) and (VIc):

(VIa)

(VIb)

(VIc)

As for structure (VII), when A is -C(=O)-, B and D are both CH or N, and C is -(CH$_2$)$_2$-, representative compounds of this invention include the following structures (VIIa), (VIIb) and (VIIc):

5

(VIIa)   (VIIb)

(VIIc)

10

With regard to compounds of structure (VIII), in one embodiment B and D of structures (VIIIa) and (VIIIb) are both CH or N and X is -S-, -O- or -(CH$_2$)$_2$-, yielding 15 compounds of structures (VIIIc), (VIIId), (VIIIe) and (VIIIf):

(VIIIc)   (VIIId)

(VIIIe)

(VIIIf)

In an embodiment of structure (IX), wherein A is -C(=O)-, B and D are both N, E is -N(Z)-, -C(R₁)(NHZ)- or 5 -C(R₁)(Z)-, and F is present, compounds of this invention include structures (IXc) through (IXh).

(IXc)

(IXd)

(IXe)

10

(IXf)

(IXg)

(IXh)

15   In an embodiment of structure (X), where A is -C(=O)-, B is N, D is N and E is Z-N, compounds of this invention include structures (Xc) and (Xd):

(Xc)   (Xd)

5   In an embodiment of structure (XI), where A is
-C(=O)-, B is N, C is -CH₂C(=0)-, D is N and E is Z-N,
compounds of this invention include structure (XIc):

10   (XIc)   (XId)

         The β-sheet mimetics of this invention may be
synthesized by one skilled in the art by known organic
15 synthesis techniques. For example, the various
embodiments of structure (I) may be synthesized according
to the following reaction schemes.

         Representative compounds of structure (III) can
be synthesized by the following reaction schemes (where
20 n = 0-4, p = 0-3 and m = 0-2):

Reaction Scheme (1)

X=SePh, Br

DCC, HOBT

nBu₃SnH

(IIIj)

Reaction scheme starting from an amino diacid:

1) Boc₂O, TEA
2) (CH₂O)ₙ
p-TsOH, cat.
ClCH₂CH₂CH₂Cl
−H₂O

→ Boc-oxazolidinone carboxylic acid

1) LHMDS, −78 °C
2) R₁Br
−78 °C → −30 °C
THF

→ R₁-substituted Boc-oxazolidinone CO₂H

CDI
THF

→ (1) acyl imidazolide

Second scheme:

CbZNH glutamate benzyl ester, OH

EDCI, tBuOH
DMAP
CH₂Cl₂

→ (2) CbZNH benzyl/tBu diester

Third scheme:

(2)

1) LHMDS (2.5 eq.)
2) (1)

→ Boc / CbZ intermediate with R₁, benzyl ester

H₂, Pd/C
EtOH, AcOH

→ (IIIj′) bicyclic Boc-amino acid

Reaction Scheme (2)

Structure (IIIk) can be synthesized by the following reaction scheme:

(IIIk)

5

Reaction Scheme (3)

Representative compounds of structure (IIIl) having structure (IIIl') can be synthesized by the following reaction scheme, where structure (IIIl") in scheme (3) is a representative structure of the invention having a double bond in the bicyclic ring system:

(IIIl')

(IIIl")

In addition, representative compounds of structure (IIIl) having structure (IIIl"') may be synthesized by the following reaction scheme, and when A of structure (IIIl) is $-C(=O)(CH_2)_{1-3}-$, a related compound 5 (designated (IIIi') below) can be synthesized by the following reaction scheme:

(IIIi')

(IIIl"')

Reaction Scheme (4)

Representative compounds of structure (IIIm) having structures (IIIm') and (IIIm") below, wherein R_3 is hydrogen, can be synthesized by the following reaction
5 scheme (see Holmes and Neel, *Tet. Lett. 31*:5567-70, 1990):

(IIIm')

(IIIm")

Representative compounds of structure (IIIi)
10 wherein R_3 is an amino acid side chain moiety or derivative thereof may also be prepared according to the above scheme (4).

Reaction Scheme (5)

Representative compounds of structure (IIIn) having structure (IIIn') can be synthesized by the following reaction scheme:

5

(IIIn')

Reaction Scheme (6)

Structure (IIIo) can be synthesized by the following reaction scheme:

(IIIo)

5

Reaction Scheme (7)

Representative compounds of structure (IIIp) having structures (IIIp') and (IIIp") shown below, can be synthesized by the following reaction scheme:

5

(IIIp')

2) DCC, HOBT
3) H_2, Pd/C

(IIIp")

Reaction Scheme (8)

Representative compounds of structure (IIIq) having structures (IIIq') and (IIIq") can be synthesized by the following reaction scheme (*see* Jungheim & Sigmund,
5   *J. Org. Chem.* *52*:4007-4013, 1987):

(IIIq')

or

(IIIq")

Reaction Scheme (9)

10   Structure (IIIr) may be synthesized by the following reaction scheme (*see* Perkin, *J. Chem. Soc. Perk. Trans.* *1*:155-164, 1984):

(IIIr)

15

Reaction Scheme (10)

Structure (IIIt) may be synthesized by the following reaction scheme:

(1)

W = O or S
m = 0, 1 or 2

(IIIt)

5

Reaction Scheme (11)

Structures (IIIu) and (IIIv) may be synthesized by the following reaction scheme:

W = O or S

(1)

1) −P
2) DCC/HOBt

(IIIu) W = O
(IIIv) W = S

5

Reaction Scheme (12)

Structure (IIIw) may be synthesized by the following reaction scheme:

X = SePh or Br

(IIIw)

5

Reaction Scheme (13)

Structures (IIIx) and (IIIy) may be synthesized by the following reaction scheme:

5

(<u>1a</u>) or (<u>1b</u>)   → 1) YX couple   2) -P

$W = O$ or S

(<u>2</u>)

1) Sn[N(Si≡)$_2$]
2) K$_2$CO$_3$
   MeOH

(IIIx) $W = O$
(IIIy) $W = S$

Reaction Scheme (14)

Structures (IIIz) and (IIIza) may be synthesized by the following reaction scheme:

(1a)

(1b)

(2)

(**1a**) or (**1b**) → 1) XY couple 2) -P

W = O or S

(**2**)

(IIIz), (IIIza)

1) Sn[N(Si≡)₂]
2) K₂CO₃
MeOH

According to the definition of structure (I) above, the bicyclic ring system may contain adjacent CH groups (*i.e.*, the bicyclic ring system may be formed, at least in part, by a -CH-CH- group). Compounds wherein such a -CH-CH- group is replaced with a -C=C- are also included within the scope of structure (I) (*i.e.*, any two adjacent CH groups of the bicyclic ring may together form a double bond).

Reaction Schemes (15), (16) and (17) illustrate further synthetic methodology for preparing representative compounds of structure (III).

Reaction Scheme (15)

IIIe

IIIa for B,D = N

5

Reaction Scheme (16)

Reaction Scheme (17)

Representative compounds of structure (IV) may be prepared by the following reaction schemes (18) through (21).

Reaction Scheme (18)

R = H, R_1

(IVc)

Reaction Scheme (19)

Starting material by method of Miller and Watkins, *J. Am. Chem. Soc.* *90*:1515, 1976.

(IVd)

Alternatively, structures (IVc) and (IVd) may be made by reaction scheme (19-1).

Reaction Scheme (19-1)

1. NaH, THF
2. R_1X

3. NaH, THF
4. ZX

$(AcO)_2IPh$
or
$(CF_3CO_2)IPh$

DDQ

(IVc)

$R_2'MgBr$

1. NaH, MeI

2. H_2, Pd-C,
   EtOH, H^+

(IVd)

Reaction Scheme (20)

(IVa) for B,D = N

Reaction Scheme (21)

Alternatively, structure (IVf) may be made by the following reaction scheme (21-1).

5

Reaction Scheme (21-1)

(IVf)   (IVa)

Representative compounds of structure (VIII) may
be synthesized either from urazoles or pyrazolidine diones
by reaction schemes (22) and (23).

Reaction Scheme (22)

Structure (VIIIc) may be synthesized from urazoles by the following reaction scheme:

$$X = S, O, (CH_2)_n \quad n = 1, 2$$

(VIIIc)

5

75

Reaction Scheme (23)

Structure (VIIId) may be synthesized from pyrazolidine diones by the following reaction scheme:

$$X = S, O, (CH_2)_n \quad n = 1, 2$$

1. NaOH

2. couple HY

(VIIId)

NaOMe,
R_1X, MeOH

or

1. NaH
2. R_1X, THF

NH_2NH_2
MeONa

MeOH

5

Alternatively, the pyrazolidine dione starting material may be synthesized by the following reaction scheme:

1. NaH
2. BnOCH$_2$Cl,

TBAI
THF

Pd(OH)$_2$/C

H$_2$, MeOH

DEAD, Ph$_3$P

NH$_2$NH$_2$
MeONa

MeOH

R$_1$—X

X = NHR, O, S, carbanion

Representative compounds of structure (II) may be synthesized by the following reaction scheme (24):

Reaction Scheme (24)

A   1. TEA. PhMe. reflux   2. H₂N−Z   →   A   couple HY   →   IIc

A   1. NMM. IBCF   2. NaBH₄   3. Dess-Martin periodinane   →   1. Y⁻   2. Dess-Martin periodinane   →   IIc

1. PhI(OTFA)₂   2. Δ   →   IIe for B.D = N   H₂. Pd-C   →   IIa for B.D = N

H₂N-Z, heat   →   Z−N   heat   →   IIe for B,D = C

H₂, Pd-C   →   IIa for B,D = C

Further representative compounds of structure (II) may be made by the following reaction scheme (25):

Reaction Scheme (25):

IId

IIe

IIf

IIb

Further representative compounds of structure (III) may be made by the following reaction scheme (26):

Reaction Scheme (26):

IIIe
for B,D = carbon

IIIa for B,D = carbon

Compounds of structures (V), (VI) and (VII) may
10 be made by the same general techniques as disclosed above for compounds of structures (II), (III) and (IV), with the exception that the respective precursor intermediate does not contain a carbonyl moiety at position F.

Further, compounds of structure (IX) may be
15 prepared according to reaction scheme (27):

Reaction Scheme (27)

(IXc): E = Z-N
(IXd): E = Z-NH-C(R$_1$)
(IXe): E = Z(R$_1$)C

5

(IXf): E = Z-N
(IXg): E = Z-NH-C(R$_1$)
(IXh): E = Z(R$_1$)C

Representative compounds of structure (IIe) may be made by the following reaction scheme (28):

Reaction Scheme (28)

5

(IIe)

(IIe)

ZX = alkylating agent
    or Michael acceptor

Representative compounds of structure (X) may be made by the following reaction scheme (29):

Reaction Scheme (29)

5

X=C, N, O, S

Representative compounds of structure (XIc) may be made by the following reaction scheme (30):

10

Reaction Scheme (30)

83

Representative compounds of structure (XId) may be made by the following reaction scheme (31):

Reaction Scheme (31):

5

Representative compounds of structure (IIh') may be made by the following reaction schemes (32) and (33):

10

Reaction Scheme (32):

Reaction Scheme (33):

5   In one embodiment of β-sheet mimetics of this invention, Y groups have the structure:

where a preferred stereochemistry is:

10   Preferred R_4 groups are organoamine moieties having from about 2 to about 10 carbon atoms and at least one nitrogen atom. Suitable organoamine moieties have the chemical formula $C_{2-10}H_{4-20}N_{1-6}O_{0-2}$; and preferably have the

chemical formula $C_{3-7}H_{7-14}N_{1-4}O_{0-1}$. Exemplary organoamine moieties of the invention are (wherein R is selected from hydrogen, halogen (e.g., fluorine), lower chain alkyl (e.g., methyl), and hydroxy lower chain alkyl (e.g.,

5 hydroxymethyl); and X is selected from CH_2, NH, S and O):

In the above structure, R_5 is selected from (a) alkyl of 1 to about 12 carbon atoms, optionally

10 substituted with 1-4 of halide, C_{1-5}alkoxy and nitro, (b) $-C(=O)NH-C_{1-5}$alkyl, wherein the alkyl group is optionally substituted with halide or C_{1-5}alkoxy, (c) $-C(=O)NH-C_{1-10}$aralkyl where the aryl group may be optionally substituted with up to five groups independently selected

15 from nitro, halide, $-NH-(C=O)C_{1-5}$alkyl, $-NH-(C=O)C_{6-10}$aryl, C_{1-5}alkyl and C_{1-5}alkoxy, and (d) monocyclic and bicyclic heteroaryl of 4 to about 11 ring atoms, where the ring atoms are selected from carbon and the heteroatoms oxygen, nitrogen and sulfur, and where the heteroaryl ring may be

20 optionally substituted with up to about 4 of halide, C_{1-5}alkyl, C_{1-5}alkoxy, $-C(=O)NHC_{1-5}$alkyl, $-C(=O)NHC_{6-10}$aryl, amino, $-C(=O)OC_{1-5}$alkyl and $-C(=O)OC_{6-10}$aryl.

$$\text{—CNH—(CH}_2)_{1\text{-}3}\text{——}\bigcirc\text{—R}_6$$

wherein R_6 is hydrogen, nitro, halide, $NH\text{-}C(=O)\text{-}C_{1\text{-}5}alkyl$, $NH\text{-}C(=O)\text{-}C_{6\text{-}10}aryl$, $C_1\text{-}C_5alkyl$ and $C_1\text{-}C_5$ alkoxy;

$$\text{—(CH}_2)_{1\text{-}3}\text{—X}$$

5 wherein X is halide;

$$\overset{N}{\underset{E}{\bigsqcup}}\overset{R_7}{\underset{R_8}{}}$$

wherein E is -O-, -NH- or -S- and R_7 and R_8 are independently selected from hydrogen, $C_{1\text{-}5}alkyl$, $-C(=O)OC_{1\text{-}5}alkyl$, $-C(=O)OC_{6\text{-}10}aryl$, $-C(=O)NHC_{1\text{-}5}alkyl$ and

10 $-C(=O)NHC_{6\text{-}10}aryl$; and

$$\overset{N}{\underset{E}{\bigsqcup}}\text{——}\bigcirc\text{—R}_6$$

wherein E and R_6 are as defined previously.

The β-sheet mimetics of the present invention may be used in standard peptide synthesis protocols,

15 including automated solid phase peptide synthesis. Peptide synthesis is a stepwise process where a peptide is formed by elongation of the peptide chain through the stepwise addition of single amino acids. Amino acids are linked to the peptide chain through the formation of a

20 peptide (amide) bond. The peptide link is formed by coupling the amino group of the peptide to the carboxylic acid group of the amino acid. The peptide is thus synthesized from the carboxyl terminus to the amino terminus. The individual steps of amino acid addition are

25 repeated until a peptide (or protein) of desired length and amino acid sequence is synthesized.

To accomplish peptide (or protein or molecule) synthesis as described above, the amino group of the amino acid to be added to the peptide should not interfere with peptide bond formation between the amino acid and the
5 peptide (*i.e.*, the coupling of the amino acid's carboxyl group to the amino group of the peptide). To prevent such interference, the amino groups of the amino acids used in peptide synthesis are protected with suitable protecting groups. Typical amino protecting groups include, for
10 example, BOC and FMOC groups. Accordingly, in one embodiment of the present invention, the β-sheet mimetics of the present invention bear a free carboxylic acid group and a protected amino group, and are thus suitable for incorporation into a peptide by standard synthetic
15 techniques.

The β-sheet mimetics of this invention may be synthesized on solid support, typically via a suitable linker. The β-sheet mimetics may then be cleaved from the solid support by, for example, aminolysis, and screened as
20 competitive substrates against appropriate agents, such as the chromogenic substrate BAPNA (benzyoylarginine paranitroanalide)(*see* Eichler and Houghten, *Biochemistry* *32*:11035-11041, 1993)(incorporated herein by reference). Alternatively, by employing a suitable linker moiety, such
25 screening may be performed while the β-sheet mimetics are still attached to the solid support.

Once a substrate is selected by the above kinetic analysis, the β-sheet mimetic may be converted into an inhibitor by modifications to the C-terminal -
30 that is, by modification to the Y moiety. For example, the terminal Y moiety may be replaced with $-CH_2Cl$, $-CF_3$, -H, or $-C(O)NHR$. Appropriate R moieties may be selected

using a library of substrates, or using a library of inhibitors generated using a modification of the procedure of Wasserman and Ho (*J. Org. Chem.* 59:4364-4366, 1994) (incorporated herein by reference).

5   Libraries of compounds containing β-strand templates may be constructed to determine the optimal sequence for substrate recognition or binding. Representative strategies to use such libraries are discussed below.

10   A representative β-sheet mimetic substrate library may be constructed as follows. It should be understood that the following is exemplary of methodology that may be used to prepare a β-sheet mimetic substrate library, and that other libraries may be prepared in an 15 analogous manner.

          In a first step, a library of the following type:

R₁, R₃, R = amino acid side chain moieities or derivatives thereof; Y = H, Ac, SO₂R; and the circled "P" represents a solid support.

20

may be constructed on a solid support (PEGA resin, Meldal, 25 *M. Tetrahedron Lett.* 33:3077-80, 1992; controlled pore glass, Singh et al., *J. Med. Chem.* 38:217-19, 1995). The solid support may then be placed in a dialysis bag (Bednarski et al., *J. Am. Chem. Soc.* 109:1283-5, 1987) with the enzyme (*e.g.*, a protease) in an appropriate 30 buffer. The bag is then placed in a beaker with bulk buffer. The enzymatic reaction is monitored as a function

of time by HPLC and materials cleaved from the polymer are analyzed by MS/MS. This strategy provides information concerning the best substrates for a particular target.

The synthesis of the β-sheet mimetic is
5   illustrated by the retrosynthetic procedure shown next:

The complexity of the library generated by this technique is $(R_1)(R_3)(R)(Y)$. Assuming R_1, R_3 and R are
10 selected from naturally occurring amino acid side chains moieties, n is constant, and Y is H, Ac or -SO$_2$R as defined above, a library having on the order of 24,000 members [(20)(20)(20)(3)] is generated.

After screening the library against a specific
15 target (e.g., enzyme), the library may then recovered and screened with a second target, and so on.

In addition, a library of inhibitors can be constructed and screened in a standard chromogenic assay. For example, the library may be constructed as follows,

where the following example is merely representative of the inhibitor libraries that may be prepared in an analogous manner to the specific example provided below.

1) O_3

2) HNR_aR_b
   or
   HOR_a

5

inhibitors of serine or cysteinyl proteases

(See Wasserman et al., J. Org. Chem. 59:4364-6, 1994.)

10   A further alternative strategy is to link the library through the sidechain R group as shown below.

X = CF3, NHOH,

Z = OR, NHR, or amino acids

A library of aspartic protease inhibitors may be constructed having the following exemplary structure, and then cleaved from the resin and screened:

5

Similarly, for metalloproteases, a library having the exemplary structure shown below may be constructed and then cleaved from the resin to provide a library of hydroxamic acids:

The activity of the β-sheet mimetics of this invention may be further illustrated by reference to Table 2 which lists a number of biologically active peptides.

5 In particular, the peptides of Table 2 are known to have biological activity as substrates or inhibitors.

Table 2

Biologically Active Peptides

10

Protease Inhibitors:
    (a)   (D)FPR (Thrombin)
            Enzyme 40:144-48, 1988
    (b)   (D)IEGR (Factor X)
15   *Handbook of Synthetic Substrates for the Coagulation and Fibronlytic Systems*, H.C. Hemker, pp. 1-175, 1983, Martinus Nijhoff Publishers, The Hague.

20 Protein Kinase Substrates and Inhibitors:
    (c)   LRRASLG (Serine Kinase)
            Biochem. Biophys. Res. Commun. 61:559, 1974
    (d)   LPYA (Tyrosine Kinase)
            J. Bio. Chem. 263:5024, 1988
25   (e)   PKI (Serine Kinase)
            Science 253:1414-20, 1991

CAAX Inhibitors:
    (f)   (H)-CVIM-(OH)
30   *Proc. Natl. Acad. Sci. USA 88*:732-36, 1991
    (g)   (H)-CVFM-(OH)
            Bioorg. Med. Chem. Letters 4:887-92, 1994
    (h)   (H)-CIT-(homoserine lactone)
            Science 260:1934-37, 1993

35

SH2 Peptide Analogs:

(i) ^{P}YZPZS^{P}YZPZS (IRS 1 analogue)
   Biochemistry 33:9376-81, 1994

(j) EPQ^{P}YEEIPIYL (Src SH$_2$ binding motif)
   Cell 72:767-68, 1993

^{P}Y = phosphorylated Y
 Z = norleucine

Class MHC I Peptides:

(k) TYQRTRALV (Influenza nucleoprotein)
   J. Exp. Med. 175:481-87, 1991

(l) RGYVYQGL (VSV)
   Ann. Rev. Imm. 11:211-44, 1993

More generally, the β-sheet mimetics of this invention can be synthesized to mimic any number of biologically active peptides by appropriate choice of the R_2, R_2', R_3, F, Y and Z moieties (as well as the A, B, C, D and E moieties of structure (I) itself). This is further illustrated by Table 3 which discloses various modifications which may be made to the β-sheet mimetics of structure (I) to yield biologically active compounds. In Table 3, R_2 and R_3 are independently chosen from among the atoms or groups shown under the "R_2/R_3" column.

Table 3

Modifications to Structure (I) to Yield

Biological Active Compounds

(I)

	R₁	R₂/R₃	Y	Z

I. PROTEASE INHIBITORS

   A. Serine

      1. Thrombin C_6-C_{10} aromatic (e.g., phenyl, benzyl, naphthyl), C_1-C_{10} aliphatic or cycloaliphatic, substituted C_6-C_{10} aromatic, -SiR₃, -CO₂H, -CO₂R

R₂/R₃: hydrogen

Z: hydrogen, alkyl, aryl,

① =

X = CH₂, NH, S, O
R = H, CH₃

R=aliphatic

R$_1$	R$_2$/R$_3$	Y	Z

Y column (continued):

② = CH$_2$Cl

CF$_3$

CH$_3$C(=O)NH—cycloaliphatic

acetyl-pyrrolidine/piperidine)$_n$, n=1-2

2-methylbenzazole with R
X=O, S, NH
R=CO$_2$H, CO$_2$R, SO$_2$R, COCF$_3$

2-methyl-azole with R
X=O, S, NH
R=CO$_2$H, SO$_2$R, CO$_2$R

N-methylpyridinium with R
R=CO$_2$H, CO$_2$ SO$_2$R, COCF$_3$

R$_1$	R$_2$/R$_3$	Y	Z
2. Elastase	C$_1$-C$_{10}$ aliphatic	hydrogen or C$_1$-C$_{10}$ heterocyclic	acyl

CH$_3$NH–CH(①)–C(=O)CF$_3$

① = —CH$_3$

—CH(CH$_3$)$_2$

or

CH$_3$C(=O)C(=O)NH—aromatic
or
aliphatic

	R_1	R_2/R_3	Y	Z
3. Factor X	C_1-C_{10} aliphatic carboxylic	hydrogen		D(Ile) Acyl Dansyl
	aromatic carboxylate			
	C_1-C_{10} acidic heterocyclic			

(1) =

$X = CH_2$, NH

(2) = —CH_2Cl
   -CF_3

$X=O$, S, NH
$R=CO_2H$, CO_2R,
   SO_2R, $COCF_3$

$X=O$, S, NH
$R=CO_2H$, SO_2R,
   CO_2R

$R=CO_2H$, CO_2
   SO_2R, $COCF_3$

(3) = aliphatic
      cycloaliphatic
      peptide

	R_1	R_2/R_3	Y	Z
B. Aspartic				
1. HIV1	C_1-C_{10} aliphatic or arginine	C_1-C_{10} aliphatic or		acyl

① = C_1-C_{10} aliphatic
    arginine

or

① = C_1-C_{10} aliphatic
    C_1-C_{10} aromatic

② = amino acid
    C_1-C_{10} alkyl
    C_1-C_{10} aryl
    acyl
    hydrogen

	R_1	R_2/R_3	Y	Z
C. Cysteine				
1. Cathepsin B	C_6-C_{10} aromatic C_1-C_{10} aliphatic hydrogen	C_1-C_{10} basic aromatic hydrophobic		benzyl acyl

① = $-CH_2O\overset{O}{\underset{}{C}}Ar$

    $-CH_2OAc$

    $-CH_2N_2^+$

    $-H$

② = C_1-C_{10} aliphatic

	R_1	R_2/R_3	Y	Z
2. Calpain	C_6-C_{10} aromatic, C_1-C_{10} aliphatic, hydrophobic	C_1-C_{10} aliphatic		benzyl acyl

① = C_1-C_{10} aromatic, hydrophobic

② = $-CH_2F$
   $-CH_2N_2$
   $-CH_2OAc$
   $-H$

	R_1	R_2/R_3	Y	Z
3. ICE	C_1-C_{10} aliphatic	hydrogen		dihydro-cinnamic, aromatic, aliphatic, acetyl

① = $-H$
   $-CH_2F$
   $-CH_2N_2^+$
   $-CH_2O\overset{O}{\overset{\|}{C}}Ar$
   $-CH_2OAc$

② = C_1-C_{10} aliphatic
   C_1-C_{10} aromatic

	R_1	R_2/R_3	Y	Z
D. Metallo				
1. ACE	C_1-C_{10} aliphatic	indoyl C_1-C_{10} aromatic	$-OH$	

① = C_1-C_{10} alkyl
   C_1-C_{10} aryl

	R_1	R_2/R_3	Y	Z
2. Collagenase	C_1-C_{10} alkyl hydrogen	C_1-C_{10} aromatic, C_1-C_{10} aliphatic, C_1-C_{10} basic	① = alkyl	hydroxyl ① = hydrogen C_1-C_{10} alkyl
	or			
	C_6-C_{10} aromatic	C_1-C_{10} alkyl C_1-C_{10} aliphatic	-NHOH	hydroxyl ① = hydrogen C_1-C_{10} alkyl, or

	R_1	R_2/R_3	Y	Z
II. KINASE INHIBITORS				
A. <u>Serine/ Threonine</u>	amino acid side chain	amino acid side chain	Serine, Threonine	amino acid
B. <u>Tyrosine</u>	amino acid side chain	amino acid side chain	Tyrosine	amino acid
C. <u>Histidine</u>	amino acid side chain	amino acid side chain	Histidine	amino acid

	R_1	R_2/R_3	Y	Z
III. MHC II INHIBITORS				
A. <u>Class I</u>				
1. HIV gp120	hydrogen	hydrogen		

	R_1	R_2/R_3	Y	Z
B. Class II				
1. HA (306-18)	hydrogen	⌇NH_2	-YVKQNTLKLAT	hydrogen
2. HSP 65(3-13)	Cl--hydrophobic	hydrogen	-YDEEARR	-TK

When the β-sheet mimetics of this invention are substituted for one or more amino acids of a biologically active peptide, the structure of the resulting β-sheet modified peptide (prior to cleavage from the solid support, such as PAM) may be represented by the following diagram, where AA_1 through AA_3 represent the same or different amino acids:

AA_3——| BETA-SHEET MIMETIC |——AA_2—AA_1———(PAM)

The precise β-sheet mimetic may be chosen by any of a variety of techniques, including computer modeling, randomization techniques and/or by utilizing natural substrate selection assays. The β-sheet mimetic may also be generated by synthesizing a library of β-sheet mimetics, and screening such library members to identify active members as disclosed above.

Once the optimized β-sheet mimetic is chosen, modification may then be made to the various amino acids attached thereto. A series of β-sheet modified peptides having a variety of amino acid substitutions are then cleaved from the solid support and assayed to identify a preferred substrate. It should be understood that the generation of such substrates may involve the synthesis and screening of a number of β-sheet modified peptides,

wherein each β-sheet modified peptide has a variety of amino acid substitutions in combination with a variety of different β-sheet mimetics. In addition, it should also be recognized that, following cleavage of the β-sheet

5 modified peptide from the solid support, the Z moiety is AA_3 and the Y moiety is AA_2 and AA_1 in the above diagram. (While this diagram is presented for illustration, additional or fewer amino acids may be linked to the β-sheet mimetic - that is, AA_3 may be absent or additional

10 amino acids my be joined thereto; and AA_2 and/or AA_1 may be omitted or additional amino acids may be joined thereto).

Once a preferred substrate is identified by the procedures disclosed above, the substrate may be readily

15 converted to an inhibitor by known techniques. For example, the C-terminal amino acid (in this case AA_1) may be modified by addition of a number of moieties known to impart inhibitor activity to a substrate, including (but not limited to) $-CF_3$ (a known reversible serine protease

20 inhibitor), $-CH_2Cl$ (a known irreversible serine protease inhibitor), $-CHN_2$ and $-CH_2S(CH_3)_2^+$ (known cysteinyl protease inhibitors), -NHOH (a known metalloprotease inhibitor),

25

(a known cysteinyl protease inhibitor), and

$$\text{NH}-\overset{\overset{\displaystyle OH}{|}}{\underset{\underset{\displaystyle R}{|}}{}} \quad \overset{\overset{\displaystyle O}{\|}}{}\text{C}-\text{NH}-R'$$

R' = CH₂CH(CH₃)CH₂CH₃   R = CH₂CH(CH₃)₂

or   or

CH₂CH₂—N( )O   CH₂—( )

(a known aspartyl protease inhibitor).

While the utility of the β-sheet mimetics of
5   this invention have been disclosed with regard to certain
embodiments, it will be understood that a wide variety and
type of compounds can be made which includes the β-sheet
mimetics of the present invention. For example, a β-sheet
mimetic of this invention may be substituted for two or
10 more amino acids of a peptide or protein. In addition to
improving and/or modifying the β-sheet structure of a
peptide   or   protein,   especially   with   regard   to
conformational stability, the β-sheet mimetics of this
invention also serve to inhibit proteolytic breakdown.
15 This   results   in   the   added   advantage   of   peptides   or
proteins which are less prone to proteolytic breakdown due
to   incorporation   of   the   β-sheet   mimetics   of   this
invention.

More specifically, the β-sheet mimetics of this
20 invention have broad utility in naturally occurring or
synthetic peptides, proteins and molecules. For example,
peptides, proteins and molecules.   For example, the β-
sheet   mimetics   disclosed   herein   have   activity   as
inhibitors of kinases and proteases, as well as having
25 utility as MHC II inhibitors.   For example, the β-sheet

mimetics of this invention have activity as inhibitors of the large family of trypsin-like serine proteases, including those preferring arginine or lysine as a P' substituent. These enzymes are involved in hemostasis and

5 include (but are not limited to) Factor VIIa, Factor IXa, Factor Xa, Factor XIa, thrombin, kallikrein, urokinase (which is also involved in cancer metastasis) and plasmin. A related enzyme, tryptase, is involved in inflammatory responses. Thus, the ability to selectively inhibit these

10 enzymes has wide utility in therapeutic applications involving cardiovascular disease, inflammatory diseases, and oncology.

For example, compounds of the following structures represent further embodiments of this invention

15 in the context of Factor VIIa and thrombin inhibitors.

Factor VIIa Inhibitors:

20

<u>Z</u>	<u>G</u>

X and/or X' = halogen,
-SO₂NH₂, -C(=O)NH₂,
-CH₂NAc, -NO₂

(For Z:)

X and/or X' = halogen, $-SO_2NH_2$, $-C(=O)NH_2$, $-CH_2NAc$, $-NO_2$

(For G:)

R = $-SO_2NH_2$, $-SO_2CH_3$, $-SO_2Ar$, $-CH_2aryl$, $-CH_2heteroaryl$, $-C(=O)CH_2aryl$, $-C(=O)CH_2heteroaryl$

R' = ring substituent

<u>Y</u>

<u>R'</u>

<u>R''</u>

R''' = alkyl, aryl

Thrombin Inhibitors:

$\underline{R_2}$

-H, -CH3

$\underline{Y}$

$\underline{Z}$

R = R' or R ≠ R'

R = ⬡X_m , alkyl

X = substituent

m = 0 - 4

In another aspect, the present invention encompasses pharmaceutical compositions prepared for storage or administration which comprise a therapeutically effective amount of a β-sheet mimetic or compound of the present invention in a pharmaceutically acceptable carrier. Anticoagulant therapy is indicated for the treatment and prevention of a variety of thrombotic

conditions, particularly coronary artery and cerebrovascular disease. Those experienced in this field are readily aware of the circumstances requiring anticoagulant therapy.

5   The "therapeutically effective amount" of a compound of the present invention will depend on the route of administration, the type of warm-blooded animal being treated, and the physical characteristics of the specific animal under consideration. These factors and their

10 relationship to determining this amount are well known to skilled practitioners in the medical arts. This amount and the method of administration can be tailored to achieve optimal efficacy but will depend on such factors as weight, diet, concurrent medication and other factors

15 which as noted those skilled in the medical arts will recognize.

The "therapeutically effective amount" of the compound of the present invention can range broadly depending upon the desired affects and the therapeutic

20 indication. Typically, dosages will be between about 0.01 mg/kg and 100 mg/kg body weight, preferably between about 0.01 and 10 mg/kg, body weight.

"Pharmaceutically acceptable carriers" for therapeutic use are well known in the pharmaceutical art,

25 and are described, for example, in *Remingtons Pharmaceutical Sciences*, Mack Publishing Co. (A.R. Gennaro edit. 1985). For example, sterile saline and phosphate-buffered saline at physiological pH may be used. Preservatives, stabilizers, dyes and even flavoring agents

30 may be provided in the pharmaceutical composition. For example, sodium benzoate, sorbic acid and esters of

p-hydroxybenzoic acid may be added as preservatives. In addition, antioxidants and suspending agents may be used.

Thrombin inhibition is useful not only in the anticoagulant therapy of individuals having thrombotic conditions, but is useful whenever inhibition of blood coagulation is required such as to prevent coagulation of stored whole blood and to prevent coagulation in other biological samples for testing or storage. Thus, the thrombin inhibitors can be added to or contacted with any medium containing or suspected of containing thrombin and in which it is desired that blood coagulation be inhibited (e.g., when contacting the mammal's blood with material selected from the group consisting of vascular grafts, stems, orthopedic prosthesis, cardiac prosthesis, and extracorporeal circulation systems).

The thrombin inhibitors can be co-administered with suitable anti-coagulation agents or thrombolytic agents such as plasminogen activators or streptokinase to achieve synergistic effects in the treatment of various vascular pathologies. For example, thrombin inhibitors enhance the efficiency of tissue plasminogen activator-mediated thrombolytic reperfusion. Thrombin inhibitors may be administered first following thrombus formation, and tissue plasminogen activator or other plasminogen activator is administered thereafter. They may also be combined with heparin, aspirin, or warfarin.

The thrombin inhibitors of the invention can be administered in such oral forms as tablets, capsules (each of which includes sustained release or timed release formulations), pills, powders, granules, elixers, tinctures, suspensions, syrups, and emulsions. Likewise, they may be administered in intravenous (bolus or

infusion), intraperitoneal, subcutaneous, or intramuscular form, all using forms well known to those of ordinary skill in the pharmaceutical arts. An effective but non-toxic amount of the compound desired can be employed

5 as an anti-aggregation agent or treating ocular build up of fibrin. The compounds may be administered intraocularly or topically as well as orally or parenterally.

The thrombin inhibitors can be administered in

10 the form of a depot injection or implant preparation which may be formulated in such a manner as to permit a sustained release of the active ingredient. The active ingredient can be compressed into pellets or small cylinders and implanted subcutaneously or intramuscularly

15 as depot injections or implants. Implants may employ inert materials such as biodegradable polymers or synthetic silicones, for example, Silastic, silicone rubber or other polymers manufactured by the Dow-Corning Corporation.

The thrombin inhibitors can also be administered

20 in the form of liposome delivery systems, such as small unilamellar vesicles, large unilamellar vesicles and multilamellar vesicles. Liposomes can be formed from a variety of phospholipids, such as cholesterol, stearylamine or phosphatidylcholines.

25 The thrombin inhibitors may also be delivered by the use of monoclonal antibodies as individual carriers to which the compound molecules are coupled. The thrombin inhibitors may also be coupled with soluble polymers as targetable drug carriers. Such polymers can include

30 polyvinlypyrrolidone, pyran copolymer, polyhydroxy-propyl-methacrylamide-phenol,

polyhydroxyethyl-aspartarnide-phenol, or

polyethyleneoxide-polylysine substituted with palmitoyl residues. Furthermore, the thrombin inhibitors may be coupled to a class of biodegradable polymers useful in achieving controlled release of a drug, for example,

5 polylactic acid, polyglycolic acid, copolymers of polylactic and polyglycolic acid, polyepsilon caprolactone, polyhydroxy butyric acid, polyorthoesters, polyacetals, polydibydropyrans, polycyanoacrylates and cross linked or amphipathic block copolymers of hydrogels.

10   The dose and method of administration can be tailored to achieve optimal efficacy but will depend on such factors as weight, diet, concurrent medication and other factors which those skilled in the medical arts will recognize. When administration is to be parenteral, such

15 as intravenous on a daily basis, injectable pharmaceutical compositions can be prepared in conventional forms, either as liquid solutions or suspensions, solid forms suitable for solution or suspension in liquid prior to injection, or as emulsions.

20   Tablets suitable for oral administration of active compounds of the invention can be prepared as follows:

	Amount -mg		
Active Compound	25.0	50.0	100.0
Microcrystalline cellulose	37.25	100.0	200.0
Modified food corn starch	37.25	4.25	8.5
Magnesium stearate	0.50	0.75	1.5

25   All of the active compound, cellulose, and a portion of the corn starch are mixed and granulated to 10%

corn starch paste. The resulting granulation is sieved, dried and blended with the remainder of the corn starch and the magnesium stearate. The resulting granulation is then compressed into tablets containing 25.0, 50.0, and

5   100.0 mg, respectively, of active ingredient per tablet.

An intravenous dosage form of the above-indicated active compounds may be prepared as follows:

Active Compound	0.5-10.0mg
Sodium Citrate	5-50mg
Citric Acid	1-15mg
Sodium Chloride	1-8mg
Water for Injection (USP)	q.s. to 1 ml

10   Utilizing the above quantities, the active compound is dissolved at room temperature in a previously prepared solution of sodium chloride, citric acid, and sodium citrate in Water for Injection (USP, see page 1636 of United States Pharmacopoeia/National Formulary for

15   1995, published by United States Pharmacopoeia Convention, Inc., Rockville, Maryland, copyright 1994).

Compounds of the present invention when made and selected as disclosed are useful as potent inhibitors of thrombin *in vitro* and *in vivo*. As such, these compounds

20   are useful as *in vitro* diagnostic reagents to prevent the clotting of blood and as *in vivo* pharmaceutical agents to prevent thrombosis in mammals suspected of having a condition characterized by abnormal thrombosis.

The compounds of the present invention are

25   useful as *in vitro* diagnostic reagents for inhibiting clotting in blood drawing tubes. The use of stoppered test tubes having a vacuum therein as a means to draw

blood obtained by venipuncture into the tube is well known in the medical arts (Kasten, B.L., "Specimen Collection," *Laboratory Test Handbook*, 2nd Edition, Lexi-Comp Inc., Cleveland pp. 16-17, Edits. Jacobs, D.S. et al. 1990).

5 Such vacuum tubes may be free of clot-inhibiting additives, in which case, they are useful for the isolation of mammalian serum from the blood they may alternatively contain clot-inhibiting additives (such as heparin salts, EDTA salts, citrate salts or oxalate

10 salts), in which case, they are useful for the isolation of mammalian plasma from the blood. The compounds of the present invention are potent inhibitors of factor Xa or thrombin, and as such, can be incorporated into blood collection tubes to prevent clotting of the mammalian

15 blood drawn into them.

The compounds of the present invention may be used alone, in combination of other compounds of the present invention, or in combination with other known inhibitors of clotting, in the blood collection tubes.

20 The amount to be added to such tubes is that amount sufficient to inhibit the formation of a clot when mammalian blood is drawn into the tube. The addition of the compounds to such tubes may be accomplished by methods well known in the art, such as by introduction of a liquid

25 composition thereof, as a solid composition thereof, or liquid composition which is lyophilized to a solid. The compounds of the present invention are added to blood collection tubes in such amounts that, when combined with 2 to 10 mL of mammalian blood, the concentration of such

30 compounds will be sufficient to inhibit clot formation. Typically, the required concentration will be about 1 to 10,000 nM, with 10 to 1000 nM being preferred.

With respect to regulation of transcription factors, the compounds of this invention regulate transcription factors whose ability to bind to DNA is controlled by reduction of a cysteine residue by a
5 cellular oxidoreductase. In one embodiment, the transcription factor is NF-κB. In this embodiment, the compounds of this invention have activity as mediators of immune and/or inflammatory responses, or serve to control cell growth. In another embodiment, the transcription
10 factor is AP-1, and the cellular oxidoreductase is Ref-1. In this embodiment, the compounds of this invention have activity as anti-inflammatory and/or anticancer agents. In yet further embodiments, the transcription factor is selected from Myb and glucocorticoid receptor. Other
15 transcription factors that may be regulated within the context of this invention also include: those of the NFkB family, such as Rel-A, c-Rel, Rel-B, p50 and p52; those of the AP-1 family, such as Fos, FosB, Fra-1, Fra-2, Jun, JunB and JunD; ATF; CREB; STAT-1, -2, -3, -4, -5 and -6;
20 NFAT-1, -2 and -4; MAF; Thyroid Factor; IRF; Oct-1 and -2; NF-Y; Egr-1; and USF-43.

In the practice of the methods of this invention, a therapeutically effective amount of a compound of this invention is administered to a warm-
25 blooded animal in need thereof. For example, the compounds of this invention may be administered to a warm-blooded animal that has been diagnosed with, or is at risk of developing, a condition selected from Chrohns disease, asthma, rheumatoid arthritis, ischemia, reperfusion
30 injury, graft versus host disease (GVHD), amyotrophic

lateral sclerosis (ALS), Alzheimer's disease, allograft rejection and adult T-cell leukemia.

The following examples are offered by way of illustration, not limitation.

5

EXAMPLES

Example 1

Synthesis of Representative β-Sheet Mimetic

10   This example illustrates the synthesis of a representative β-sheet mimetic of this invention.

Synthesis of Structure (1):

$$Ph \diagup N \diagdown CO_2Me$$

(1)

15   Phenylalanine benzaldimine, structure (1), was synthesized as follows. To a mixture of L-phenylalanine methyl ester hydrochloride (7.19 g, 33.3 mmol) and benzaldehyde (3.4 ml, 33.5 mmol) stirred in CH_2Cl_2 (150 ml) at room temperature was added triethylamine (7.0 ml,

20 50 mmol). Anhydrous magnesium sulfate (2 g) was added to the resulting solution and the mixture was stirred for 14 h then filtered through a 1 inch pad of Celite with CH_2Cl_2. The filtrate was concentrated under reduced pressure to ca. one half of its initial volume then

25 diluted with an equal volume of hexanes. The mixture was extracted twice with saturated aqueous $NaHCO_3$, H_2O and brine then dried over anhydrous Na_2SO_4 and filtered.

Concentration of the filtrate under vacuum yielded 8.32 g (93% yield) of colorless oil. ^{1}H NMR analysis indicated nearly pure (>95%) phenylalanine benzaldimine. The crude product was used without further purification.

5

Synthesis of Structure (2):

(2)

α-Allylphenylalanine benzaldimine, structure (2), was synthesized as follows. To a solution of
10 diisopropylamine (4.3 ml, 33 mmol) stirred in THF (150 ml) at -78°C was added dropwise a solution of n-butyllithium (13 ml of a 2.5 M hexane solution, 33 mmol). The resulting solution was stirred for 20 min. then a solution of phenylalanine benzaldimine (7.97 g, 29.8 mmol) in THF
15 (30 ml) was slowly added. The resulting dark red-orange solution was stirred for 15 min. then allyl bromide (3.1 ml, 36 mmol) was added. The pale yellow solution was stirred for 30 min. at -78°C then allowed to warm to room temperature and stirred an additional 1 h. Saturated
20 aqueous ammonium chloride was added and the mixture was poured into ethyl acetate. The organic phase was separated and washed with water and brine then dried over anhydrous sodium sulfate and filtered. Concentration of the filtrate under vacuum yielded 8.54 g of a viscous
25 yellow oil. Purification by column chromatography yielded 7.93 g (87%) of α-allylphenylalanine benzaldimine as a viscous colorless oil.

Synthesis of Structure (3):

(3)

α-Allylphenylalanine hydrochloride, structure

5 (3), was synthesized as follows. To a solution of α-allylphenylalanine benzaldimine (5.94 g, 19.3 mmol) stirred in methanol (50 ml) was added 5% aqueous hydrochloric acid (10 ml). The solution was stirred at room temperature for 2 h then concentrated under vacuum to

10 an orange-brown caramel. The crude product was dissolved in $CHCl_3$ (10 ml) and the solution was heated to boiling. Hexanes (~150 ml) were added and the slightly cloudy mixture was allowed to cool. The liquid was decanted away from the crystallized solid then the solid was rinsed with

15 hexanes and collected. Removal of residual solvents under vacuum yielded 3.56 g (72%) of pure α-allylphenylalanine hydrochloride as a white crystalline solid.

[1]H NMR (500 MHz, $CDCl_3$) δ 8.86 (3 H, br s), 7.32-7.26 (5H, m), 6.06 (1 H, dddd, J = 17.5, 10.5, 7.6, 7.3

20 Hz), 5.33 (1H, d, J = 17.5 Hz), 5.30 (1 H, d, J = 10.5 Hz), 3.70 (3 H, s), 3.41 (1 H, d, J = 14.1 Hz), 3.35 (1 H, d, J = 14.1 Hz), 2.98 (1 H, dd, J = 14.5, 7.3 Hz), 2.88 (1 H, dd, J = 14.5, 7.6 Hz).

118

Synthesis of Structure (4):

(4)

N-*tert*-butyloxycarbonyl-α-allylphenylalanine,
structure (4) was synthesized as follows. To a solution
5 of D,L α-allylphenylalanine hydrochloride (565 mg, 2.21
mmol) stirred in a mixture of THF (15 ml) and water (5 ml)
was added di-*tert*-butyl dicarbonate followed by careful
addition of solid sodium bicarbonate in small portions.
The resulting two phase mixture was vigorously stirred at
10 room temperature for 2 days then diluted with ethyl
acetate. The organic phase was separated and washed with
water and brine then dried over anhydrous sodium sulfate
and filtered. Concentration of the filtrate under vacuum
yielded a colorless oil that was purified by column
15 chromatography (5 to 10% EtOAc in hexanes gradient
elution) to yield 596 mg (86%) of N-*tert*-butyloxycarbonyl-
α-allylphenylalanine.

TLC R_f = 0.70 (silica, 20% EtOAc in hexanes);
[1]H NMR (500 MHz, CDCl3) δ 7.26-7.21 (3 H, m), 7.05 (2 H, d,
20 J = 6.1 Hz), 5.64 (1 H, dddd, J = 14.8, 7.6, 7.2, 7.2 Hz),
5.33 (1 H, br s), 5.12-5.08 (2 H, m), 3.75 (3 H, s), 3.61
(1 H, d, J = 13.5 Hz), 3.21 (1 H, dd, J = 13.7, 7.2 Hz),
3.11 (1 H, d, J = 13.5 Hz), 2.59 (1 H, dd, J = 13.7, 7.6
Hz), 1.47 (9 H, s).

25

Synthesis of Structure (5):

(5)

An aldehyde of structure (5) was synthesized as follows. Ozone was bubbled through a solution of 2.10 g

5 (6.57 mmol) of the structure (4) olefin stirred at -78°C in a mixture of CH_2Cl_2 (50 ml) and methanol (15 ml) until the solution was distinctly blue in color. The solution was stirred an additional 15 min. then dimethyl sulfide was slowly added. The resulting colorless solution was

10 stirred at -78°C for 10 min. then allowed to warm to room temperature and stirred for 6 h. The solution was concentrated under vacuum to 2.72 g of viscous pale yellow oil which was purified by column chromatography (10 to 20% EtOAc in hexanes gradient elution) to yield 1.63 g of pure

15 aldehyde as a viscous colorless oil.

TLC R_f = 0.3 (silica, 20% EtOAc in hexanes); [1]H NMR (500 MHz, $CDCl_3$) δ 9.69 (1 H, br s), 7.30-7.25 (3 H, m,), 7.02 (2 H, m,), 5.56 (1 H, br s), 3.87 (1 H, d, J = 17.7 Hz,), 3.75 (3 H, s,), 3.63 (1 H, d, J = 13.2 Hz),

20 3.08 (1 H, d, J = 17.7 Hz), 2.98 (1 H, d, J = 13.2 Hz,), 1.46 (9 H, s,).

Synthesis of Structure (6):

(6)

A hydrazone of structure (6) was synthesized as follows. To a solution of the aldehyde of structure (5) (1.62 g, 5.03 mmol) stirred in THF (50 ml) at room temperature was added hydrazine hydrate (0.32 ml, 6.5 mmol). The resulting solution was stirred at room temperature for 10 min. then heated to reflux for 3 days. The solution was allowed to cool to room temperature then concentrated under vacuum to 1.59 g (105% crude yield) of colorless foam. The crude hydrazone product, structure (6), was used without purification.

TLC R_f = 0.7 (50% EtOAc in hexanes); ^{1}H NMR (500 MHz, CDCl$_3$) δ 8.55 (1 H, br s), 7.32-7.26 (3 H, m), 7.17 (1 H, br s), 7.09 (2H, m), 5.55 (1 H, br s), 3.45 (1 H, d, J = 17.7 Hz), 3.29 (1 H, d, J = 13.5 Hz), 2.90 (1 H, d, J = 13.5 Hz), 2.88 (1 H, dd, J = 17.7, 1.3 Hz), 1.46 (9 H, s); MS (CI+, NH$_3$) m/z 304.1 (M + H$^+$).

Synthesis of Structure (7):

(7)

A cyclic hydrazide of structure (7) was synthesized as follows. The crude hydrazone of structure (6) (55 mg, 0.18 mmol) and platinum oxide (5 mg, 0.02 mmol) were taken up in methanol and the flask was fitted

with a three-way stopcock attached to a rubber balloon. The flask was flushed with hydrogen gas three times, the balloon was inflated with hydrogen, and the mixture was stirred vigorously under a hydrogen atmosphere for 17

5 hours. The mixture was filtered through Celite with ethyl acetate and the filtrate was concentrated under vacuum to a white form. Purification of the white foam by flash chromatography yielded 44 mg of the pure cyclic hydrazide of structure (7) (80%).

10   ^{1}H NMR (500 MHz, CDCl$_3$) δ 7.34-7.28 (3 H, m), 7.21 (2 H, m), 6.95 (1 H, br s), 5.29 (1 H, br s), 3.91 (1 H, br s), 3.35 (1 H, d, J = 12.9 Hz), 3.00 (1 H, ddd, J = 13.9, 5.3, 5.0 Hz), 2.96 (1 H, d, J = 12.9 Hz), 2.67 (1 H, br m), 2.38 (1 H, br m), 2.30 (1 H, ddd, J = 13.9, 5.4,

15 5.0 Hz), 1.45 (9 H, s); MS (CI+, NH$_3$) m/z 306.2 (M + H$^+$).

Synthesis of Structure (8):

                                                            (8)

Structure (8) was synthesized as follows. To a

20 solution of the cyclic hydrazide of structure (7) (4.07 g, 13.32 mmol) stirred in ethyl acrylate (200 ml) at 90°C was added formaldehyde (1.2 mL of a 37% aqueous solution). The mixture was heated to reflux for 15 h then allowed to cool to room temperature and concentrated under vacuum to

25 a white foam. The products were separated by column chromatography (5% then 10% acetone/chloroform) to yield 0.851 g of the least polar diastereomer of the bicyclic ester, structure (8b), and a more polar diastereomer (8a).

The impure fractions were subjected to a second chromatography to afford more pure structure (8b), 25% combined yield.

^{1}H NMR (500 MHz, CDCl$_3$) δ 7.27-7.21 (3 H, m), 7.09 (2 H, d, J = 6.5 Hz), 5.59 (1 H, br s), 4.52 (1 H, dd, J = 9.1, 3.4 Hz), 4.21 (2 H, m), 3.40 (1 H, d, J = 12.5 Hz), 3.32 (1 H, d, J = 12.5 Hz), 3.10 (2 H, m), 2.79 (1 H, br m), 2.66 (1 H, br m),2.79 (1 H, br m), 2.66 (1 H, br m), 2.54 (1 H, br m), 2.46 (1 H, m), 2.18 (1 H, m), 1.44 (9 H, s), 1.28 (3 H, t, J = 7.0 Hz); MS (CI+, NH$_3$) 418.4 (M + H$^+$).

(8b)   (8a)

Synthesis of Structure (9b):

(9b)

Structure (9b) was synthesized as follows. To a solution of the least polar ethyl ester (*i.e.*, structure (8b)) (31 mg, 0.074 mmol) stirred in THF (1 ml) was added aqueous lithium hydroxide (1 *M*, 0.15 ml). The resulting mixture was stirred at room temperature for 2 h then the reaction was quenched with 5% aqueous citric acid. The mixture was extracted with ethyl acetate (2 x) then the combined extracts were washed with water and brine. The organic layer was dried over anhydrous sodium sulfate, filtered and concentrated under vacuum to a colorless

glass.   The crude acid, structure (9b), was used in subsequent experiments without further purification.

Synthesis of Structure (10b):

5

(10b)

Structure (10b) was synthesized as follows. The crude acid of structure (9b) (30 mg, 0.074 mmol), HArg(PMC)pNA (41 mg, 0.074 mmol), and HOBt (15 mg, 0.098 mmol) were dissolved in THF (1 ml) then
10 diisopropylethylamine (0.026 ml, 0.15 mmol) was added followed by EDC (16 mg, 0.084 mmol).   The resulting mixture was stirred at room temperature for 4 h then diluted with ethyl acetate and extracted with 5% aqueous citric acid, saturated aqueous sodium bicarbonate, water
15 and brine.   The organic layer was dried over anhydrous sodium sulfate, filtered and concentrated under vacuum to 54 mg of pale yellow glass.   The products were separated by column chromatography to yield 33 mg (50%) of a mixture of diastereomers of the coupled (i.e., protected) product,
20 structure (10b).   MS (CI+, NH$_3$) m/z 566.6 (M + H$^+$).

Synthesis of Structure (11b):

(11b)

A β-sheet mimetic of structure (11b) was synthesized as follows. A solution of 0.25 ml of H_2O, 0.125 ml of 1,2-ethanedithiol and 360 mg of phenol in 5 ml of TFA was prepared and the protected product of structure (10b) (33 mg, 0.035 mmol) was dissolved in 2 ml of this solution. The resulting solution was stirred at room temperature for 3 h then concentrated under reduced pressure. Ether was added to the concentrate and the resulting precipitate was collected by centrifugation. The precipitate was triturated with ether and centrifuged two more times then dried in a vacuum desiccator for 14 h. The crude product (14 mg) was purified by HPLC chromatography to yield the β-sheet mimetic of structure (11b). MS (CI+, NH_3) m/z 954.8 (M + Na^+).

Synthesis of Structure (12b):

(12b)

Structure (12b) was synthesized as follows. To a solution of the crude acid of structure (9b) (24 mg, 0.062 mmol) and N-methylmorpholine (0.008 ml), stirred in THF (1 ml) at -50°C was added isobutyl chloroformate. The resulting cloudy mixture was stirred for 10 min. then 0.016 ml (0.14 mmol) of N-methylmorpholine was added followed by a solution of HArg(Mtr)CH$_2$Cl (50 mg, 0.068 mmol) in THF (0.5 ml). The mixture was kept at -50°C for 20 min. then was allowed to warm to room temperature during 1 h. The mixture was diluted with ethyl acetate and extracted with 5% aqueous citric acid, saturated aqueous sodium bicarbonate and brine. The organic layer was dried over anhydrous sodium sulfate, filtered and concentrated under vacuum to yield 49 mg of colorless glass, structure (12). Separation by column chromatography yielded 12 mg of a less polar diastereomer and 16 mg of a more polar diastereomer.

^{1}H NMR (500 MHz, CDCl$_3$) δ 7.93 (1 H, br s), 7.39-7.31 (3 H, m), 7.16 (2 H, d, J = 6.9 Hz), 6.52 (1 H, s), 6.30 (1 H, br s), 5.27 (1 H, s), 4.74 (1 H, dd, J = 9.1, 6.9 Hz), 4.42 (1 H, br d, J = 6.8 Hz), 4.33 (1 H, d, J =

6.8 Hz), 3.82 (3 H, s), 3.28 (1 H, d, J = 13.3 Hz), 3.26-
3.12 (4 H, m), 2.98 (1 H, d, J = 13.3 Hz), 2.69 (3 H, s),
2.60 (3 H, s), 2.59-2.33 (4 H, m), 2.25- 2.10 (3 H, m),
2.11 (3 H, s), 1.77 (1 H, br m), 1.70-1.55 (3 H, br m),
5 1.32 (9 H, s).

Synthesis of Structure (13b):

(13b)

A β-sheet mimetic of structure (13b) was
10 synthesized as follows. The more polar diastereomer of
structure (12b) (16 mg, 0.021 mmol) was dissolved in 95%
TFA/H_2O (1 ml) and the resulting solution was stirred at
room temperature for 6 h then concentrated under vacuum to
11 mg of crude material. The crude product was triturated
15 with ether and the precipitate was washed twice with ether
then dried under high vacuum for 14 h. [1]H NMR analysis
indicated a 1:1 mixture of fully deprotected product and
product containing the Mtr protecting group. The mixture
was dissolved in 95% TFA/H_2O and stirred for 2 days and
20 the product was recovered as above. Purification of the
product by HPLC yielded 5 mg of the pure compound of
structure (13b). MS (EI+) m/z 477.9 (M^+).

Example 2

Synthesis of Representative β-Sheet Mimetic

This example illustrates the synthesis of a further representative β-sheet mimetic of this invention.

5

Synthesis of Structure (14):

(14)

N,O-Dimethyl hydroxamate, structure (14), was synthesized as follows. To a mixture of Boc-N^g-4-methoxy-
10 2,3,6-trimethylbenzenesulfonyl-L-arginine (8.26 g, 14.38 mmol), N,O-dimethylhydroxylamine hydrochloride (2.78 g, 28.5 mmol) and 1-hydroxybenzotriazole hydrate (2.45 g, 16.0 mmol) stirred in THF (150 ml) at ambient temperature was added N,N-diisopropylethylamine (7.5 ml,
15 43 mmol) followed by solid EDC (3.01 g, 15.7 mmol). The resulting solution was stirred for 16h then diluted with ethyl acetate (200 ml) and extracted sequentially with 5% aqueous citric acid, saturated aqueous sodium bicarbonate, water and brine. The organic solution was dried over
20 anhydrous sodium sulfate and filtered. Concentration of the filtrate under vacuum yielded 7.412 g of white foam.

^{1}H NMR (500Mhz, CDCl$_3$): δ 6.52 (1 H, s), 6.17 (1 H, br s), 5.49 (1 H, d, J=8.8Hz), 4.64 (1 H, br t), 3.82 (3H, s), 3.72 (3H, s), 3.36 (1 H, br m), 3.18 (3H, s),
25 3.17 (1 H, br m), 2.69 (3H, s), 2.61 (3H, s), 2.12 (3H,

2), 1.85-1.55 (5 H, m), 1.41 (9 H, s); MS (FB+): m/z 530.5 (M+H$^+$).

Synthesis of Structure (15):

5   (15)

Structure (15) was synthesized as follows. To a solution of the arginine amide (7.412 g, 13.99 mmol) stirred in dichloromethane (150 ml) at room temperature was added N,N-diisopropylethylamine (2.9 ml, 17 mmol)

10 followed by di-*tert*-butyldicarbonate (3.5 ml, 15.4 mmol) and N,N-dimethylaminopyridine (0.175 g, 1.43 mmol). The resulting solution was stirred for 1.5h then poured into water. The aqueous layer was separated and extracted with two 100ml portions of dichloromethane. The combine

15 extracts were shaken with brine then dried over anhydrous sodium sulfate and filtered. Concentration of the filtrate under vacuum yielded a white foam that was purified by flash chromatography to yield 8.372 g of white foam.

20   ^{1}H NMR (500MHz, CDCl$_3$): δ 9.79 (1 H, s), 8.30 (1 H, t, J=4.96), 6.54 (1 H, s), 5.18 (1 H, d, J=9.16 Hz), 4.64 (1 H, m), 3.83 (3 H, s), 3.74 (3 H, s), 3.28 (2 H, dd, J=12.6, 6.9 Hz), 3.18 (3 H, s), 2.70 (3 H, s), 2.62 (3 H, s), 2.14 (3 H, s), 1.73-1.50 (5 H, m), 1.48 (9H, s),

25 1.42 (9 H, s); MS (FB+): m/z 630.6 (M+H$^+$).

Synthesis of Structure (16):

(16)

The arginal, structure (16), was synthesized as
5   follows. To a solution of the arginine amide structure
(15) stirred in toluene at -78°C under a dry argon
atmosphere was added a solution of diisobutylaluminum
hydride in toluene (1.0 M, 7.3ml) dropwise over a period
of 15 minutes. The resulting solution was stirred for 30
10   minutes then a second portion of diisobutylaluminum
hydride (3.5ml) was added and stirring was continued for
15 minutes. Methanol (3ml) was added dropwise and the
solution was stirred at -78°C for 10 minutes then allowed
to warm to room temperature. The mixture was diluted with
15   ethyl acetate (100ml) and stirred vigorously with 50 ml of
saturated aqueous potassium sodium tartrate for 2.5h. The
aqueous phase was separated and extracted with ethyl
acetate (2 x 100ml). The extracts were combined with the
original organic solution and shaken with brine then dried
20   over anhydrous sodium sulfate and filtered. Concentration
of the filtrate under vacuum yielded a white foam that was
separated by flash chromatography to yield 1.617g of the
aldehyde as a white foam.

^{1}H NMR (500MHz, CDCl$_3$): δ 9.82 (1 H, s), 9.47 (1
25   H, s), 8.35 (1 H, br t), 6.55 (1 H, s), 5.07 (1 H, d,
J=6.9 Hz), 4.18 (1 H, br m), 3.84 (3 H, s), 3.25 (2 H, m),

2.70 (3 H, s), 2.62 (3 H, s), 2.14 (3 H, s), 1.89 (1 H, m), 1.63- 1.55 (4 H, m), 1.49 (9H, s), 1.44 (9 H, s); MS (FB+): m/z 571.6 (M+H$^+$).

5   Synthesis of Structure (17):

(17)

Hydroxybenzothiazole, structure (17), was synthesized as follows. To a solution of benzothiazole (1.55 ml, 14 mmol) stirred in anhydrous diethyl ether 10 (60 ml) at -78°C under a dry argon atmosphere was added a solution of n-butyllithium (2.5 M in hexane, 5.6 ml, 14 mmol) dropwise over a period of 10 minutes. The resulting orange solution was stirred for 45 minutes then a solution of the arginal structure (16) (1.609 g, 15 2.819 mmol) in diethyl ether (5ml) was slowly added. The solution was stirred for 1.5 h then saturated aqueous ammonium chloride solution was added and the mixture was allowed to warm to room temperature. The mixture was extracted with ethyl acetate (3 x 100 ml) and the combined 20 extracts were extracted with water and brine then dried over anhydrous sodium sulfate and filtered. Concentration of the filtrate under vacuum yielded a yellow oil that was purified by flash chromatography (30% then 40% ethyl acetate/hexanes eluent) to yield 1.22 g of the

hydroxybenzothiazoles (ca. 2:1 mixture of diastereomers) as a white foam.

The mixture of hydroxybenzothiazoles (1.003 g, 1.414 mmol) was stirred in CH_2Cl_2 (12 ml) at room temperature and trifluoroacetic acid (3 ml) was added. The resulting solution was stirred for 1.5h then concentrated under reduced pressure to yield 1.22 g of the benzothiazolylarginol trifluoroacetic acid salt as a yellow foam.

MS (EI+): m/z 506.2 (M + H$^+$).

Synthesis of Structure (18b):

(18b)

The bicyclic compound, structure (18b) was synthesized as follows. The bicyclic acid of structure (9b) from Example 1 (151 mg, 0.387 mmol) and HOBt hydrate (71 mg, 0.46 mmol) were dissolved in THF (5 ml) and diisopropylethylamine (0.34 ml, 1.9 mmol) was added followed by EDC (89 mg, 0.46 mmol). After stirring for ten minutes a solution of the benzothiazolylarginol trifluoroacetic acid salt (structure (17) 273 mg, 0.372 mmol) in THF (1 ml) was added along with a THF (0.5 ml) rinse. The mixture was stirred at room temperature for 15 h then diluted with ethyl acetate and extracted

sequentially with 5% aqueous citric acid, saturated aqueous sodium bicarbonate, water and brine. The organic solution was dried over anhydrous sodium sulfate, filtered and concentrated under vacuum to 297 mg of a yellow glass.

5 ^{1}H NMR analysis indicated a mixture of four diastereomeric amides which included structure (18b).

MS (ES+): m/z 877 (M$^+$).

Synthesis of Structure (19b):

(19b)

10

Structure (19b) was synthesized as follows. The crude hydroxybenzothiazole (247 mg, 0.282 mmol) was dissolved in CH$_2$Cl$_2$ (5 ml) and Dess-Martin periodinane (241 mg, 0.588 mmol) was added. The mixture was stirred at

15 room temperature for 6h then diluted with ethyl acetate and stirred vigorously with 10% aqueous sodium thiosulfate for 10 minutes. The organic solution was separated and extracted with saturated aqueous sodium bicarbonate, water and brine then dried over anhydrous sodium sulfate and

20 filtered. Concentration of the filtrate under vacuum yielded 252 mg of yellow glass. ^{1}H NMR analysis indicated a mixture of two diastereomeric ketobenzothiazoles which included structure (19b).

Synthesis of Structure (20b):

(20b)

The ketobenzothiazole, structure (20), was
5 synthesized as follows. Ketobenzothiazole (19) (41 mg,
0.047 mmol) was dissolved in 95% aqueous trifluoroacetic
(0.95 ml) acid and thioanisole (0.05 ml) was added. The
resulting dark solution was stirred for 30 hours at room
temperature then concentrated under vacuum to a dark brown
10 gum. The gum was triturated with diethyl ether and
centrifuged. The solution was removed and the solid
remaining was triturated and collected as above two more
times. The yellow solid was dried in a vacuum desiccator
for 2 hours then purified by HPLC (Vydac reverse phase C-4
15 column (22 x 250 mm ID). Mobile phase: A = 0.05% TFA in
water; B = 0.05% TFA in acetonitrile. The flow rate was
10.0 mL/min. The gradient used was 8% B to 22% B over 25
min, and isochratic at 22% thereafter. The peak of
interest (structure (20b)) eluted at 42 minutes) to give
20 2.5 mg of the deprotected product, structure (20b).

MS (ES+): 563.5 (M + H$^+$).

Example 3

Activity of a Representative β-Sheet Mimetic
as a Proteolytic Substrate

This example illustrates the ability of a representative β-sheet mimetic of this invention to selectively serve as a substrate for thrombin and Factor VII. The β-sheet mimetic of structure (11b) above was synthesized according the procedures disclosed in Example 1, and used in this experiment without further modification.

Both the thrombin and Factor VII assays of this experiment were carried out at 37°C using a Hitachi UV/Vis spectrophotometer (model U-3000). Structure (11b) was dissolved in deionized water. The concentration was determined from the absorbance at 342 nm. Extinction coefficient of 8270 liters/mol/cm was employed. The rate of structure (11b) hydrolysis was determined from the change in absorbance at 405 nm using an extinction coefficient for p-nitroaniline of 9920 liters/mol/cm for reaction buffers. Initial velocities were calculated from the initial linear portion of the reaction progress curve. Kinetic parameters were determined by unweighted nonlinear least-squares fitting of the simple Michaelis-Menten equation to the experimental data using GraFit (Version 3.0, Erithacus Software Limited).

For the thrombin assay, experiments were performed in pH 8.4 Tris buffer (Tris, 0.05M; NaCl, 0.15M). 6.4 NIH units of bovine thrombin (from Sigma) were dissolved into 10 ml of the assay buffer to yield 10 nM thrombin solution. In a UV cuvette, 130 to 148 µl of the buffer and 100 µl of the thrombin solutions were

added, preincubated at 37°C for 2 minutes, and finally 2 to 20 microliters (to make the final volume at 250 μl) of 0.24 mM structure (11b) solution was added to initiate the reaction. The first two minutes of the reactions were

5 recorded for initial velocity determination. Eight structure (11b) concentration points were collected to obtain the kinetic parameters. k_{cat} and K_M were calculated to be 50 s^{-1} and 3 μM, respectively. k_{cat}/K_M was found to be 1.67×10^7 M^{-1} s^{-1}.

10   For the Factor VII assay, pH 8.0 Tris buffer (0.05 M Tris, 5 mM $CaCl_2$, 0.15 M NaCl, 0.1% TWEEN 20, 0.1% BSA) was used. 10 μl of 20 μM human Factor VIIa (FVIIa) and 22 μM of human tissue factor (TF) was brought to assay buffer to make 160 nM FVIIa and TF solutions,

15 respectively. 40 to 48 μl of buffer, 25 μl of FVIIa and 25 μl TF solution were added to a cuvette, and incubated at 37°C for 5 minutes, then 2 to 10 μl of 2.4 mM structure (11b) solution was added to the cuvette to initiate reaction (final volume was 100 ml). The initial 3 minutes

20 reaction progress curves were recorded. Five structure (11b) concentration points were collected. The initial rates were linear least-square fitted against the concentrations of structure (11b) with GraFit. The k_{cat}/K_M was calculated from the slope and found to be

25 17,500 $M^{-1}s^{-1}$.

In both the thrombin and Factor VII assay of this experiment, (D)FPR-PNA was run as a control. Activity of structure (11b) compared to the control was 0.76 and 1.38 for thrombin and Factor VII, respectively

30 (Factor VII: K_{cat}/K_M = 1.27 x 10^4 M^{-1} S^{-1}; thrombin: K_{cat}/K_M = 2.20 x 10^7 M^{-1} S^{-1}).

Example 4

Activity of a Representative β-Sheet Mimetic

5 ## as a Protease Inhibitor

This example illustrates the ability of a representative β-sheet mimetic of this invention to function as a protease inhibitor for thrombin, Factor VII, Factor X, urokinase, tissue plasminogen activator (t-PA),

10 protein C, plasmin and trypsin. The β-sheet mimetic of structure (13b) above was synthesized according to the procedures disclosed in Example 1, and used in this experiment.

All inhibition assays of this experiment were

15 performed at room temperature in 96 well microplates using a Bio-Rad microplate reader (Model 3550). 0.29 mg of structure (13b) was dissolved into 200 ml of 0.02 N hydrochloric acid deionized water solution. This solution (2.05 mM) served as the stock solution for all the

20 inhibition assays. The hydrolysis of chromogenic substrates was monitored at 405 nm. The reaction progress curves were recorded by reading the plates typically 90 times with 30 seconds to 2 minute intervals. The initial rate were determined by unweighted nonlinear least-squares

25 fitting to a first order reaction in GraFit. The determined initial velocities were then nonlinear least-square fitted against the concentrations of structure (13b) using GraFit to obtain IC_{50}. Typically, eight structure (13b) concentration points were employed for

30 IC_{50} determination.

For the thrombin assay, N-p-tosyl-Gly-Pro-Arg-pNA (from Sigma) was used at 0.5 mM concentration in 1%

DMSO (v/v) pH 8.4 Tris buffer as substrate. From structure (13b) stock solution two steps of dilution were made. First, 1:2000 dilution into 0.02 N hydrochloride solution, then 1:100 dilution into pH 8.4 Tris buffer.

5 The final dilution of structure (13b) served as the first point (10 nM). Seven sequential dilutions were made from the first point with a dilution factor of 2. Into each reaction well, 100 μl of 10 nM thrombin solution and 50 μl of structure (13b) solution was added. The mixture of the

10 enzyme and inhibitor was incubated for 20 minutes, then 100 μl of 0.5 mM substrate solution was added to initiate the reaction. The IC_{50} of structure (13b) against thrombin was found to be 1.2±0.2 nM.

In the Factor VII assay, S-2288 (from

15 Pharmacia), D-Ile-Pro-Arg-pNA was used at 20 μM in deionized water as substrate. From the stock of structure (13b), a 1:100 dilution was made into pH 8.0 Tris buffer. This dilution served as the first point of the inhibitor (20 μM). From this concentration point 6 more sequential

20 dilutions were made with a dilution factor of 2. 50 μl of 16 nM FVIIa and TF complex solution and 40 μl of the inhibitor solutions were added into each well, the mixtures were incubated for 20 minutes before 10 μl of 20 mM S-2288 was added. IC_{50} of structure (13b) against

25 factor VII was found to be 140±3 nM.

In the Factor X assay, buffer and substrate are the same as used for thrombin assay. A 1:100 dilution was made into pH 8.4 Tris buffer to serve as the first point. Seven dilutions with a dilution factor of 2 were made.

30 The assay protocol is the same as for thrombin except 25 nM of bovine factor Xa (from Sigma) in pH 8.4 Tris buffer

was used instead of thrombin. IC_{50} of structure (13b) against factor X was found to be 385±17 nM.

In the urokinase assay, buffer was pH 8.8 0.05 M Tris and 0.05 M NaCl in deionized water. S-2444 (from
5   Sigma), pyroGlu-Gly-Arg-pNA at 0.5 mM in water was utilized as substrate. The same dilution procedure was used as for Factor VII and Factor X. Assay protocol is the same as for thrombin except 18.5 nM of human urokinase (from Sigma) was utilized. IC_{50} was found to be 927±138
10 nM.

Tissue Plasminogen Activator (t-PA): Buffer, substrate and the dilution scheme of structure (13b) were the same as utilized for Factor VII assay.

Activated Protein C (aPC): Buffer was the same
15 as used in thrombin assay. 1.25 mM S-2366 in the assay buffer was utilized as substrate. Dilutions of structure (13b) were the same as in urokinase assay.

Plasmin: Buffer (see thrombin assay); S-2551 (from Pharmacia), D-Val-Leu-Lys-pNA at 1.25 mM in assay
20 buffer was utilized as substrate. For dilutions of structure (13b) (see urokinase assay).

In the trypsin assay, pH 7.8 Tris (0.10 M Tris and 0.02 M $CaCl_2$) was utilized as the buffer. BAPNA (from Sigma) was used at 1 mg/ml in 1% DMSO (v/v) deionized
25 water solution as substrate. The same dilutions of structure (13b) were made as for Factor VII assay. 40 μl of 50 μg/ml bovine trypsin (from Sigma) and 20 μl of structure (13b) solution were added to a reaction well, the mixture was incubated for 5 minutes before 40 μl of 1
30 mg/ml BAPNA was added to initiate the reaction. The IC_{50}

of structure (13b) against trypsin was found to be 160±8 nM.

In the above assays, (D)FPR-CH$_2$Cl ("PPACK") was run as a control. Activity of structure (13b) compared to the control was enhanced (see Table 4).

Table 4

Enzymes	IC$_{50}$ (nM)	
	PPACK	Structure (13b)
Thrombin	1.5	1.2
Factor VII	200	140
Factor X	165	385
Protein C	281	528
Plasmin	699	978
Trypsin	212	16
Urokinase	508	927
t-PA	106	632

With respect to prothrombin time (PT), this was determined by incubating (30 minutes at 37°C) 100 µl of control plasma (from Sigma) with 1-5 µl of buffer (0.05 M Tris, 0.15 M NaCl, pH=8.4) or test compound (i.e., PPACK or structure (13b)) in buffer. Then 200 µl of prewarmed (at 37°C for ~10 minutes) thromboplastin with calcium (from Sigma) was rapidly added into the plasma sample. The time required to form clot was manually recorded with a stop watch (see Table 5), and was found to be comparable with PPACK.

Table 5

| Concentration | PT (second) | |
	PPACK	Structure (13b)
0 (Control)	13	13
1 pM	--	13
10 pM	--	17
50 pM	--	18
100 pM	--	23
200 pM	--	24
500 pM	15	27
1 nM	18	30
10 nM	22	31
20 nM	25	--
30 nM	--	31
40 nM	28	--
50 nM	--	30
60 nM	30	--
80 nM	31	33

5   Example 5

Activity of a Representative β-Sheet Mimetic

as a Protease Inhibitor

This example illustrates the ability of a further representative β-sheet mimetic of this invention

10 to function as an inhibitor for thrombin, Factor VII, Factor X, urokinase, Tissue Plasminogen Activator, Activated Protein C, plasmin, tryptase and trypsin. The β-sheet mimetic of structure (20b) above was synthesized according to the procedures disclosed in Example 2, and

15 used in this experiment.

All inhibition assays were performed at room temperature in 96 well microplates using Bio-Rad microplate reader (Model 3550). A 1 mM solution of structure (20b) in water served as the stock solution for

20 all the inhibition assays. The hydrolysis of chromogenic

substrates was monitored at 405 nm. The reaction progress curves were recorded by reading the plates, typically 60 times with 30 second to 2 minute intervals. Initial rates were determined by unweighted nonlinear least-squares

5 fitting to a first order reaction in GraFit (Erithacus Software Limited, London, England). The determined initial velocities were then nonlinear least-square fitted against the concentrations of structure (20b) using GraFit to obtain Ki. The general format of these assays are:

10 100 ml of a substrate solution and 100 ml of structure (20b) solution were added in a microplate well, then 50 ml of enzyme solution was added to initiate the reaction. Typically, eight structure (20b) concentration points were employed for Ki determination. The values of Ki of

15 structure (20b) against nine serine proteases are tabulated in Table 6.

Thrombin: N-p-tosyl-Gly-Pro-Arg-pNA (from Sigma) was used at 0.5 mM concentration in 1% DMSO (v/v) pH8.0 tris buffer (tris, 50 mM, TWEEN 20, 0.1%, BSA, 0.1%, NaCl,

20 0.15 M, $CaCl_2$, 5 mM) as substrate. From structure (20b) stock solution two steps of dilution were made, first, 1:100 dilution in water, then 1:50 dilution in the pH8.0 tris buffer to serve as the first point (200 nM). Seven sequential dilutions were made from the first point for

25 the assay.

Factor VII: S-2288 (from Pharmacia), D-Ile-Pro-Arg-pNA was used at 2.05 mM in the pH 8.0 tris buffer (see thrombin assay). From the stock of structure (20b), a 1:100 dilution was made in the tris buffer. From this

30 concentration point seven more sequential dilutions were made for the assay.

Factor X: Buffer and substrate were the same as used for thrombin assay. A 1:100 dilution was made in the pH8.0 tris buffer to serve as the first point. Seven more dilutions from the first were made for the assay.

5   Urokinase: Buffer, 50 mM tris, 50 mM NaCl, pH=8.8. S-2444 (from Sigma), pyroGlu-Gly-Arg-pNA at 0.25 mM in buffer was utilized as substrate. 1:10 dilution in buffer was made from the stock of structure (20b) as the first point, then seven more dilutions from the first

10   point were made for the assay.

Tissue Plasminogen Activator (t-PA): Buffer, substrate and the dilution scheme of structure (20b) were the same as utilized for Factor VII assay.

Activated Protein C (aPC): Buffer was the same

15 as used in thrombin assay. 1.25 mM S-2366 in the assay buffer was utilized as substrate. Dilutions of structure (20b) were the same as in urokinase assay.

Plasmin: Buffer (see thrombin assay); S-2251 (from Pharmacia), D-Val-Leu-Lys-pNA at 1.25 mM in assay

20 buffer was utilized as substrate. For dilutions of structure (20b) (see urokinase assay).

Tryptase: 0.1 M tris, 0.2 M NaCl, 0.1 mg/ml heparin, pH=8.0 was utilized as buffer. 0.5 mM S-2366 (from Pharmacia), L-pyroGlu-Pro-Arg-pNA in buffer was used

25 as substrate. From the 1 mM stock of structure (20b), 10 mM solution was made in water, then 1 mM solution was made in buffer from the 10 mM solution to serve as the first concentration point. From this point seven more dilutions were made for the assay.

30   Trypsin: Buffer, substrate and the dilution scheme of structure (20b) were the same as used for thrombin.

Table 6

Enzyme	Source	K_i (nM)	
		Assay Conc. (nM)	Structure (20b)
thrombin	bovine plasma	2	0.66
factor VII	human	4	270
factor X	bovine plasma	8	966
urokinase	human kidney	3.7	600
t-PA	human	10	495
APC	human plasma	1	3320
plasmin	bovine plasma	4	415
tryptase	human lung	2	12.4
trypsin	bovine pancreas	5	0.64

5   As illustrated by the data presented in Table 6 above, structure (20b) functioned as a good thrombin inhibitor, with good specificity against fibrinolytic enzymes.

10

Example 6

Synthesis of Representative β-Sheet Mimetic

      This example illustrates the synthesis of a representative β-sheet mimetic of this invention having the following structure (21):

(21)

Structure (21) was synthesized as follows. A solution of 48 mg (0.859 mmol) N^a-FMOC-N^e-Cbz-a-ethanal-Lys-Ome [synthesized from N^e-Cbz-Lys-OMe by the same method used for the preparation of structure (5) from Phe-OMe], 15.9 mg (0.0859 mmol) Cys-OEt.HCl, and 13.2 µL (0.0945 mmol) TEA were in 0.43 mL CH_2Cl_2 were stirred under Ar for 2 hr at room temperature. Bis(bis(trimethylsilyl)amino)tin(II) (39.8 µL) was added and the reaction stirred overnight. The reaction solution was diluted with 10 mL EtOAc and washed with 6 mL each 10% citrate, water, and brine. The organic layer was dried over Na_2SO_4, filtered, and concentrated. The resulting residue was purified by flash chromatography on silica gel using 40% EtOAc/hexanes to give, after drying *in vacuo*, 12.9 mg of colorless oil (23%) as a mixture of diastereomers by ^1H NMR ($CDCl_3$). MS ES(+) *m/z* 658.2 (MH^+, 30), 675.3 (M + Na^+, 100), 696.1 (M + K^+, 45).

Example 7

Synthesis of Representative β-Sheet Mimetic

This example illustrates the synthesis of a further representative β-sheet mimetic of this invention.

Synthesis of Structure (22):

$$COOCH_2Ph$$

CbzNH   COOMe

(22)

Structure (22) was synthesized as follows. To a stirred solution of Cbz-Glu(OBn)-OH (5 g, 13.5 mmol) with DMAP (270 mg) and methanol (3 ml) in dichloromethane (100 ml) was added EDCI (3g) at 0°C. After stirring at 0°C for 3h, the solution was stirred at room temperature (rt) overnight. After concentration, the residue was taken up into EtOAc (100 ml) and 1N HCl (100 ml). The aqueous phase was separated and extracted with EtOAc (100 ml). The combined organic extracts were washed with sat. NaHCO$_3$ (100 ml), brine (100 ml), dried (MgSO$_4$), passed through a short pad of silica gel, and concentrated to provide 4.95 g an oil (95%). The product was pure enough to use for the next reaction without any further purification. ^{1}H NMR (CDCl$_3$) δ 2.00 (m, 1H), 2.25 (m, 1H), 2.50 (m, 2H), 3.74 (s, 3H, OCH$_3$), 4.42 (m, 1H, CHNH), 5.10 and 5.11 (two s, 4H, CH$_2$Ph), 5.40 (d, 1H, NH), 7.35 (s, 10H, phenyls); MS CI(isobutane) m/z 386 (M+H$^+$).

Synthesis of Structure (23):

$$COOH$$

Boc—N

O

(23)

Structure (23) was synthesized as follows: To a stirred solution of L-Glu-OH (4.41g, 30 mmol) with triethylamine (8.4 ml, 60 mmol) in 1,4-dioxane (40 ml) and

H$_2$O (20 ml) was added Boc$_2$O (7 g, 32 mmol) at rt. After stirring for 1.5h, the solution was acidified with 6N HCl (pH 2), and extracted with EtOAc (3x100 ml). The combined organic extracts were washed with H$_2$O (100 ml), brine (50

5 ml), dried (Na$_2$SO$_4$), and concentrated to provide an oil (9.5 g). Without further purification, the oil was used in the next reaction.

A mixture of above oil (9.5 g) with paraformaldehyde (5 g) and p-TsOH·H$_2$O (400 mg) in 1,2-

10 dichloroethane (200 ml) was heated at reflux with a Dean-Stark condenser, which was filled with molecular sieve 4A, for 6h. After addition of EtOAc (100 ml) and sat. NaHCO$_3$ (50 ml), the solution was extracted with sat. NaHCO$_3$ (3x50 ml). The combined aqueous extracts were acidified with 6N

15 HCl (pH 2), and extracted with EtOAc (3x100 ml). The combined organic extracts were washed with brine (100 ml), dried (Na$_2$SO$_4$), and concentrated to provide an oil. The crude oil was purified by flash chromatography (hexane:EtOAc = 80:20 to 70:30 to 60:40) to provide an oil

20 (4.04 g, 52%) which solidified slowly upon standing. ^{1}H NMR (CDCl$_3$) δ 1.49 (s, 9H, C(CH$_3$)$_3$), 2.18 (m, 1H, -CH$_2$CH$_2$), 2.29 (m, 1H, CH$_2$CH$_2$), 2.52 (m, 2H, -CH$_2$CH$_2$-), 4.33 (m, 1H, NHCHCH$_2$), 5.16 (d, 1H, J = 4.5 Hz, NCH$_2$O), 5.50 (br, 1H, NCH$_2$O); ^{13}C NMR (CDCl$_3$) δ 25.85, 28.29, 29.33, 54.16, 79.10,

25 82.69, 152.47, 172.37, 178.13; MS (ES+) m/z 260 (M+H$^+$), 282 (M+Na$^+$), 298 (M+K$^+$).

Synthesis of Structure (24):

(24)

Structure (24) was synthesized as follows. To a stirred solution of 1,1,1,3,3,3-hexamethyldisilazane (2.1

5   ml, 10 mmol) in THF (10 ml) was added n-BuLi (4 ml of 2.5M in hexane, 10 mmol) at 0°C. The resulting solution was stirred at the same temperature for 30 min. After cooling to -78°C, to this stirred solution was added a solution of carboxylic acid (23) (1.02 g, 3.94 mmol) in THF (10 ml)

10 followed by rinsings of the addition syringe with 5 ml THF. The resulting solution was stirred at -78°C for 1h, and PhCH$_2$Br (0.46 ml, 3.9 mmol) was added. After stirring at -30°C for 3h, to this solution was added 1N HCl (50 ml) and the resulting solution was extracted with EtOAc (100

15 ml). The organic extract was washed with brine (50 ml), dried (Na$_2$SO$_4$), and concentrated to provide an oil. The crude product was purified by flash chromatography (hexane:EtOAc = 80:20 to 60:40 to 50:50) to provide a foamy solid (1.35 g, 98%): ^{1}H NMR (CDCl$_3$) δ 1.55 and 1.63

20 (two s, 9H, ratio 1.5:1 by rotamer, OC(CH$_3$)$_3$), 2.2-2.4 (m, 3H, -CH$_2$CH$_2$-), 2.6-2.9 (set of m, 1H, -CH$_2$CH$_2$-), 3.04 (d, 1H, J = 13.5Hz, -CH$_2$Ph), 3.33 and 3.58 (two d, 1H, J = 13 Hz, ratio 2:1, -CH$_2$Ph), 4.03 (two d, 1H, J = 4Hz, A of ABq, -NCH$_2$O-), 4.96 (two d, 1H, J = 4Hz, B of ABq, -NCH$_2$O-); MS

25 (ES-) m/z 348 (M-H$^+$).

Synthesis of Structure (25):

(25)

Synthesis of structure (25) was carried out as follows. To a stirred solution of carboxylic acid (24) 5 (1.05 g, 3.0 mmol) in dry THF (5 ml) was added 1,1'-carbonyldiimidazole (500 mg, 3.1 mmol) at rt. The resulting solution was stirred at rt for 30 min. The solution of acyl imidazole was used for the next reaction without purification.

10   Meanwhile, to a stirred solution of 1,1,1,3,3,3-hexamethyldisilazane (1.6 ml, 7.5 mmol) in THF (5 ml) was added n-BuLi (3 ml of 2.5 M solution in hexane, 7.5 mmol) at 0°C. After stirring at the same temperature for 30 min, the solution was cooled to -78°C. To the stirred solution 15 was added a solution of Cbz-Glu(OBn)-OMe (1.16 g, 3 mmol) in THF (5 ml) followed by rinsings of the addition syringe with 2 ml THF. The resulting solution was stirred at the same temperature for 15 min. To this stirred solution was added the above acyl imidazole in 3 ml THF. After 20 stirring 30 min. at -78°C, to this solution was added sat. NH$_4$Cl (50 ml) and extracted with EtOAc (2x75 ml). The combined organic extracts were washed with sat. NaHCO$_3$ (50 ml), brine (50 ml), dried (Na$_2$SO$_4$), passed through a short pad of silica gel, and concentrated to provide an oil. 25 The crude product was purified by flash chromatography (hexane: EtOAc = 90:10 to 80:20 to 70:30 to 60:40) to provide an oil (1.48 g, 69%): MS (ES+) m/z 734.4 (M+NH$_4^+$).

Synthesis of Structure (26a):

Ph—[structure]—H, BocNH, O, N, COOMe

(26a)

Structure (26a) was synthesized as follows. A stirred solution of above starting keto ester (25) (530 mg, 0.7mmol) in EtOH/AcOH (10/1 ml) was treated with 10% Pd/C (ca. 100 mg) under 20 atm pressure of H_2 for 2 days. After filtration through a short pad of Celite, the filtrate was concentrated and dissolved in EtOAc (50 ml). The solution was washed with 1N HCl (30 ml), sat. NaHCO$_3$ (30 ml), brine (30 ml), dried (Na$_2$SO$_4$), and concentrated to provide an oil. The crude product was purified by flash chromatography (hexane: EtOAc = 80:20 to 60:40 to 50:50 to 20:80 to 0:100) to provide a foamy solid (95 mg, 34%). TLC (EtOAc) R$_f$ 0.68; NMR (CDCl$_3$) δ 1.38 (two s, 9H, OC(CH$_3$)$_3$), 1.63 (s, 1H), 1.75 (m, 2H), 2.05 (m, 5H), 2.1-2.3 (set of m, 1H), 3.00 (d, 1H, J = 14 Hz, CH$_2$Ph), 3.21 (d, 1H, J = 13.5 Hz, CH$_2$Ph), 3.74 (collapsed two s, 4H, OCH$_3$ and NCH), 4.53 (d, 1H, J = 9.5 Hz), 5.01 (br, 1H, NH); MS (ES+) m/z 403 (M+H$^+$), 425 (M+Na$^+$). Stereochemistry was assigned by 2D NMR.

Synthesis of Structure (27a):

[structure] H, H$_2$N, O, N, H, —OH, O

(27a)

Structure (27a) was synthesized as follows. To a solution of 28 mg (0.070 mmol) of the bicyclic ester (26a) stirred in 1 ml THF at room temperature was added 0.14 ml 1.0 M aqueous lithium hydroxide solution. The

5 mixture was stirred vigorously for 20 h then quenched with 5% aqueous citric acid (1 ml). The mixture was extracted with ethyl acetate (3 x 25 ml) then the combined extracts were washed with water and brine and dried over anhydrous sodium sulfate. Filtration and concentration of the

10 filtrate under vacuum gave 26 mg of white foam, used without further purification.

Synthesis of Structure (28a):

(28a)

15 Structure (28a) was synthesized as follows. The bicyclic acid (27a) (26 mg, 0.067 mmol), benzothiazolylarginol trifluoroacetic acid salt (structure (17) 61 mg, 0.083 mmol) EDC (21 mg, 0.11 mmol) and HOBt hydrate (16 mg, 0.10 mmol) were dissolved in THF (5 ml)

20 and diisopropylethylamine (0.34 ml, 1.9 mmol) was added. The mixture was stirred at room temperature for 15h then diluted with ethyl acetate and extracted sequentially with 5% aqueous citric acid, saturated aqueous sodium

bicarbonate, water and brine. The organic solution was dried over anhydrous sodium sulfate, filtered and concentrated under vacuum to 60 mg of a yellow glass. ^{1}H NMR analysis indicated a mixture of four diastereomeric

5 amides. MS (ES+): m/z 898 (M + Na$^+$).

Synthesis of Structure (29a):

(29a)

A β-sheet mimetic of structure (29a) was

10 synthesized as follows. The crude hydroxybenzothiazole (28a) (60 mg, 0.068 mmol) was dissolved in CH$_2$Cl$_2$ (2 ml) and Dess-Martin periodinane (58 mg, 0.14 mmol) was added. The mixture was stirred at room temperature for 6h then diluted with ethyl acetate and stirred vigorously with 10%

15 aqueous sodium thiosulfate for 10 minutes. The organic solution was separated and extracted with saturated aqueous sodium bicarbonate, water and brine then dried over anhydrous sodium sulfate and filtered. Concentration of the filtrate under vacuum yielded 42 mg of yellow

20 glass. ^{1}H NMR analysis indicated a mixture of two diastereomeric ketobenzothiazoles.

The ketobenzothiazole (42 mg, 0.048 mmol) was dissolved in 95% aqueous trifluoroacetic (0.95 ml) acid and thioanisole (0.05 ml) was added. The resulting dark

solution was stirred for 18 hours at room temperature then concentrated under vacuum to a dark brown gum. The gum was triturated with diethyl ether and centrifuged. The solution was removed and the solid remaining was triturated and collected as above two more times. The yellow solid was dried in a vacuum desiccator for 2 hours then purified by HPLC to give 1.4 mg of the deprotected product. MS (ES+): 562.4 (M + H$^+$). HPLC: (t$_R$=21.17 min.)

Synthesis of Structure (26b):

(26b)

Structure (26b) was synthesized as follows. A stirred solution of above starting keto ester (25) (615 mg, 0.86 mmol) in MeOH/AcOH (10/1 ml) was treated with 10 % Pd/C (ca. 60 mg) under 20 atm pressure of H$_2$ for 3 days. After filtration through a short pad of Celite, the filtrate was concentrated to provide an oil. The crude product was purified by flash chromatography (hexane : EtOAc =80 : 20 to 60 :40 to 50:50 to 0:100) to collect the more polar fraction (50 mg). Rf 0.12 (hexane: EtOAc=60:40); MS (ES+) m/z 433 (M+H+).

Above oil was treated with p-TsOH·H$_2$O (5 mg) in 1,2-dichloroethane (10 ml) at reflux temperature for 2 days. After concentration, the oily product was purified by preparative TLC (hexane: EtOAc = 80:20 to 60:40) to give an oil (10 mg). TLC Rf 0.36 (hexane : EtOAc =60:40); ^{1}H NMR (CDCl$_3$) δ 1.43 (s, 9H), 1.66 (m, 3H), 1.89 (m, 3H), 2.14 (m, 1H), 2.75 (m, 1H), 2.98 (m, 1H, CHN), 3.72 (s, 3H, Me), 4.30 (m, 1H), 5.59 (d, 1H, NH), 7.1-7.3 (m, 5H,

phenyl); MS CI(NH$_3$) 403.2 (M+H+). Stereochemistry was assigned by 2D NMR.

Synthesis of Structure (28b):

5

(28b)

Structure (28b) was synthesized as follows. To a solution of 12 mg (0.030 mmol) of the bicyclic ester (26b) stirred in THF 1 ml at room temperature was added 0.060 ml 1.0 M aqueous lithium hydroxide solution. The
10 mixture was stirred vigorously for 25h then quenched with 5% aqueous citric acid (1 ml). The mixture was extracted with ethyl acetate (3 x 25 ml) then the combined extracts were washed with water and brine and dried over anhydrous sodium sulfate. Filtration and concentration of the
15 filtrate under vacuum gave 19 mg of white foam.

The foam, benzothiazolylarginol trifluoroacetic acid salt (30 mg, 0.041 mmol) EDC (10 mg, 0.052 mmol) and HOBt hydrate (9 mg, 0.059 mmol) were dissolved in THF (2 ml) and diisopropylethylamine (0.026 ml, 0.15 mmol) was
20 added. The mixture was stirred at room temperature for 30h then diluted with ethyl acetate and extracted sequentially with 5% aqueous citric acid, saturated aqueous sodium bicarbonate, water and brine. The organic solution was dried over anhydrous sodium sulfate, filtered

and concentrated under vacuum to 28 mg of a yellow glass. ^{1}H NMR analysis indicated a mixture of four diastereomeric amides. MS (ES+): m/z 898 (M + Na$^+$).

5   <u>Synthesis of Structure (29b):</u>

(29b)

Structure (29b) was synthesized as follows. The crude hydroxybenzothiazole (28b) (28 mg) was dissolved in CH$_2$Cl$_2$ (2 ml) and Dess-Martin periodinane (29 mg, 0.071

10 mmol) was added. The mixture was stirred at room temperature for 18h then diluted with ethyl acetate and stirred vigorously with 10% aqueous sodium thiosulfate for 10 minutes. The organic solution was separated and extracted with saturated aqueous sodium bicarbonate, water

15 and brine then dried over anhydrous sodium sulfate and filtered. Concentration of the filtrate under vacuum yielded 32 mg of yellow glass. ^{1}H NMR analysis indicated a mixture of two diastereomeric ketobenzothiazoles.

The ketobenzothiazole (32 mg) was dissolved in

20 95% aqueous trifluoroacetic (0.95 ml) acid and thioanisole (0.05 ml) was added. The resulting dark solution was stirred for 20 hours at room temperature then concentrated under vacuum to a dark brown gum. The gum was triturated with diethyl ether and centrifuged. The solution was

removed and the remaining solid was triturated and collected as above two more times. The yellow solid was dried in a vacuum desiccator for 2 hours then purified by HPLC to give 1.3 mg of the deprotected product. MS (FB+):

5 562.36 (M + H$^+$); HPLC: t_R=21.51 min. (Gradient 0 to 90% 0.1% TFA in CH$_3$CN / 0.1% TFA in H$_2$O over 40 min.)

Example 8

Activity of Representative β-Sheet Mimetic

10 ### as a Protease Inhibitor

This example illustrates the ability of a further representative β-sheet mimetic of this invention to function as an inhibitor for thrombin, Factor VII, Factor X, Factor XI, and trypsin. The β-sheet mimetics of

15 structures (29a) and (29b) above were synthesized according to the procedures disclosed in Example 7, and used in this experiment.

The proteinase inhibitor assays were performed as described in Example 5 except as described below for

20 Factor XI. The results are presented in Table 7.

Factor XI. The same buffer was utilized in this assay as in the thrombin assay. 1 mM S-2366 (from Pharmacia), L-pyroGlu-Pro-Arg-pNA, solution in water was used as substrate. From a 1mM stock solution of structure

25 (29a) or (29b) in water, a 1:10 dilution was made in buffer. From this 100 μM solution, seven serial 1:5 dilutions were made in buffer for assay.

Table 7

Enzymes	K_i (nM)	
	Structure (29a)	Structure (29b)
Thrombin	10.4	0.085
Trypsin	0.54	0.20
Factor VII	1800	-.
Factor X	4600	17
Factor XI	391	-

Example 9

Activities of Representative β-Sheet Mimetics

as a Protease Inhibitor

This example illustrates the ability of further representative β-sheet mimetics of this invention to function as an inhibitor for thrombin, Factor VII, Factor X, Factor XI, tryptase, aPC, plasmin, tPA, urokinase and trypsin. The β-sheet mimetics of structures (20) and (29b) above were synthesized according to the procedures disclosed in Examples 2 and 7, respectively, and used in this experiment.

The proteinase inhibitor assays were performed as described in Example 5 except as described in Example 8 for Factor XI. The results are presented in Table 8.

—

Table 8

	Structure (20b)		Structure (29b)	
	Ki (nM)	Selectivity *	Ki (nM)	Selectivity *
Thrombin	0.65	1	0.085	1
Trypsin	0.62	0.95	0.23	2.7
Factor VII	270	415	200	2353
Factor X	222	342	19.3	227
Factor XI	27.0	42	75.3	886
Tryptase	12.3	18.9	9.0	106
aPC	3320	5108	1250	14706
Plasmin	415	638	251	2953
tPA	495	762	92.9	1093
Urokinase	600	923	335	3941

*selectivity is the ratio of Ki of an enzyme to the Ki of thrombin

Example 10

Synthesis of Representative β-Sheet Mimetics

This example illustrates the synthesis of a further representative β-sheet mimetic of this invention.

Synthesis of Structure (30):

(30)

Structure (30) was synthesized as follows. n-Butyllithium (700 μL, 1.75 mmol, 2.5M in hexanes) was added over 5 min to a solution of tris(methylthio)methane (256 μL, 1.95 mmol) in THF (1 ml) at -78 °C. The mixture was stirred for 40 min then treated with a solution of bis-Boc-argininal (structure (16) from Example 2) (100 mg, 1.75 mmol) in 2 ml THF, dropwise, over a period of 5 min. After stirring for 1.5 h, the reaction was quenched with saturated NH$_4$Cl solution and allowed to warm to room temperature. The layers were separated and the aqueous layer extracted with EtOAc (3x), washed with brine (1x), dried (Na$_2$SO$_4$) and concentrated. Purification by flash chromatography (EtOAc:Hexane 1:4) yielded 93 mg (73%) of the orthothiomethyl ester (structure (30)) and 8 mg of recovered aldehyde (structure (16)). ^{1}H NMR (500 MHz, CDCl$_3$.) δ 9.80 (s, 1H), 8.32 (t, J = 5.0 Hz, 1H), 6.54 (s, 1H), 5.23 (d, J = 9.0 Hz, 1H), 4.0 (m, 1H), 3.84 (s, 3H), 3.64 (br s, 1H), 3.38 (br s, 1H), 3.31 (m, 2H), 2.70 (s, 3H), 2.62 (s, 3H), 2.19 (s, 9H), 2.14 (s, 3H), 1.68-1.50 (m, 4H), 1.49 (s, 9H), 1.43 (s, 9H).

Synthesis of Structure (31):

(31)

Structure (31) was synthesized as follows. A
5   mixture of 77 mg (0.11 mmol) of the orthothiomethyl ester
(structure (30)), 117 mg (0.43 mmol) of mercuric chloride,
and 39 mg (0.18 mmol) of mercuric oxide in 2.5 ml of 12:1
methanol/water was stirred at rt for 4 h. The mixture was
filtered through Celite and the residue washed with EtOAc
10   (3x). The filtrate was diluted with water and extracted
with EtOAc (3x). The organic layer was washed twice with
75% NH_4OAc/NH_4Cl, then with NH_4Cl and dried (Na_2SO_4). The
solvent was removed *in vacuo* and the residue purified by
flash chromatography (EtOAc/Hex, 1:3) to give 48 mg (72%)
15   of the two diastereomers of structure (31) in a 1:2.7
ratio. ^1H NMR (500 MHz, $CDCl_3$) (major diastereomer) δ 9.80
(s, 1H), 8.33 (t, J = 5.0 Hz, 1H), 6.54 (s, 1H), 4.66 (d,
J = 10.5 Hz, 1H), 4.08 (dd, J = 5.0, 2.0 Hz, 1H), 3.97 (m,
1H), 3.84 (s, 3H), 3.77 (s, 3H), 3.30 (m, 2H), 3.06 (d, J
20   = 5.0 Hz, 1H), 2.70 (s, 3H), 2.63 (s, 3H), 2.14 (s, 3H),
1.68-1.50 (m, 4H), 1.49 (s, 9H), 1.40 (s, 9H); MS (ES+)
m/z 631.5 (M+H$^+$).

Synthesis of Structure (32):

(32)

Structure (32) was synthesized as follows. A
solution of 32 mg of the methyl ester (structure (31))
(0.051 mmol) in THF/water (4 ml, 1:3) was treated with 5
mg (0.119 mmol) of LiOH·H$_2$O. After stirring for 45 min,
the reaction was diluted with 5% citric acid and extracted
with ethyl acetate (3x). The combined extracts were
washed with brine, dried over Na$_2$SO$_4$ and concentrated to
give 30 mg (96%) of structure (32) as a white solid. The
product was used without further purification. [1]H NMR 500
MHz, CDCl$_3$) δ 9.80 (br s, 1H), 8.29 (br s, 1H), 6.54 (s,
1H), 5.62 (br s, 1H), 4.08 (m, 1H), 3.82 (s, 3H), 3.27 (br
s, 3H), 2.69 (s, 3H), 2.62 (s, 3H), 2.13 (s, 3H),
1.65-1.50 (m, 4H), 1.48 (s, 9H), 1.37 (s, 9H); MS (ES-)
m/z 615.5 (M-H$^+$).

Synthesis of Structure (33):

(33)

Structure (33) was synthesized as follows. To a
solution of the compound of structure (32) (29 mg, 0.047
mmol), HOBt (8 mg, 0.056 mmol) and EDC (11 mg, 0.056 mmol)
in THF (5 ml), phenethylamine (7 ml, 0.056 mmol) was added
followed by diisopropylethylamine (12 µL, 0.071 mmol).
The reaction mixture was stirred at rt overnight and
diluted with 5% citric acid. The organic layer was
separated and the aqueous phase extracted with EtOAc (3x).
The combined extracts were washed with a saturated
solution of NaHCO$_3$, brine, dried over Na$_2$SO$_4$, and filtered.
After concentration the crude product was purified by
chromatography (EtOAc/Hex, 1:1) to give 26 mg (77%) of
structure (33) over two steps. ^{1}H NMR (500 MHz, CDCl$_3$) δ
9.84 (s, 1H), 8.34 (t, J = 5 Hz, 1H), 7.28 (m, 3H), 7.21
(m, 2 H), 7.04 (m, 1H), 6.55 (s, 1H), 5.16 (d, J = 8.5 Hz,
1H), 4.56 (d, J = 5 Hz, 1H), 4.11 (dd, J = 5.0, 3.0 Hz,
1H), 3.98 (m, 1H), 3.84 (s, 3H), 3.66 (m, 1H), 3.51 (m,
2H), 3.17 (m, 1H), 2.81 (t, J = 7.5 Hz, 2H), 2.71 (s, 3H),
2.65 (s, 3H), 2.14 (s, 3H), 1.68-1.52 (m, 4H), 1.49 (s,
9H), 1.39 (s, 9H); MS (FAB+) m/z 720.6 (M+H$^+$) (FAB-) m/z
718.5 (M-H$^+$).

Synthesis of Structure (34):

(34)

Structure (34) was synthesized as follows. To a
5   solution of phenethylamide (structure (33), 25 mg, 0.035
mmol) in THF (5 ml) was added 18 mg of p-toluenesulfonic
acid monohydrate (0.093 mmol). The reaction mixture was
stirred at rt overnight to give a baseline spot by TLC.
The solution was concentrated *in vacuo*, and the residue
10   washed twice with ether removing excess pTsOH to give
structure (34) as a yellowish-white solid, which was used
without further purification. ^{1}H NMR (500 MHz, CDCl$_3$) was
consistent with the expected product, however, individual
peak assignment was difficult due to broadening. MS (ES+)
15   *m/z* 520.4 (M+H$^+$).

Structure (34) was reacted with structure (9a)
of Example 1 (in an analogous manner to the procedure
described in Example 2 for the synthesis of structure
(18)), followed by oxidation and deprotection (in an
20   analogous manner as described with respect to the
oxidation and deprotection of structures (18) and (19),
respectively) to provide structure (35) as identified in
Table 9 below.

Example 11

Synthesis of Representative β-Sheet Mimetics

This example illustrates the synthesis of a further representative β-sheet mimetic of this invention.

Synthesis of Structure (36):

2pTsOH

(36)

Structure (36) was synthesized in an analogous fashion to compound (34) starting with benzylamine and structure (32). ^{1}H NMR (500 MHz, CDCl$_3$) was consistent with the expected product, however, individual peak assignment was difficult due to broadening. MS (FAB+) m/z 506.4 (M+H$^+$).

Structure (36) was reacted with structure (9a) of Example 1 (in an analogous manner to the procedure described in Example 2 for the synthesis of structure (18)), followed by oxidation and deprotection (in an analogous manner as described with respect to the oxidation and deprotection of structures (18) and (19), respectively) to provide structure (37) as identified in Table 9 below.

Example 12

Synthesis of Representative β-Sheet Mimetics

This example illustrates the synthesis of a further representative β-sheet mimetic of this invention.

5

Synthesis of Structure (38):

(38)

Structure (38) was synthesized in an analogous

10 fashion to structure (34) starting with p-chlorophenethylamine and structure (32). ^{1}H NMR (500 MHz, CDCl$_3$) was consistent with the expected product, individual peak assignment was difficult due to broadening. MS (ES+) m/z 554.5 (M+H$^+$).

15   Structure (38) was reacted with structure (9a) of Example 1 (in an analogous manner to the procedure described in Example 2 for the synthesis of structure (18)), followed by oxidation and deprotection (in an analogous manner as described with respect to the

20 oxidation and deprotection of structures (18) and (19), respectively) to provide structure (39) as identified in Table 9 below.

Example 13

Synthesis of Representative β-Sheet Mimetics

This example illustrates the synthesis of a further representative β-sheet mimetic of this invention.

5

Synthesis of Structure (40):

(40)

Structure (40) was synthesized in an analogous
10   fashion to compound (34) using p-methoxyphenethylamine and structure (32). ^{1}H NMR (500 MHz, CDCl$_3$) was consistent with the expected product, however, individual assignment was difficult due to broadening.   MS (ES+) m/z 550.5 (M+H$^+$).

15   Structure (40) was reacted with structure (9a) of Example 1 (in an analogous manner to the procedure described in Example 2 for the synthesis of structure (18)), followed by oxidation and deprotection (in an analogous manner as described with respect to the
20   oxidation and deprotection of structures (18) and (19), respectively) to provide structure (41) as identified in Table 9 below.

Example 14

Synthesis of Representative β-Sheet Mimetics

This example illustrates the synthesis of a further representative β-sheet mimetic of this invention.

5

Synthesis of Structure (42):

(42)

Structure (42) was prepared as follows. In a 10 ml round-bottomed flask were added CH₂Cl₂ (10 ml), methyl 2,3-dimethylaminopropionate dihydrochloride (19.9 mg, 0.103 mmol, 1.5 eq), and diisopropylethylamine (53 ml, 0.304 mmol, 4.4 eq). This suspension was stirred magnetically at room temperature for 1 h at which time was added the compound of structure (30) (50 mg, 0.068 mmol, 1 eq), mercury(II)chloride (82.4 mg, 0.304 mmol, 4.4 eq), and mercury(II)oxide (25.7 mg, 0.120 mmol, 1.7 eq). The resulting yellow suspension was stirred for 16.5 h during which time the suspension turned gray. The reaction was diluted with CH₂Cl₂ (50 ml), washed with saturated aqueous NH₄Cl (5 ml), saturated aqueous NaCl (5 ml) and dried over Na₂SO₄. The cloudy suspension was filtered and the solvent removed in vacuo. The white solid was purified on preparative thin-layer chromatography to produce the imidazoline structure (42) (25.3 mg, 52% yield) as a clear amorphous solid.: R_f 0.11 (10% MeOH/CHCl₃); ¹H NMR (500

MHz, CDCl$_3$) δ 9.82 (s, 0.6H, N'H, mixture of tautomers), 9.78 (s, 0.4H, N"H), 8.35 (dd, J=4.3, 11 Hz, ^{1}H, N-5), 6.54 (s, 1H, ArH), 5.08 (d, J=11 Hz, 1H, CHOH), 4.52 (m, 1H, imidazoline CH$_2$), 4.38 (d, J=21 Hz, 1H), 3.8-4.0 (m, 2H),

5   3.86 (s, 3H, CO$_2$CH$_3$), 3.767 (s, 3H, ArOCH$_3$), 3.5-3.7 (m, 2H, C-5 CH$_2$), 3.16-3.27 (m, C-5 CH$_2$), 2.70 (s, 3H, ArCH$_3$), 2.63 (s, 3H, ArCH$_3$), 2.14 (s, 3H, ArCH$_3$), 1.5-1.7 (m, 4H, C-3 and C-4 CH2), 1.49 (s, 9H, Boc), 1.46 (s, 9H, Boc); IR (film) 1725.56, 1685.68, 1618.36, 1585.45, 1207.09,

10   1148.85 cm^{-1}; MS (ES+) m/e 699.4 (M+H$^+$).

Synthesis of Structure (43):

(43)

15   Structure (43) was synthesized as follows. In a 25 ml round-bottomed flask was placed the compound of structure (42) (230 mg, 0.33 mmol), CHCl$_3$ (5 ml) and MnO$_2$ (500 mg, 5.75 mmol, 17.4 eq). After stirring for 5 h the suspension was filtered and the solid washed with

20   methanol. The solvent was removed in vacuo and the residue was dissolved in ethyl acetate (5 ml) and methanol (1 ml) and a fresh portion of MnO$_2$ (500 mg) was introduced and the reaction stirred for 15 h at room temperature. The solid was filtered and the solvent removed in vacuo.

25   The residue was purified via column chromatography on silica gel, eluting with 1:1 ethyl acetate:hexane, then

pure ethyl acetate, then 1:9 methanol:ethyl acetate to obtain the desired product (structure (43), 190 mg, 83% yield) as an amorphous solid.: R_f 0.64 (70:30-ethyl acetate:hexane); ^1H NMR (500 MHz, $CDCl_3$) δ 10.70 (bs, 1H, imidazole NH), 9.70 (s, 1H), 8.28 (s, 1H), 7.84 (s, 1H), 6.54 (s, 1H, ArH), 5.35 (m, 1H, aH), 5.25 (s, 1H, BocNH), 3.926 (s, 3H), 3.840 (s, 3H), 3.15-3.40 (m, 2H), 2.682 (s, 3H), 2.133 (s, 3H), 1.52-1.70 (m, 4H), 1.470 (s, 9H), 1.424 (s, 9H); IR (film) 1724.68, 1619.03, 1277.72, 1151.93, 1120.61 cm^{-1}; MS (ES+) m/e 695.2 ($M+H^+$, 22), 717.2 ($M+Na^+$, 100).

<u>Synthesis of Structure (44)</u>:

(44)

Structure (44) was synthesized by the same method used to construct structure (33) to structure (34). The product was used in the coupling without further purification.

Structure (44) was reacted with structure (9a) of Example 1 (in an analogous manner to the procedure described in Example 2 for the synthesis of structure (18)), followed by deprotection (in an analogous manner as described with respect to the deprotection of structure (19) respectively) to provide structure (45) as identified in Table 9 below. In the preparation of structure (45),

the coupling step was performed with the carbonyl compound of structure (44), rather than with the analogous hydroxy compound.

5

Example 15

Synthesis of Representative β-Sheet Mimetics

This example illustrates the synthesis of a further representative β-sheet mimetic of this invention.

10

Synthesis of Structure (46):

(46)

Structure (46) was synthesized in an analogous fashion to structure (17) starting from structure (16) and

15 thiazole.   This compound was used in the coupling step without further purification.

Structure (46) was reacted with structure (9a) of Example 1 (in an analogous manner to the procedure described in Example 2 for the synthesis of structure

20 (18)), followed by oxidation and deprotection (in an analogous manner as described with respect to the oxidation and deprotection of structures (18) and (19), respectively) to provide structure (47) as identified in Table 9 below.

25

Example 16

Synthesis of Representative β-Sheet Mimetics

This example illustrates the synthesis of a further representative β-sheet mimetic of this invention.

5

Synthesis of Structure (48):

(48)

To a solution of α-Boc-β-Fmoc-2,3-
10 diaminopropionic acid (818 mg, 1.92 mmol) stirred in THF (5 ml) at -25°C was added 4-methylmorpholine (0.23 ml, 2.1 mmol) followed by isobutylchloroformate (0.25 ml, 1.9 mmol). The resulting suspension was stirred for 5 minutes and then filtered with the aid of 5 ml of THF. The
15 filtrate was cooled in an ice/water bath then sodium borohydride (152 mg, 0.40 mmol) dissolved in water (2.5 ml) was added dropwise. The mixture was stirred for 15 minutes then water (50 ml) was added and the mixture was extracted with CH_2Cl_2 (3 x 50 ml). The combined extracts
20 were washed with brine, dried over anhydrous sodium sulfate and filtered. Concentration of the filtrate under vacuum yielded a pale yellow solid that was purified by flash chromatography (50% ethyl acetate/hexanes eluent) to give 596 mg of the alcohol as a white solid.

The alcohol (224 mg, 0.543 mmol) was dissolved in methylene chloride and Dess-Martin periodinane (262 mg, 0.64 mmol) was added. The mixture was stirred at room temperature for 1 h then diluted with ethyl acetate (50

5 ml) and extracted sequentially with 10% aqueous $Na_2S_2O_3$, saturated aqueous $NaHCO_3$, and brine. The organic solution was dried over anhydrous sodium sulfate, filtered and concentrated under vacuum to a white solid. Purification of the solid by flash chromatography yielded 169 mg of the

10 aldehyde structure (48) as a white solid.

Synthesis of Structure (49):

(49)

15   Structure (49) was synthesized in an analogous fashion to structure (17) starting from structure (48) and benzothiazole. This compound was used as a 1:1 mixture of diastereomers in the coupling step (described below) without further purification. MS (EI+): m/z 446.4 $(M+H^+)$.

20

Synthesis of Structure (50):

(50)

Structure (49) and bicyclic acid structure (9a)
5 (27 mg, 0.069 mmol) and HOBt hydrate (71 mg, 0.46 mmol)
were dissolved in THF (1 ml) and diisopropylethylamine
(0.0.059 ml, 0.34 mmol) was added followed by EDC (19 mg,
0.099 mmol). The mixture was stirred at room temperature
for 20 h then diluted with ethyl acetate and extracted
10 sequentially with 5% aqueous citric acid, saturated
aqueous sodium bicarbonate, water and brine. The organic
solution was dried over anhydrous sodium sulfate, filtered
and concentrated under vacuum to 61 mg of a yellow foam.
^{1}H NMR analysis indicated a mixture of diastereomeric
15 amides.

The foam was dissolved in CH_3CN and diethylamine
was added. The solution was stirred at room temperature
for 30 minutes then concentrated under vacuum to a yellow
foam. The foam was rinsed with hexanes and dissolved in
20 DMF (0.5 ml). In a separate flask, carbonyldiimidazole
(16 mg, 0.99 mmol) and guanidine hydrochloride (10 mg,
0.10 mmol) were dissolved in DMF (1 ml) and
diisopropylethylamine (0.035 ml, 0.20 mmol) was added
followed by DMAP (1 mg). The solution was stirred for 1.5
25 h at room temperature then the solution of amine was added

and stirring was continued for 16 h. The solution was concentrated under vacuum then water was added to the residue and the mixture was extracted with ethyl acetate (3 x 25 ml). The combined extracts were washed with
5 brine, dried over anhydrous sodium sulfate and filtered. Concentration of the filtrate under vacuum yielded 58 mg of structure (50) as a yellow foam. MS (ES+): m/z 680.6 (M+H⁺).

   Structure (50) was oxidized to provide the
10 corresponding ketone of structure (51).

Example 17

Activities of Representative β-Sheet Mimetics
as a Protease Inhibitor

15   This example illustrates the ability of further representative β-sheet mimetics of this invention to function as an inhibitor for thrombin, Factor VII, Factor X, Factor XI, tryptase, aPC, plasmin, tPA, urokinase thrombin thrombomodulin complex and trypsin. The β-sheet
20 mimetics of the structures listed in Table 9 had the inhibition activities shown in Table 10.

   The proteinase inhibitor assays were performed as described in Example 9. The assay for thrombin-thrombomodulin complex was conducted as for thrombin
25 except that prior to the addition of inhibitor and substrate, thrombin was preincubated with 4 nM thrombomodulin for 20 minutes at room temperature.

Table 9

Structures, Synthetic Precursors, and Physical Data for Various Serine Protease Inhibitors

Structure Number	B^δ	R_4	R_5	Precursor	M.S. (ES+)	HPLC* R.T. (min)
(47)	N			(46)	513.5 (M+H⁺)	15.9
(20b)	N			(17)	563.5 (M+H⁺)	17.9
(37)	N			(36)	563.6 (M+H⁺)	16.9
(39)	N			(38)	611.3 (M+H⁺)	19.8
(29a)ᵉ	CH			(17)	562.4 (M+H⁺)	21.2

Structure Number	B[δ]	R_4	R_5	Precursor $\overset{OH}{\underset{\overset{|}{R_4}}{N}}\!\!-\!\!R_5$	M.S. (ES+)	HPLC* R.T. (min)
(35)	N			(34)	577.4 (M+H⁺)	18.1
(45)	N			(44)	554.2 (M+H⁺)	15.7
(51)	N			(49)	578.3 (M+H⁺)	22.3
(29b)	CH			(17)	FAB 562.4 (M+H⁺)	21.5
(41)	N			(40)	607.4 (M+H⁺)	18.2
(13)	N			Arg(Mtr)-CH₂Cl	477.9 (M+H⁺)	14.9

[δ]The stereochemistry of the template for B = CH is (3R, 6R, 9S) except where noted (see footnote ε).

[ε]Template stereochemistry is (3S, 6R, 9S).

*HPLC was performed on a reverse phase C-18 column using a gradient of 0-90% acetonitrile/water, 0.1% TFA.

176

Table 10

Ki (M) Inhibition Activity of Various Compounds Against Serine Proteases

Structure Number	Thrombin	Factor VII	Factor X	Factor XI	Urokinase	T.T.C.[a]	aPC[b]	Plasmin	tPA[c]	Trypsin	Tryptase
35	7.10E-11	1.64E-08	3.45E-07[e]								
37	7.32E-11									2.70E-11	
29b	8.50E-11	2.00E-07	1.93E-08	7.53E-08	3.35E-07	8.80E-11	1.25E-06	2.51E-07	9.29E-08	7.73E-11	
39	3.10E-10									2.30E-10	9.00E-09
41	4.50E-10										
20b	6.50E-10	2.70E-07	2.22E-07	2.70E-08	6.00E-07		3.32E-06	4.15E-07	4.95E-07	6.20E-10	1.24E-08
47	2.40E-09	9.68E-07	1.50E-06[d]							1.90E-09	
45	5.40E-09	2.96E-05	3.80E-05	1.24E-06		6.90E-09	2.56E-05	2.38E-05	1.72E-05	5.24E-08	1.65E-06
51	7.25E-09	4.26E-06	5.70E-05	1.73E-06						3.79E-08	
29a	1.04E-08	1.77E-06	4.65E-06[e]	3.91E-07						5.40E-10	
13[d]	1.20E-09	1.40E-07	3.86E-07[e]		9.27E-07		5.28E-07	9.78E-07	6.32E-07	1.60E-07	

[a] Thrombin thrombomodulin complex, [b] activated Protein C, [c] tissue Plasminogen Activator, [d] IC50, [e] bovine plasma

5

Example 18

Effect of Representative β-Sheet Mimetics on Platelet Deposition in a Vascular Graft

The effect of compounds of the invention on platelet deposition in a vascular graft, was measured according to the procedure of Hanson et al. "Interruption of acute platelet-dependent thrombosis by synthetic antithrombin D-phenylalanyl-L-prolyl-L-arginyl chloromethylketone" *Proc. Natl. Acad. Sci., USA 85*:3148-3188, (1988), except that the compound was introduced proximal to the shunt as described in Kelly et al., *Proc. Natl. Acad. Sci., USA 89*:6040-6044 (1992). The results are shown in Figures 1, 2 and 3 for structures (20b), (39) and (29b), respectively.

Example 19

Synthesis of Representative β-Sheet Mimetics

This example illustrates the synthesis of a further representative β-sheet mimetic of this invention having the structure shown below.

(52)

Structure (52) may be synthesized employing the following intermediate (53) in place of intermediate (16) in Example 2:

5   (53)

Intermediate (53) may be synthesized by the following reaction scheme:

10

Alternatively, intermediate (53) may be synthesized by the following reaction scheme:

(53)

Example 20

Representative β-Sheet Mimetics

Which Bind to MHC I and MHC II

The following structures (54), (55) and (56) were synthesized by the techniques disclosed herein.

The ability of structures (54) and (55) to bind to MHC I molecules can be demonstrated essentially as described by Elliot et al. (*Nature* 351:402-406, 1991). Similarly, the ability of structure (56) to bind to MHC II molecules can be demonstrated by the procedure of Kwok et al. (*J. Immunol.* 155:2468-2476, 1995).

(54)

MS ES(+) 510 (M+2H$^+$)$^{2+}$; HPLC R$_t$ 22.10' (0-90% acetonitrile/H$_2$O, 0.1% TFA)

(55)

MS ES(+) 510 (MH$^+$)$^+$; HPLC R$_t$ 22.37' (0-90% acetonitrile/H$_2$O, 0.1% TFA)

5

181

(56)

MS ES(-) 704.9 (M-3H$^+$)$^{3-}$; HPLC R$_t$ 22.39' (0-90% acetonitrile/H$_2$O, 0.1% TFA)

5

Example 21

Representative β-Sheet Mimetics
Which Bind The SH2 Domain

The following structure (57) was synthesized, and structure (58) may be synthesized, by the techniques disclosed herein.

SH-PTP1

(57)

MS   ES(-)   104.3   (M-H⁺)⁻;HPLC R_t 17.28'   (0-90% acetonitrile/H_2O, 0.1% TFA)

STAT6

(58)

The ability of structure (58) to bind to the SH2 domain of STAT6, or of structure (57) to bind the SH2 domain of the protein tyrosine phosphatase SH-PTP1 can be demonstrated by the procedures disclosed by Payne et al. (*PNAS 90*:4902-4906, 1993). Libraries of SH2 binding mimetics

may be screened by the procedure of Songyang et al. (*Cell* 72:767-778, 1993).

Example 22

Representative β-Sheet Mimetics
Which Bind Protein Kinases

The following structure (59) may be synthesized by the techniques disclosed herein.

(59)

The ability of structure (59) to act as a substrate or inhibitor of protein kinases may be demonstrated by the procedure of Songyang et al. (*Current Biology* 4:973-982, 1994).

Example 23

Synthesis of Representative β-Sheet Mimetics

This example illustrates the synthesis of representative β-sheet mimetics of this invention having the following structures (60) through (63), wherein B is N or CH:

(60)

(61)

(62)

(63)

Synthesis of structure (60):

1. H_2, Pd-C
MeOH

2. a) IBCF, NMM
   b) $RCHN_2$

3. HBr

R = H, Me

Cbz—NH

H_2N ... NH

1.

2. Cbz-Cl, NaHCO$_3$

1. TFA

2. EDCI, HOBt, DIEA

B = CH, N

TFA
thioanisole
H_2O

As bis TFA salt

Synthesis of structure (61) :

1. TBDMSCl TEA, DMAP

2. [benzothiazole reagent]

2. NaBH₄, aq. THF

3. MeO OMe (acetone dimethyl acetal) pTsOH, reflux

1. nBu₄NF, THF

2. PCC, Celite

3. Ph₃P=CH–C(O)–R

R = H, Me

1. TMSOTf, TEA

2. NBS

3. guanidine (H₂N–C(=NH)–NHR')

R' = Ac, Cbz

1. a) TFA, H₂O if R' = Ac then **b) NH₂NH₂**

2. EDCI, HOBt, DIEA

B = CH, N

1. Dess-Martin periodinane

2. TFA thioanisole H₂O

As bis TFA salt

Alternative synthesis of structure (61):

R = H, CH$_3$

R' = Ac, Cbz

R' = H, Cbz

B = CH, N

As bis TFA salt

Synthesis of structure (62) :

$\xrightarrow{\text{NBS, CCl}_4}$ heat

1. NaOH
2. EDCI, HOBt, HCl.HN(Me)OMe TEA

$\xrightarrow{\text{ZnCl}_2}$

Me$_3$Si—≡—CO$_2$Me

1. LiOH
2. a) IBCF, NMM, THF, -15°C
   b) RCHN$_2$
   c) HBr

R = H, Me

1.

2. if R' = Ac then NH$_2$NH$_2$

R' = H, Cbz

1.

2. TFA, H$_2$O

EDCI, HOBt, DIEA

B = CH, N

TFA
thioanisole
H$_2$O

As bis TFA salt

Alternative synthesis of structure (62):

R = H, CH$_3$

R' = Ac, Cbz

R' = H, Cbz

B = CH,N

As bis TFA salt

Synthesis of structure (63):

Reaction scheme for the synthesis of structure (63).

Step 1: HCl·H$_2$N-CH$_2$-CO-OMe $\xrightarrow[\text{CH}_2\text{Cl}_2,\ \text{MgSO}_4]{\text{PhCHO, TEA}}$ PhCH=N-CH$_2$-CO-OMe $\xrightarrow[\text{2. } n=1,2]{\text{1. LDA}}$

Step 2: (benzylidene imino ester with chloro ketone ring) $\xrightarrow[\text{2. Boc}_2\text{O, NaHCO}_3]{\text{1. HCl, MeOH}}$ (Boc-amino methyl ester) $\xrightarrow{\text{1. guanidine, R' = Ac, Cbz}}$

Step 3: (Boc-amino methyl ester, imidazole NHR') $\xrightarrow[\text{2. Dibal}]{\text{1. LiOH, THF/H}_2\text{O}}$ (Boc-amino aldehyde) $\xrightarrow{\text{2-lithiobenzothiazole}}$

Step 4: (Boc-amino alcohol benzothiazole) $\xrightarrow[\substack{\text{if R' = Ac then} \\ \text{2. NH}_2\text{NH}_2}]{\text{1. TFA, H}_2\text{O}}$ (TFA·H$_2$N alcohol benzothiazole, R' = H, Cbz) $\xrightarrow[\substack{\text{B = CH, N}}]{\text{EDCI, HOBt, DIEA}}$

Step 5: (coupled product, Boc-N) $\xrightarrow[\substack{\text{2. TFA thioanisole H}_2\text{O}}]{\text{1. Dess-Martin periodinane}}$ (H$_2$N ketone benzothiazole, NH$_2$)

As bis TFA salt

Example 24

Bioavailability of Representative β-Sheet Mimetics

This example illustrates the bioavailability of the compound of structure (20b) as synthesized in Example 2 above, and having the biological activity reported in Example 9 above.

Specifically, a pharmacodynamic and pharmacokinetic study of structure (20b) was conducted in male Sprague Dawley rats. Rats were administered a saline solution of structure (20b) at 4mg/kg intravenously (IV) or 10mg/kg orally (PO). Groups of rats (n = 3 or 4) were sacrificed and exsanguinated at 0.25, 0.5, 1, 2, 4 and 8 hours following dosing. Efficacy parameters, aPTT and TT, were measured for each plasma sample. Concentrations of structure (20b) in plasma were determined by a trypsin inhibition assay. The results of this experiment are presented in Figures 4A and 4B for dosing of 4mg/kg IV and 10mg/kg PO, respectively. The data presented in Figures 4A and 4B illustrate *in vivo* efficacy of structure (20b) via both IV and PO administration. Non-compartmental pharmacokinetic analysis of mean structure (20b) concentration values demonstrate terminal halflives of 7.5 hr (IV) and 4.5 hr (PO). The bioavailability of orally administered structure (20b) is approximately 27%.

Example 25

Synthesis of Representative β-Sheet Mimetics

This example illustrates the synthesis of a further representative β-sheet mimetics of this invention having the structure shown below.

Synthesis of Structure (64):

(64)

Structure (64) was synthesized as follows. A 150 ml round bottom flask was charged with 5.19 grams (24.7 mmol) of 1,2,3-benzene tricarboxylic acid, 75 ml of toluene, and 3.3 mL (24.7 mmol) of triethyl amine. The reaction was heated at reflux for 3 hours with the azeotropic removal water. At this time 2.07 ml of aniline was added, and the reaction again refluxed for six hours with the azeotropic removal of water. Upon cooling the reaction solution a crystalline product formed and was filtered off (4.68 g). The solution was then extracted with $NaHCO_3$ and ethyl acetate, and the bicarbonate layer acidified and reextracted with a second EtOAc wash. The organic layer was dried over $NaSO_4$, filtered, and the solvent removed to give an additional 1.24 grams of product. The total yield was 5.92 g (82%). ^1H NMR ($CDCl_3$) δ 7.41, (d, 2H, J = 10 Hz), 7.48 (t, 1H, J = 10 Hz), 7.55 (t, 2H, J = 10 Hz), 7.98 (t, 1H, J = 10 Hz), 8.20 (d, 1H, J = 10 Hz), 8.70 (d, 1H, J = 10 Hz); MS (ES-): 266 (M - H^+).

Synthesis of Structure (65):

(65)

Structure (65) was synthesized as follows. The imide-acid of structure (64) (53.4 mg, 0.2 mmol) in THF (2 ml)

was cooled to -40 °C and treated with 24.2 μl (0.22 mmol) of NMM and 28.2 μl IBCF (0.22 mmol). The reaction was stirred for 3 minutes and then 0.69 ml (0.69 mmol) of a 1 M solution of diazomethane in ether was added. The temperature was slowly raised to -20 degrees, and the reaction stirred for 2 h at this temperature. The reaction was warmed to 0 °C and stirred for 3 h more.

The reaction was diluted with EtOAc (30ml) and the organic phase washed with 5% citric acid, NaHCO$_3$, and saturated NaCl. It was then dried over Na$_2$SO$_4$ and concentrated to give 62.4 mg of residue. This crude product was dissolved in THF, cooled to -40 °C, and treated with 74 ul of a 4 M solution of HCl in dioxane. The reaction was warmed to -20 °C and stirred for 1 h. Subsequently the reaction was stirred for 2 h at 0 °C. TLC of the reaction mixture at this point showed disappearance of the starting diazoketone. The solvent was removed, and the product purified by preparative TLC (EtOAc/hexanes, 7/3) to give 22.6 mg (38%) of pure chloromethylketone. ^{1}H NMR (CDCl$_3$) δ 4.93 (s, 2H), 7.35-7.60 (m, 5H), 7.9 (m, 2H), 8.12 (dd, 1H, J = 9, 1.8 Hz); MS (EI): 299.1 (M$^+$), 264.0 (M$^+$ - Cl), 250.2 (M$^+$ - CH$_2$Cl).

Synthesis of Structure (66):

(66)

Structure (66) was synthesized as follows. To a stirred suspension of 910 mg (5.14 mmol) of 4-phenyl urazole in 50 ml of methylene chloride, was added 1.654 g (5.14 mmol) of iodobenzene diacetate. A deep red color developed, and

with stirring, all material went into solution. After stirring for 15 minutes at room temperature, 560 mg of 90% pure 2,4-penatdienoic acid was added and the color gradually faded as a white solid formed. After fifteen minutes an additional 70 mg of pentadienoic acid was added. After stirring for 2 h at room temperature, the methylene chloride was removed under reduced pressure. Ether was added (25 ml) and the resulting suspension was cooled to -20 °C and solid material (1.41 g, 100%) filtered off. The product could be recrystallized from EtOAc/cyclohexane. ^{1}H NMR (CDCl$_3$) δ 4.04, (d, 1H, J = 20 Hz), 4.40 (d, 1H, J = 20 Hz), 5.17 (s, 1 H), 6.13 (m, 2H) 7.4-7.5 (m, 5H); MS (ES-): 271.9 (M - H$^+$), 228.1 (M - CO$_2$H).

Synthesis of Structure (67):

(67)

Structure (67) was synthesized as follows. The Diels-Alder adduct of structure (66) (432 mg, 1.57 mmol) was mixed with 150 mg 10% Pd/C in 50 ml MeOH. The reaction was stirred overnight under a hydrogen atmosphere (hydrogen balloon). After 18 h, an aliquot (1 ml) was removed and the solvent evaporated under reduced pressure. ^{1}H NMR of the residue showed greater than 95% conversion to the saturated product. The reaction mixture was filtered through celite, and the solvent removed via rotary evaporator, to give 424 mg of crystalline product. ^{1}H NMR (CDCl$_3$) δ 1.72 (m, 1H), 1.91 (m, 1H), 2.02 (m, 1H), 2.31 (m, 1H) 3.18 (m, 1H); 4.18 (d, 1H, J =

10 Hz), 4.88 (d, 1H, J = 12 Hz), 7.35-7.5 (m, 5H); MS (ES-)
274 (M - H⁺).

Synthesis of Structure (68):

(68)

Structure (68) was synthesized as follows. To a
solution of 450 mg (1.64 mmol) of (67) in 40 ml of methylene
chloride was added 142 μL of oxalyl chloride (1.64 mmol) and a
drop of DMF. The reaction was stirred at room temperature
overnight under Ar. The methylene chloride was removed via
rotary evaporator and 30 ml of THF added. This solution was
cooled to -20 degrees and 2 ml of a 1 M solution of
diazomethane in ether added. This was stirred 4 h, while
gradually warming to room temperature. The reaction was then
cooled to -78 degrees, and 500 uL of 4 M HCl in dioxane added.
The reaction was again stirred under Ar while gradually
warming to room temperature. Solvents were removed under
reduced pressure to give a mixture (by ¹H NMR analysis) of
chloromethylketone and methyl ester. This was chromatographed
on silica gel (EtOAc) to give 185 mg (36%) of
chloromethylketone. ¹H NMR (CDCl₃) δ 1.62 (m, 1H), 1.86 (m,
1H), 2.08 (m, 1H), 2.39 (m, 1H), 3.26 (m, 1H), 3.97 (m, 1H),
4. 20 (1/2 of AB quartet, 1H, J = 15 Hz), 4.26 (1/2 of AB
quartet, 1H, J = 15 Hz), 4.94 (m, 1H), 7.35-7.55 (m, 5H); MS
(ES+): 308 (M + H⁺), 330 (M + Na⁺).

Synthesis of Structure (69):

(69)

Structure (69) was synthesized as follows. To 4-phenyl urazole (1.179 g, 6.65 mmol) in 60 ml methylene chloride 2.14 g of iodobenzene diacetate (6.64 mmol) was added and the reaction mixture stirred at room temperature. A deep red color developed as all the solids gradually dissolved. After about 15 minutes, 640 mg of sorbinal (6.66 mmol) in 10 ml methylene chloride was added to the reaction flask, and the red color slowly faded. After two hours, the methylene chloride was removed under reduced pressure. Ether (30 ml) was added to the resulting residue, and cooled to -20 degrees overnight. The solid material (1.55 g, 86% yield) formed was collected on filter paper. ^{1}H NMR (CDCl$_3$) δ 1.54 (d, 3H, J = 7.5 Hz), 4.57 (m, 1H), 4.90 (m, 1H) 5.86 (m, 1 H), 6.09 (m, 1 H), 7.38 (m, 1H), 7.50 (t, 2H), 7.58, (m, 2H), 9.6 (s, 1H); MS (CI, NH$_3$): 272 (M + H$^+$), 289 (M + NH$_4^+$).

Synthesis of Structure (70):

(70)

To 0.78 grams (3.0 mmol) of the acid of structure (64) in a 100 ml round-bottomed flask was added 20 ml THF and the reaction mixture was cooled to -20 C. 4-Methyl morpholine (0.34 ml, 3.0 mmol) was added and was followed by the addition

of 0.42 ml (3.3 mmol) isobutylchloroformate. The resultant suspension was stirred for 5 min, and then a suspension of 0.34 grams (9.0 mmol) of sodiumborohydride in 0.9 ml water was added rapidly. After 4-5 min, 40 ml of water were added and the suspension was extracted with 125 ml of ethylacetate. The EtOAc layer was then washed with water and brine and dried over $MgSO_4$. Filtration and solvent evaporation provided the crude alcohol.

The crude alcohol was dissolved in 40 ml dichloromethane and 2.0 grams (4.7 mmol) of Dess-Martin periodinane reagent were added at room temperature. The reaction was stirred for 2 h, diluted with 40 ml dichloromethane and washed with 3 x 20 ml 1:1 (by volume) solution of 10% sodiumbicarbonate and 10% sodiumthiosulfate, 1 x 40 ml water, 1 x 40 ml brine and dried over magnesium sulfate. Filtration, solvent evaporation, and flash chromatography using 30% EtOAc/hexanes afforded the pure aldehyde (0.5 g, 67% 2 steps). ^{1}H NMR (CDCl$_3$, 500 Mhz) d 11.09 (s, 1H), 8.33 (dd, 1H, J = 8, 1 Hz), 8.20 (dd, 1H, J = 8, 1 Hz), 7.93 (t, 1H, J = 8 Hz), 7.54 (m, 2H), 7.45 (m, 3H).

Synthesis of Structure (71)

(71)

To 3 ml tetrahydrofuran in a 25 ml round-bottomed flask was added 0.066 ml (0.69 mmol) of methyl propiolate and the solution was cooled to -78°C. n-Butyl lithium (0.28 ml, 0.69 mmol) was added dropwise and the reaction allowed to stir for 7-10 min at which point a 3 ml dichloromethane solution of

0.15g (0.6mmol) of the aldehyde of structure (70) was rapidly added. The reaction was stirred at -78°C for 35-45 min then it was quenched with 1.5 ml of saturated ammonium chloride solution. The organic solvents were removed under reduced pressure and the aqueous layer was extracted with 24 ml of EtOAc which in turn was washed with brine. The organic layer was dried over sodium sulfate, filtered, and the solvent evaporated under reduced pressure to afford the crude product. Preparative TLC purification using 40% EtOAc/hexanes afforded product (107 mg, 47%). ^{1}H NMR (CDCl$_3$, 500 MHz) d 7.98 (dd, 1H, J = 7.0, 1.0 Hz), 7.88 (dd, 1H, J = 7.5, 1 Hz), 7.83 (d, 1H, J = 7.0 Hz), 7.54 (m, 2H), 7.45 (m, 3H), 6.01 (d, 1H, J = 9 Hz), 5.02 (d, 1H, J = 9 Hz), 3.78 (s, 3H). MS (EI) 335 (M+), 275.

Example 26

Activity of Representative β-Sheet Mimetics

In this example, the compounds of Example 25 were assayed for inhibition of TNF induced V-CAM expression in human umbilical vein entothelial cells (HUVEC). Upon stimulation with inflammatory cytokines, HUVEC express cell surface adhesion molecules, including E-selectin, V-CAM, and I-CAM. Proteasome antagonists inhibit TNFα induced expression of these adhesion molecules, thereby providing a mechanism for regulating leucocyte adhesion and the inflammatory response.

More specifically, compounds (65), (68), (69) and (71) were assayed by the procedures set forth by Deisher, Kaushansky and Harlan ("Inhibitors of Topoisomerase II Prevent Cytokine-Induced Expression of Vascular Cell Adhesion Molecule-1, While Augmenting the Expression of Endothelial Leukocyte Adhesion Molecule-1 on Human Umbilical Vein Endothelial Cells," *Cell Adhesion Commun.* 1:133-42, 1993)(incorporated herein by reference), with the exception that tetramethyl benzidine was used in place of o-phenylenediamine-peroxide.

The results of this experiment are as follows: compound (65), 9.6±0.1μM; compound (68), 14.2±0.8μM; compound (69), 32.4±1.7μM; and compound (71) 4.9±0.18μM.

Example 27

Synthesis of Representative Linkers Used in the Solid Phase Synthesis of β-Sheet Mimetics

This example illustrates the synthesis of linkers used in the solid-phase synthesis of β-sheet mimetics.

Synthesis of Structure (72):

(72)

In a 500 mL round-bottomed flask were placed tris(methylthio)methyl arginol (30) (10.70 g, 14.8 mmol) and CH_2Cl_2 (20 mL) with magnetic stirring. In a 125 mL Erlenmeyer flask were placed cysteine methyl ester hydrochloride (3.81 g, 22.2 mmol), CH_2Cl_2 (50 mL), and diisopropylethylamine (8.5 mL, 6.3 g, 48.7 mmol). This

mixture was stirred until the cysteine methyl ester had dissolved (25 min), and the solution appeared as a faintly cloudy suspension of diisopropylethylamine hydrochloride. This suspension was added to the flask containing the arginol and additional CH_2Cl_2 (100 mL) was added to the reaction. $HgCl_2$ (17.7 g, 65.1 mmol) and HgO (5.46 g, 25.2 mmol) were added to the reaction mixture and the suspension was stirred rapidly enough so that the mercury salts remained suspended. The flask was lightly capped and stirred at room temperature for 22 h, by which time the starting material had been consumed. The yellow solution was quenched with saturated ammonium chloride and diluted with CH_2Cl_2. The layers were separated and the aqueous layer extracted 2× with CH_2Cl_2. The combined organic layers were dried over $Na_2SO_4/MgSO_4$ and filtered through a pad of silica gel. The solvents were removed in vacuo and the residue purified two successive times on silica gel, the first time eluting with 7:3 ethyl acetate/hexane, and the second time eluting with 1:1 ethyl acetate/hexane, then 7:3 ethyl acetate/hexane. The combined purifications afforded 7.97 g (75% yield) of the N_α,N_G-bisBoc-N_G'-Mtr-1-[(4'-carboxymethyl)thiazolin-2-yl] arginol as a pale yellow foam.: ^{1}H NMR (500 MHz, $CDCl_3$) δ 9.81 (s, 1H, N_G-H), 8.30 (t, J = 5.5 Hz, 1H, N_d-H), 6.54 (s, 1H, ArH), 5.12 (t, J = 8.5 Hz, 1H, CHOH), 4.95 (d, J = 8.0 Hz, 1H, BocNH), 4.45 (bs, 1H, NCHCO2Me), 3.83 (s, 3H, ArOCH₃), 3.80 (s, 3H, CO_2CH_3), 3.64 (dd, J = 11.5, 9.0 Hz, 1H, CH_2S), 3.58 (t, J = 8.5 Hz, 1H, CH_2S), 3.37-3.31 (m, 1H, CH_2-guanidine), 3.31-3.25 (m, 1H, CH_2-guanidine), 2.70 (s, 3H, ArCH₃), 2.63 (s, 3H, ArCH₃), 2.14 (s, 3H, ArCH₃), 1.54-1.70 (m, 4H, C_βH and C_γ H), 1.49 (s, 9H, N_G Boc), 1.40 (s, 9H, N_α Boc), C_αH not observed.

Synthesis of Structure (73):

(73)

A 300 mL round-bottomed flask was charged with chloroform (20 mL) and arginol (72) (7.97 g, 11.1 mmol), and equipped for magnetic stirring. Manganese(IV)dioxide (9.65 g, 111 mmol, 10 eq.) was added, and the flask was stoppered. Additional chloroform (10 mL) was added, and the suspension was vigorously stirred for 8 h at room temperature after which time it was filtered through silica gel, rinsing with ethyl acetate. The solvent was removed *in vacuo* and the residue was purified by column chromatography on silica gel, (45:55 EtOAc/hexane) to give N_α,N_G-bisBoc-N_G'-Mtr-1-[(4'-carboxymethyl)thiazol-2-yl] arginol (4.83 g, 61% yield) as a pale yellow amorphous solid, and 1.89 g (24%) of recovered starting material.: ^{1}H NMR (500 MHz, CDCl$_3$) d 9.84 (s, 1H, N_G-H), 8.36 (bs, 1H, N_δ-H), 8.15 (s, 1H, SCH=C), 6.54 (s, 1H, ArH), 5.10 (d, J = 8.5 Hz, 1H, BocN$_\alpha$H), 3.95 (s, 3H, ArOCH$_3$), 3.95-3.87 (m, 1H, C$_a$H), 3.83 (s, 3H, CO$_2$CH$_3$), 3.43-3.33 (m, 1H, CH$_2$-guanidine), 3.33-3.25 (m, 1H, CH$_2$-guanidine), 2.70 (s, 3H, ArCH$_3$), 2.63 (s, 3H, ArCH$_3$), 2.14 (s, 3H, ArCH$_3$), 1.80-1.55 (m, 4H, C$_\beta$H and C$_\gamma$ H), 1.50 (s, 9H, N$_G$Boc), 1.35 (s, 9H, N$_\alpha$Boc); IR (neat) 3328, 1727, 1619, 1566, 1278, 1242, 1152, 1121 cm^{-1}; MS (ES+) *m/z* 714 (M+H$^+$,100) 736 (M+Na$^+$, 9), 716 (35), 715 (45).

Synthesis of Structure (74):

(74)

To a 25 mL conical flask containing H_2O (1 mL)
5   was added 2.0N LiOH (0.25 mL, 0.50 mmol, 1.5 eq.) and
N_α,N_G-bisBoc-N_G'-Mtr-1-[(4'-carboxymethyl)thiazol-2-yl]
arginol (238 mg, 0.33 mmol) as a solution in THF (1 mL). A
second portion of THF (1 mL) was used to rinse the flask
containing the arginol and added to the reaction. The
10 homogeneous mixture was magnetically stirred at room
temperature for 6.5 h at which time 5% HCl (0.34 mL, 0.55
mmol) and ethyl acetate (10 mL) were added. The organic
layer was separated and the aqueous layer extracted with 2
× 10 mL ethyl acetate. The combined organic layers were
15 washed with saturated NaCl and dried over Na$_2$SO$_4$. The
solvent was removed to afford 212 mg (92% yield) of N_α,N_G-
bisBoc-N_G'-Mtr-1-[(4'-carboxylic acid)thiazol-2-yl] arginol
as a pale yellow foam.: ^{1}H NMR (500 MHz, CDCl$_3$) δ 9.84 (s,
1H, N_G-H), 8.39 (t, J = 5.0 Hz, 1H, N_δ-H), 8.22 (s, 1H,
20 SCH=C), 6.54 (s, 1H, ArH), 5.11 (d, J = 8.0 Hz, 1H,
BocN$_\alpha$H), 4.02-3.95 (m, 1H, C$_\alpha$H), 3.95 (s, 3H, ArOCH$_3$),
3.45-3.36 (m, 1H, CH$_2$-guanidine), 3.36-3.27 (m, 1H, CH$_2$-
guanidine), 2.69 (s, 3H, ArCH$_3$), 2.63 (s, 3H, ArCH$_3$), 2.14
(s, 3H, ArCH$_3$), 1.83-1.62 (m, 4H, C$_\beta$H and C$_\gamma$ H), 1.50 (s,
25 9H, N$_G$Boc), 1.34 (s, 9H, N$_\alpha$Boc); MS (ES+) m/z 700.3 (M+H$^+$,
100), 722.3 (M+Na$^+$, 10), 702.3 (20), 701.3 (38).

Synthesis of Structure (75):

(75)

A 250 mL round-bottomed flask equipped for magnetic stirring was charged with CH_2Cl_2 (10 mL), the acid (74) (3.40 g, 4.86 mmol), and trifluoroacetic acid (2 mL). After 1.5 h the reaction was incomplete. Additional trifluoroacetic acid (5 mL) was added and the solution was stirred 4 h more. The solvent was removed *in vacuo* and the residue taken up in THF (50 mL). Saturated $NaHCO_3$ solution (50 mL) was added (pH~7-8) followed by 9-fluorenylmethyl-*N*-succinimidyl carbonate (1.97 g, 5.83 mmol, 1.2 eq.) in THF (20 mL). After 16 h stirring at room temperature, starting material was still present and the pH=7.0. A 2 M Na_2CO_3 solution (~3 mL) was added (pH=8.5) followed by a second portion of FmocONSu (328 mg, 0.97 mmol, 0.2 eq.). The solution was stirred for 2 h more at room temperature. The reaction mixture was washed 2 × 100 mL hexane. Ethyl acetate (100 mL) was added and the reaction mixture acidified to pH=0 with 6 N HCl. The organic layer was separated and the aqueous layer extracted 2 × 100 mL ethyl acetate. The combined organic layers were washed with saturated NaCl and dried over Na_2SO_4. The solvent was removed to afford the crude Fmoc acid as a brown foam. This foam was dissolved in a minimum of ethyl acetate and pipetted into ethyl ether (250 mL). The precipitate was centrifuged and collected. The supernatant was

concentrated and dropped into ethyl ether (50 mL). The white precipitate was centrifuged and the combined precipitates dried *in vacuo* to afford 3.42 g (98% yield) of the N_α-Fmoc-N_G'-Mtr-1-[(4'-carboxylic acid)thiazol-2-yl] arginol as a white powder.: ^{1}H NMR (500 MHz, CDCl$_3$) δ 8.07 (s, 1H, SCH=C), 7.70 (d, J = 7.0 Hz, 2H, Fmoc ArH), 7.46 (dd, J = 5.0, 7.5 Hz, 2H, Fmoc ArH), 7.34 (dd, J = 4.0, 7.5 Hz, 2H, Fmoc ArH), 7.23 (d, J = 7.5 Hz, 2H, Fmoc ArH), 6.49 (s, 1H, ArH), 4.94 (s, 1H, FmocN$_a$H), 4.32-4.23 (m, 2H, FmocCH$_2$), 4.07 (t, J = 5.5 Hz, 1H, FmocCH), 4.02-3.95 (m, 1H, C$_a$H), 3.78 (s, 3H, ArOCH$_3$), 3.27-3.17 (m, 1H, CH$_2$-guanidine), 3.17-3.10 (m, 1H, CH$_2$-guanidine), 2.64 (s, 3H, ArCH$_3$), 2.57 (s, 3H, ArCH$_3$), 2.08 (s, 3H, ArCH$_3$), 1.74-1.49 (m, 4H, C$_b$H and C$_g$ H); MS (ES+) m/z 722.3 (M+H$^+$, 85), 736.3 (M+Na$^+$, 21), 723.2 (35).

Synthesis of Structure (76):

(76)

The arginol ester derivative (42) (1.35 g, 1.93 mmol) was dissolved in 70 mL of EtOAc at room temperature. To the solution was added manganese (IV) dioxide (5 g, 89.2 mmol) and the suspension was stirred vigorously for 5 h at room temperature after which time it was filtered through silica gel. The solvent was removed and the residue was purified by flash chromatography (30% hexane/EtOAc) to give the desired alcohol (76) (0.23 g, 18%) and the ketone (0.153 g, 11.5%). ^{1}H NMR (500 MHz,

CDCl$_3$) δ 9.80 (s, 1H, N$_G$-H), 8.34 (bs, 1H, N$_δ$-H), 7.65 (s, 1H, NCH=C), 6.54 (s, 1H, ArH), 5.20 (b, 1H, BocN$_α$H), 4.89(s, 1H, CHOH), 4.15 (b, 1H, c$_α$H), 3.84 (s, 3H, ArOCH$_3$), 3.83 (s, 3H, CO$_2$CH$_3$), 3.70-3.6 (b, 1H, CH$_2$-guanidine), 3.25-3.15 (m, 1H, CH$_2$-guanidine), 2.70 (s, 3H, ArCH$_3$), 2.63 (s, 3H, ArCH$_3$), 2.14 (s, 3H, ArCH$_3$), 1.80-1.55 (m, 4H, C$_β$H and C$_γ$H), 1.50 (s, 9H, N$_G$Boc), 1.35 (s, 9H, N$_α$Boc); MS (ES+) m/e 697 (M+H$^+$, 100).

Synthesis of Structure (77):

(77)

The ester (76) (70 mg, 0.1 mmol) was dissolved in a mixture of THF (10 mL) and water (10 mL). To the solution was added LiOH (18 mg, 4.3 mmol) and the solution was heated to reflux for 7 h. The resulting solution was evaporated. The residue was dissolved in water and extracted with ether. The aqueous layer was evaporated. The resulting residue was dissolved in MeOH, and Dowex resin (50W×8, H$^+$ form) was added to acidify the solution. The resin was filtered off, and the filtrate was evaporated to furnish the acid (35 mg, 60%). ^{1}H NMR (500 MHz, CD$_3$OD) δ 7.7(s, 1H, NCH=C), 6.70 (s, 1H, ArH), 4.3 (m, 1H, C$_α$H), 3.87 (s, 3H, ArOCH$_3$), 3.34 (m, 1H, CH$_2$-guanidine), 3.3-3.2 (m, 1H, CH$_2$-guanidine), 2.69 (s, 3H, ArCH$_3$), 2.61 (s, 3H, ArCH$_3$), 2.14 (s, 3H, ArCH$_3$), 1.73-1.62 (m, 4H, C$_β$H and C$_γ$H), 1.34 (s, 9H, N$_α$Boc); MS (ES+) m/z 583.3 (M+H$^+$, 100).

Synthesis of Structure (78):

$$N_3 \diagdown\diagup \!\!-\!\!\bigcirc\!\!-CO_2H$$

(78)

5   To 4-(chloroethyl)benzoic acid (8.0 g, 0.046 mol) in CH_3CN/DMF (80 mL:80 mL) were added NaN_3 (6.0 g, 0.092 mol), tetra-n-butylammonium azide (cat.), tetra-n-butylammonium iodide (cat.) and the reaction was heated at gentle reflux for 7-9 h at which point the reaction

10   mixture transformed into one solid block. Water (350 mL) and EtOAc (500 mL) were added and the aqueous layer was extracted with EtOAc (2×400 mL). The organic layer was washed with H_2O (250 mL), brine (300 mL) and dried over Na_2SO_4. Filtration and solvent evaporation afforded a

15   yellowish solid (9.4 g) which was pure enough to use in the next step. IR (CDCl3) v^{-1} 2111.

Synthesis of Structure (79):

$$Ph_3P=N\diagdown\diagup\!\!-\!\!\bigcirc\!\!-CO_2H$$

20   (79)

        To a solution of (78) (9.4 g, 0.053 mol) in THF/DME (175 mL:60 mL) was added triphenylphosphine (15.2 g, 0.058 mol) and the reaction was stirred for 10 m. H_2O (1.2 mL) was added and the reaction was vigorously stirred

25   at rt for 22-24 h at which point the solution turned into a thick suspension. The off-white solid was filtered and washed with THF (3×40 mL) to afford, after drying, 16.4 g of pure iminophosphorane. MS (ES+) $(M+H^+)$ 426.1.

Synthesis of Structure (80):

$$ClH_3N\underset{}{\frown}\!\!\!\!\!\text{—}\!\!\!\!\!\bigcirc\!\!\!\!\!\text{—}CO_2H$$

(80)

5   The iminophosphorane (79) was suspended in
THF/H_2O (320 mL : 190 mL) and 2N HCl (64 mL) was added and
the reaction was heated at reflux for 5 h. Concentrated
HCl (11 mL) was added and reflux continued for an
additional 20 h. The solvents were removed under vacuo and
10   the resultant off-white solid was dried under high vacuum
for 2 h (18.0 g) and used in the next step without further
purification.

Synthesis of Structure (81):

15

$$FmocHN\underset{}{\frown}\!\!\!\!\!\text{—}\!\!\!\!\!\bigcirc\!\!\!\!\!\text{—}CO_2H$$

(81)

      To a suspension of 4-(aminoethyl)benzoic acid
.HCl (80) (9.0 g, 0.019 mol, theoretical) in CH_3CN (320 mL)
was added TEA (7.7 mL, 0.053 mol) and the suspension was
20   cooled to 0 °C. Fmoc-ONSu (9.3 g, 0.026 mol) was added in
one portion and the reaction was allowed to warm to rt
over 1 h and stirred an additional 1 h. The solvent was
removed under reduced pressure and the residue was
dissolved in EtOAc (1200 mL), washed with 10% citric acid
25   (220 mL) and brine (220 mL) and dried over Na_2SO_4.
Filtration and solvent evaporation afforded the crude
product which was purified by flash chromatography using
8% MeOH/$CHCl_3$ to afford pure product (2.4 g). ^{1}H NMR ($CDCl_3$)
δ 2.81 (t, 2H, J = 7.0 Hz), 3.36 (m, 2H), 4.15 (t, 1H, J =
30   6.5 Hz), 4.36 (d, 2H, J = 7.0 Hz), 5.24 (br s, 1H), 7.18
(d, 2H, J = 8.0 Hz), 7.26 (m, 2H), 7.35 (t, 2H, J = 7.5

Hz), 7.52 (d, 2H, J = 7.5 Hz), 7.71(d, 2H, J = 7.5 Hz), 7.92 (d, 2H, J = 8.0 Hz). MS (ES+) (M+H$^+$) 387.7.

5

<u>Synthesis of Structure (82):</u>

(82)

To 2.20 g (8.4 mmol) of 4-iodo-methylbenzoate
10   under nitrogen was added 1.95 g (12.26 mmol) of Boc-
propargyl amine, 0.33 g (1.26 mmol) of triphenylphosphine,
0.08 g (0.42 mmol) of copper(I) iodide, 2.11 mL (15.1
mmol) of triethylamine, and 250 mL of DMF. The solution
was stirred and degassed with nitrogen for 15 min followed
15   by the addition of 0.10 g (0.42 mmol) of palladium(II)
acetate and stirring at room temperature for 18 h. The
solution was diluted with EtOAc and washed with 5% citric

acid(4x), brine (2x) and dried over MgSO$_4$. Purification by column chromatography (silica gel, 9:1 hexanes/EtOAc) afforded ester (82) (2.37 g, 98%) as an orange solid: ^{1}H NMR (CDCl$_3$, 500 MHz) δ 1.47 (s, 9H), 3.91 (s, 3H), 4.17 (m, 2H), 4.80 (broad s, 1H), 7.46 (d, J = 8.5 Hz, 2H), 7.97 (d, J = 8.5 Hz, 2H).

Synthesis of Structure (83):

(83)

To 2.86 g (9.88 mmol) of alkyne (82) under 1 atm of H$_2$ was added 40 mL of anhydrous diethyl ether and a catalytic amount of platinum(IV) oxide. The reaction was monitored by TLC and complete after 13 h. The mixture was filtered through a pad of Celite, washed with diethyl ether and the solvent was removed *in vacuo* to give ester (83) (2.72 g 94%) as an orange oil: ^{1}H NMR (CDCl$_3$, 500 MHz) δ 1.44 (s, 9H), 1.82 (m, 2H), 2.69 (m, 2H), 3.15 (m, 2H), 3.89 (s, 3H), 4.55 (broad s, 1H), 7.23 (d, J = 8.0 Hz, 2H), 7.94 (d, J = 8.0 Hz, 2H); MS (ES+) m/z 294 (M+H$^+$).

Synthesis of Structure (84):

(84)

To 2.72 g (9.27 mmol) of ester (83) was added 1.17 g (27.18 mmol) of lithium hydroxide monohydrate, 50 mL of THF and 50 mL of H$_2$O. The solution was stirred at

room temperature for 16 h and quenched with 5% citric acid. The reaction was extracted with EtOAc (4×) and the combined extracts were washed with brine and dried over MgSO$_4$. Removal of the solvent afforded acid (84)(2.38 g, 92%) as a pale yellow solid: ^{1}H NMR (CD$_3$OD, 500 MHz) δ 1.44 (s, 9H), 1.80 (m, 2H), 2.70(m, 2H), 3.07 (m, 2H), 7.30 (d, J = 8.0 Hz), 7.92 (d, J = 8.0 Hz).

Synthesis of Structure (85):

(85)

To 2.38 g of acid (84) was added 20 mL of dichloromethane and 20 mL of TFA. The solution was stirred for 2 h at room temperature and the solvent removed *in vacuo* to give amino acid (85) (3.57 g) as a pale orange solid: ^{1}H NMR (CD$_3$OD, 500 MHz) δ 1.98 (m, 2H), 2.79 (m, 2H), 2.95 (m, 2H), 7.35 (d, J = 8.0 Hz), 7.97 (d, J = 8.0 Hz).

Synthesis of Structure (86):

(86)

To 3.57 g (12.20 mmol)of amino acid (85) was added 70 mL of 1,4 dioxane, 70 of H$_2$O, 1.29 g (12.20 mmol), and 4.93 g (14.6 mmol) of N-(9-fluorenylmethoxycarbonyloxy)succinimide. The cloudy mixture was stirred for 48 h, diluted with a large volume

of EtOAc and washed with saturated ammonium chloride. The mixture was extracted with EtOAc (3x) and the combined organics were washed with saturated bicarbonate, brine and dried over sodium sulfate. Removal of the solvent *in vacuo* gave a pale yellow solid which was washed with ether to afford acid (86) (2.85 g 58%; 83% based on (75) as a white powder: ^{1}H NMR (CD$_3$OD, 500 MHz) δ 1.81 (m, 2H), 2.68 (m, 2H), 3.12 (m, 2H), 4.37 (m, 2H),7.30 (m, 4H), 7.38 (m, 2H), 7.65 (d, J = 8.0 Hz, 2H), 7.79 (d, J = 7.5 Hz, 2H), 7.92 (d, J = 8.0 Hz, 2H); MS (ES+) m/z 402 (M+H$^+$).

Synthesis of Structure (87):

(87)

A solution of cyanomethyl triphenylphosphonium chloride (CMTPP) (8.2 g, 24 mmol) was prepared in 75 mL of dichloromethane and stirred for 10 m. With the addition of Fmoc-Lys(Boc) (10 g, 21.3 mmol), 1-(dimethylaminopropyl)-3-ethyl carbodiimide hydrochloride (EDCI) (4.9 g, 25.6 mmol) and 4-Dimethylaminopyridine (DMAP) (2.2mmol), the reaction vessel was sealed and stirred for twelve hours at room temperature. The solvent was concentrated in vacuo to an oil which was dissolved in 300 mL of ethyl acetate and 100 mL 1N HCl with stirring. The layers were separated and the organic phase was extracted 2×50 mL of brine. The ethyl acetate was dried over magnesium sulfate and concentrated to a solid. This material was used without further purification. MS (ES+) 752 (M+H$^+$)

Synthesis of Structure (88):

(88)

The compound of structure (87) (16 g, 21.3 mmol)

5 was dissolved in 100 mL of MeOH and cooled to -78°C. Ozone was bubbled through the reaction solution with a gas dispersion tube for 3 h. The product was isolated by removal of MeOH under reduced pressure and was purified on a silica gel column (200 g dry weight) equilibrated in a

10 mobile phase of ethyl acetate/hexane (3:7). The product was eluted with ethyl acetate/hexane (4:6), and gave after drying 5.1 g (47% for the two steps). MS (ES+) 511 (M+H$^+$).

Synthesis of Structure (89):

15

(89)

The keto ester (88) (5.1g, 9.8 mmol) was dissolved in 100 mL of THF. After the addition of

tetramethylammonium borohydride (1.4 g, 11.8 mmol) to the solution, the vessel was sealed and stirred for 4 h. The reaction was incomplete at this point and more borohydride (0.21 g, 2.4mmol) was added and stirring was continued for

5 an additional h. The reaction mixture was concentrated to an oil in vacuo and applied to a silica gel column (150g dry weight) equilibrated and eluted with ethyl acetate/hexane (4:6) to give 2.7 g (53%) of product. MS (ES+) 513 (M+H$^+$).

10

Synthesis of Structure (90):

(90)

The hydroxy ester (89) (2.7 g, 5.3 mmol) was dissolved in 100 mL of THF and cooled to 0° - 5°C. 0.2N

15 LiOH (66.5 mL, 13.3 mmol) was added to the chilled solution and stirred for thirty minutes. The reaction was incomplete at that time and more 0.2N LiOH (10.4 mL, 2.1 mmol) was added. The reaction was stirred of another thirty minutes and then quenched with 300 mL of ethyl

20 acetate/0.2N HCl (2:1). The aqueous phase was separated, washed with 100 mL of ethyl acetate and the combined organic extracts were dried over magnesium sulfate and filtered. The filtrate was evaporated in vacuo to an oil and dried to a solid (2.0 g, 78%) CDCl$_3$ δ 1.2-1.8 (m,15H),

25 3.1 (m,2H), 4.1-4.5 (m,5H), 4.6 (m,1H), 5.4 (m,1H), 7.2

(m,2H), 7.4 (m,2H), 7.6 (m,2H), 7.8 (m,2H); MS (ES+) 501 (M+H⁺).

Synthesis of Structure (91):

Structure (91) was synthesized by standard procedures as shown in the following scheme.

(91)

Example 28
Synthesis of Representative Components for the Solid Phase Synthesis of β-Sheet Mimetics

5 ### Urazole Synthesis

The following syntheses are representative of the procedures used to prepare the urazole components used in the solid phase synthesis of β-sheet mimetics of this invention.

10

Synthesis of Structure (92):

(92)

Structure (92) was synthesized by a minor
15 modification of the method of Cookson and Gupte (*Org. Syntheses, Vol. VI* (1988), 936). 2-*n*-Butylaniline (12.0 mL, 76.6 mmol) in 160 mL of EtOAc was added via addition funnel to 324 mL of 20% phosgene in toluene at rt over 30 min. The solution was refluxed 30 min, and the solvent
20 removed by distillation. The residual oil was dissolved in 75 mL of chloroform and was added via addition funnel over 15 min to a suspension of methyl hydrazinocarboxylate (6.90 g, 76.6 mmol) in toluene at rt. The mixture was refluxed for 1.5 h during which time all the solids
25 dissolved. Upon cooling to rt, a precipitate formed and was collected by vacuum filtration. It was washed with toluene and dried in vacuo to give 18.17 g of off-white powder (89%). The product was used in the next step without further purification. TLC (CH_2Cl_2/MeOH, 95/5) R_f
30 0.12; ^1H NMR (CD_3OD) δ 0.94 (t, 3 H, *J* = 7.4 Hz), 1.39 (m,

2 H), 1.56 (m, 2 H), 2.61 (m, 2 H), 3.74 (s, 3 H), 7.09–7.21 (m, 4 H); MS (ES+) m/z 265.8 (M+H$^+$, 100).

Synthesis of Structure (93):

(93)

The compound of structure (92) (18.03 g, 68.0 mmol) was suspended in 190 mL of 4 N KOH and heated to reflux for 2 hours. Upon cooling, the now clear pink solution was extracted with ether (6×) and acidified with concentrated HCl. The precipitate was collected by vacuum filtration, washed with water and EtOAc, and dried in vacuo overnight to yield 14.00 g of white solid (88%). [If necessary, urazoles may be recrystallized from MeOH or another suitable solvent system.] TLC (CH$_2$Cl$_2$/MeOH/AcOH, 94/4/2) R$_f$ 0.63; Purity* by UV: ^{3}97%; ^{1}H NMR (CD$_3$OD) δ 0.89 (t, 3 H, J = 7.3 Hz), 1.32 (m, 2 H), 1.51 (m, 2 H), 7.18–7.42 (m, 4 H); MS (ES–) m/z 232 (M–H$^+$). Note: urazoles generally give poor mass spectra.

*A rough check of purity may be obtained by measuring the UV absorbance of the triazoline derived from oxidation of the urazole as follows. Urazole (5-10 mg) and bis(trifluoroacetoxy)iodobenzene (40 mg) are dissolved in DMF to 5 mL in a volumetric flask. The absorbance of this pink solution is measured at 520 nm (ε≈177) in a cuvette

with a 1 cm path length against a DMF blank. Under these conditions, the purity of the parent urazole is obtained by the following equation: Purity = 2.82(A)(MW)/(m), where A is the absorbance, MW is the molecular weight of the urazole, and m is the weight in mg of the sample urazole.

Synthesis of Structure (94):

(94)

4-(Fluoromethyl)-benzylamine (4.1 mL, 28.5 mmol) was added to a stirring solution of methyl hydrazinocarboxylate (2.56 g, 28.5 mmol) and 1,1'-carbonyldiimidazole (4.62 g, 28.5 mmol) in THF (25 mL). The solution was stirred at room temperature for 18 hours. A white precipitate formed that was collected by vacuum filtration, washed with cold THF, and dried in vacuo to yield 3.22 g of (94) (39%). ^{1}H NMR (DMSO-d_6) δ 3.57 (s, 3H), 4.26 (d, 2H, J = 6.0 Hz), 7.44 (d, 2H, J = 8.0 Hz), 7.64 (d, 2H, J = 8.0 Hz); MS (ES+) m/z 292 (M+H$^+$, 100).

Synthesis of Structure (95):

(95)

The compound of structure (<u>94</u>) (3.22 g, 11.0 mmol) was suspended in 20 mL of 4 N KOH and heated to reflux for 3 hours. Upon cooling the solution was acidified with concentrated HCl. A white precipitate formed and was collected by vacuum filtration, washed with cold water, and dried in vacuo overnight to yield 2.45 g of white solid (86%). Purity by UV: ^{3}83%; ^{1}H NMR (DMSO) δ 4.62 (s, 2H), 7.46 (d, 2H, J = 8.0 Hz), 7.70 (d, 2H, J = 8.0 Hz), 10. 29 (bs, 2H); MS (ES-) m/z 258 (M-H$^+$, 100).

Diene Synthesis

The following syntheses are representative of the procedures used to prepare the diene components used in the solid phase synthesis of β-sheet mimetics of this invention.

Synthesis of Structure (95):

(<u>95</u>)

A solution of methacrolein (7.01 g, 100 mmol) and methyl (triphenylphosphoranilidene)acetate (35.11 g, 105 mmol) in 150 mL of dry dichloromethane was refluxed for 2 h under a nitrogen atmosphere. The solvent was evaporated under reduced pressure, and the product was purified by chromatography on a short silica gel column (EtOAc-hexanes, 1:9). After evaporation of the product-containing fractions, compound (<u>95</u>) was obtained as a clear oil (8.71 g, 69%). TLC (EtOAc-hexanes, 1:4) R_f 0.59 ^{1}H NMR (CDCl$_3$) δ 1.89 (s, 3 H), 3.76 (s, 3 H), 5.33-

5.37 (m, 2 H), 5.87 (d, J = 16 Hz, 1 H), 7.37 (d, J = 16 Hz, 1H).

Synthesis of Structure (96):

$$\text{(structure of compound 96: ethyl ester of dienoate)} \quad OC_2H_5$$

(96)

Compound (96) was synthesized by a modification of the procedure of K. Sato *et al.* (*J. Org. Chem.* 32:177, 1967). To a suspension of NaH (60% in mineral oil, 0.40 g, 10 mmol) in 25 mL of dry THF, cooled to 0° under a nitrogen atmosphere, triethyl phosphonocrotonate (2.50 g, 10 mmol) was added dropwise with stirring. After the addition, the solution was stirred at 0 °C for 1.5 h. To the brown-red solution, maintained at 0 °C, 3,3-dimethylbutyraldehyde (1.00 g, 10 mmol) was added dropwise. The solution was allowed to warm up to room temperature, and stirred for 1 h at room temperature. The mixture was diluted with ethyl acetate (75 mL) and water (75 mL), and the two layers were separated. The organic layer was washed with water (2×50 mL) and brine (75 mL), and dried over sodium sulfate. The solvent was removed under reduced pressure, and flash chromatography on silica (EtOAc/hexanes, 1:9) yielded 1.00 g (51%) of (96) as a pale yellow solid. TLC (EtOAc/hexanes, 1:9) R_f 0.60 ^{1}H NMR (CDCl$_3$) δ 0.90 (s, 9 H), 1.29 (t, J = 7 Hz, 3H), 2.04 (d, J = 6 Hz, 2 H), 4.19 (q, J = 7 Hz, 2H), 5.80 (d, J = 15.5 Hz, 1H), 6.13-6.17 (m, 2H), 7.24-7.39 (m, 2H).

Synthesis of Structure (97):

$$\text{(structure 97)} \qquad \underset{O}{\overset{OH}{}}$$

(97)

A solution of methyl 7,7-dimethyl-2,4-
octadienoate (96) (0.99 g, 5 mmol) and sodium hydroxide
(0.60 g, 15 mmol) in methanol (15 mL) and water (5 mL) was
refluxed for 30 min. After cooling to room temperature,
the solvent was removed *in vacuo*, and the residue was
dissolved in water (30 mL). The resulting solution was
acidified with conc. HCl to pH 2, and the precipitate was
collected by filtration, washed with water (10 mL), and
dried *in vacuo* to yield 0.84 (99%) of the acid as a white
solid. ^{1}H NMR (CDCl$_3$) δ 0.92 (s, 3 H), 2.07 (d, J = 6.5
Hz, 2 H), 5.80 (d, J = 15.5 Hz, 1H), 6.19-6.23 (m, 2H),
7.34-7.40 (m, 2H).

Example 29

Solid Phase Synthesis of Representative β-Sheet Mimetics

This example illustrates the solid phase
synthesis of representative β-sheet mimetics (100) through
(227)(Tables 11-15). The compounds of this example were
synthesized according to the following reaction scheme:

General Procedure: The synthesis of β-strand mimetics was initiated by deprotection of Fmoc PAL resin using 25% piperidine in DMF. Following extensive washing with DMF, the resin was treated with the acid fluoride of N-Fmoc-4-aminomethylbenzoic acid, or (81), or (86) and Hunigs' base in DMF until the Kaiser test was negative. Alternatively, the Fmoc-protected thiazole- (75) or imidazole-based (77) linkers were coupled to the resin using BOP, HOBt and DIEA. In some instances Fmoc-Leu or another amino acid was attached to the resin prior to the

thiazole- (75) or imidazole-based (77) linkers via the same methodology. In the case of structures (217)-(221), the isocyanate (91) was coupled to Wang resin overnight in the presence of catalytic HCl in dichloromethane.

5 Deprotection of all Fmoc-protected linkers was effected by treatment with 25% piperidine in DMF, and deprotection the Boc-protected linker (77) was effected by TMS-Cl (1 M) and phenol (3 M) in dichloromethane for 30 min. The lysinol derivative (90) was coupled to resin-bound linkers N-Fmoc-

10 4-aminomethylbenzoic acid, (81), or (86) using PyBOP, HOBt and Hunigs' base in DMF until a negative Kaiser test was achieved. Treatment of the resin with 25% piperidine in DMF then cleaved the FMOC group. Following washing with DMF a dienoic acid was coupled to the resin-bound

15 linkers using PyBOP, HOBt and Hunigs' base in DMF until the result of a Kaiser test was negative. The cycloaddition was performed by pretreatment of a solution of a pyrazolidinedione (not shown) or urazole in DMF with a solution of [bis(trifluoroacetoxy)iodo]benzene in DMF.

20 The polymer-supported diene was treated with the resulting solution for 2-16 hours. The resin was then washed with DMF and CH_2Cl_2. Oxidation to the ketoamide was effected by treatment of the resin with a solution of Dess-Martin periodinane in DMSO for 60 min. The resin was washed with

25 CH_2Cl_2 and the product was cleaved from the resin by treatment of the resin with 95:5 TFA:H_2O for 1-12 h. The supernatant was collected and the resin was washed with additional TFA. The combined filtrates were concentrated *in vacuo*. The residue was precipitated with diethyl ether

30 and the ether was decanted. The resulting solid was reconstituted in 1:1 CH_3CN:H_2O and lyophilized. Compounds (100) through (227) in Tables 11-15 each gave the expected

($M+H^+$) peak when submitted to LCMS (ES+). The compounds were assayed for inhibition of coagulation enzymes as mixtures of diastereomers.

All of the compounds listed in Tables 11-15 had Ki < 100 nM as thrombin inhibitors, or had activity as Factor VIIa inhibitors (Table 15). The compounds noted with an "*" in Tables 11-15 had a Ki < 10 nM as thrombin inhibitors and represent preferred embodiments.

Table 11

Cpd. No.	R1	R3	R4	R6
100*	(2,5-difluorobenzyl)–X₁		–X₄	X₆–C(O)–C(O)–NH–CH₂CH₂–(C₆H₄)–C(O)NH₂
101*	(2,5-difluorobenzyl)–X₁	cyclohexyl X₃–X₄		X₆–C(O)–C(O)–NH–CH₂CH₂–(C₆H₄)–C(O)NH₂
102*	(2,5-difluorobenzyl)–X₁		X₄–	X₆–C(O)–C(O)–NH–CH₂–(C₆H₄)–C(O)NH–CH₂CH₂–C₆H₅
103*	(2,5-difluorobenzyl)–X₁	cis-CH=CH–CH₂CH₂–X₃		X₆–C(O)–C(O)–NH–CH₂CH₂–(C₆H₄)–C(O)NH₂
104*	(2-fluoro-4-trifluoromethylbenzyl)–X₁	cis-CH=CH–CH₂CH₂–X₃		X₆–C(O)–C(O)–NH–CH₂CH₂–(C₆H₄)–C(O)NH₂
105*	1,2-diphenylethyl–X₁	cis-CH=CH–CH₂CH₂–X₃		X₆–C(O)–C(O)–NH–CH₂CH₂–(C₆H₄)–C(O)NH₂
106*	2,2-diphenylethyl–X₁	cis-CH=CH–CH₂CH₂–X₃		X₆–C(O)–C(O)–NH–CH₂CH₂–(C₆H₄)–C(O)NH₂
107*	benzyl–X₁	cis-CH=CH–CH₂CH₂–X₃		X₆–C(O)–C(O)–NH–CH₂CH₂–(C₆H₄)–C(O)NH₂
108*	diphenylmethyl–X₁	isobutyl–X₃		X₆–C(O)–C(O)–NH–CH₂–(C₆H₄)–C(O)NH₂
109*	(naphthalen-1-ylmethyl)–X₁	isobutyl–X₃		X₆–C(O)–C(O)–NH–CH₂–(C₆H₄)–C(O)NH₂

Cpd. No.	R1	R3	R4	R6
110*				
111*				
112*				
113*				
114*				
115*				
116*				
117*				
118*				
119*				

Cpd. No.	R1	R3	R4	R6
120*	2,5-difluorobenzyl–X$_1$	cyclohexyl (X$_3$, X$_4$)		X$_6$–C(O)–C(O)–NH–CH$_2$CH$_2$–C$_6$H$_4$–C(O)NH$_2$
121*	1-phenylethyl–X$_1$	cyclohexyl (X$_3$, X$_4$)		X$_6$–C(O)–C(O)–NH–CH$_2$CH$_2$–C$_6$H$_4$–C(O)NH$_2$
122*	2,5-difluorobenzyl–X$_1$	phenyl–X$_3$	X$_4$	X$_6$–C(O)–C(O)–NH–CH$_2$CH$_2$–C$_6$H$_4$–C(O)NH$_2$
123*	1-phenylethyl–X$_1$	phenyl–X$_3$	X$_4$	X$_6$–C(O)–C(O)–NH–CH$_2$CH$_2$–C$_6$H$_4$–C(O)NH$_2$
124*	thiophen-2-ylmethyl–X$_1$	phenyl–X$_3$	X$_4$	X$_6$–C(O)–C(O)–NH–CH$_2$CH$_2$–C$_6$H$_4$–C(O)NH$_2$
125*	naphthalen-1-ylmethyl–X$_1$	phenyl–X$_3$	X$_4$	X$_6$–C(O)–C(O)–NH–CH$_2$CH$_2$–C$_6$H$_4$–C(O)NH$_2$
126*	isopentyl–X$_1$	X$_3$		X$_6$–C(O)–C(O)–NH–CH$_2$CH$_2$–C$_6$H$_4$–C(O)NH$_2$
127*	2-methoxyphenyl–X$_1$	X$_3$		X$_6$–C(O)–C(O)–NH–CH$_2$CH$_2$–C$_6$H$_4$–C(O)NH$_2$
128*	4-tert-butylphenyl–X$_1$	X$_3$		X$_6$–C(O)–C(O)–NH–CH$_2$CH$_2$–C$_6$H$_4$–C(O)NH$_2$
129*	1,2-diphenylethyl–X$_1$	X$_3$		X$_6$–C(O)–C(O)–NH–CH$_2$CH$_2$–C$_6$H$_4$–C(O)NH$_2$

Cpd. No.	R1	R3	R4	R6
130*	(diphenyl with X₁)	(branched with X₃)		(X₆ structure with NH₂ benzamide)
131*	(diphenyl with X₁)	(branched with X₃)		(X₆ structure with NH₂ benzamide)
132*	(phenyl with X₁)	(branched with X₃)		(X₆ structure with NH₂ benzamide)
133*	(trifluoromethylphenyl with X₁)	(branched with X₃)		(X₆ structure with NH₂ benzamide)
134*	(trifluoromethyl, F phenyl with X₁)	(branched with X₃)		(X₆ structure with NH₂ benzamide)
135*	(difluorophenyl with X₁)	(branched with X₃)		(X₆ structure with NH₂ benzamide)
136*	(diphenyl with X₁)		X_4	(X₆ structure with NH₂ benzamide)
137*	(F, trifluoromethyl phenyl with X₁)		X_4	(X₆ structure with NH₂ benzamide)
138*	(diphenyl with X₁)		X_4	(X₆ structure with NH₂ benzamide)
139*	(difluorophenyl with X₁)	(branched with X₃)		(X₆ structure with NH₂ benzamide)

Cpd. No.	R1	R3	R4	R6
140*	benzyl-X_1	neopentyl-X_3		X_6-C(O)-C(O)-NH-CH₂CH₂-C₆H₄-C(O)NH₂
141*	diphenylmethyl-X_1	neopentyl-X_3		X_6-C(O)-C(O)-NH-CH₂CH₂-C₆H₄-C(O)NH₂
142*	phenethyl-X_1	neopentyl-X_3		X_6-C(O)-C(O)-NH-CH₂CH₂-C₆H₄-C(O)NH₂
143*	2,2-diphenylethyl-X_1	neopentyl-X_3		X_6-C(O)-C(O)-NH-CH₂CH₂-C₆H₄-C(O)NH₂
144*	1,2-diphenylethyl-X_1	neopentyl-X_3		X_6-C(O)-C(O)-NH-CH₂CH₂-C₆H₄-C(O)NH₂
145*	3,3,3-trifluoropropyl-X_1		X_4	X_6-C(O)-C(O)-NH-CH₂CH₂-C₆H₄-C(O)NH₂
146*	thiophene-ethyl-X_1	X_3		X_6-C(O)-C(O)-NH-CH₂-C₆H₄-C(O)NH₂
147	2,2-diphenylethyl-X_1		X_4	X_6-C(O)-C(O)-NH-CH₂CH₂-C₆H₄-C(O)NH₂
148	2-phenylpropyl-X_1		X_4	X_6-C(O)-C(O)-NH-CH₂CH₂-C₆H₄-C(O)NH₂
149	benzyl-X_1	cyclohexyl-X_3		X_6-C(O)-C(O)-NH-CH₂CH₂-C₆H₄-C(O)NH₂

Cpd. No.	R1	R3	R4	R6
150				
151				
152				
153				
154				
155			X_4	
156			X_4	
157			X_4	
158			X_4	
159			X_4	

Cpd. No.	R1	R3	R4	R6
160	isobutyl–X_1		X_4	X_6–C(O)–C(O)–NH–CH₂CH₂–C₆H₄–C(O)NH₂
161	isobutyl–X_1	isobutyl–X_3		X_6–C(O)–C(O)–NH–CH₂–C₆H₄–C(O)NH₂
162	diphenylmethyl–X_1	phenyl–X_3	X_4	X_6–C(O)–C(O)–NH–CH₂CH₂–C₆H₄–C(O)NH₂
163	2-methoxybenzyl–X_1	cyclohexyl X_3,X_4		X_6–C(O)–C(O)–NH–CH₂–C₆H₄–C(O)NH₂
164	phenethyl–X_1	cyclohexyl X_3,X_4		X_6–C(O)–C(O)–NH–CH₂–C₆H₄–C(O)NH₂
165	benzyl–X_1	cyclohexyl X_3,X_4		X_6–C(O)–C(O)–NH–CH₂–C₆H₄–C(O)NH₂
166	2-thienylethyl–X_1	cyclohexyl X_3,X_4		X_6–C(O)–C(O)–NH–CH₂–C₆H₄–C(O)NH₂
167	2-pyridylethyl–X_1	cyclohexyl X_3,X_4		X_6–C(O)–C(O)–NH–CH₂–C₆H₄–C(O)NH₂
168	2-methoxyphenyl–X_1		X_4	X_6–C(O)–C(O)–NH–CH₂CH₂–C₆H₄–C(O)NH₂
169	isopentyl–X_1	cyclohexyl X_3,X_4		X_6–C(O)–C(O)–NH–CH₂–C₆H₄–C(O)NH₂

Cpd. No.	R1	R3	R4	R6
170				
171				
172				
173				
174				
175				
176				
177				
178				
179				

Cpd. No.	R1	R3	R4	R6
180				
181				
182			$\overset{\mid}{X_4}$	
183				
184				
185			$\overset{\mid}{X_4}$	
186			$\overset{\mid}{X_4}$	

Table 12

5

Cpd. No.	R1	R2	R3	R4	R5	R6	MS ES⁺ (M+H⁺)
187*	benzyl–X₁	benzyl–X₂		X₄	NH₂-(chain)-X₅	X₆-C(O)C(O)NH-CH₂CH₂-C₆H₄-C(O)NH₂	694
188*	isobutyl–X₁	isobutyl–X₂		X₄	NH₂-(chain)-X₅	X₆-C(O)C(O)NH-CH₂CH₂-C₆H₄-C(O)NH₂	626
189*	H₂N–X₁	benzyl–X₂		X₄	NH₂-(chain)-X₅	X₆-C(O)C(O)NH-CH₂-C₆H₄-C(O)NH₂	605
190*	H₂N–X₁	propyl–X₂	benzyl–X₃		NH₂-(chain)-X₅	X₆-C(O)C(O)NH₂	486
191	H₂N–X₁	allyl-O-C(O)NH-(chain)-X₂	–X₃		NH₂-(chain)-X₅	X₆-C(O)C(O)NH-CH₂-C₆H₄-C(O)NH₂	656
192	H₂N–X₁	ethyl–X₂	benzyl–X₃		NH₂-(chain)-X₅	X₆-C(O)C(O)NH-CH₂-C₆H₄-C(O)NH₂	619
193	H₂N–X₁	isobutyl–X₂	benzyl–X₃		NH₂-(chain)-X₅	X₆-C(O)C(O)NH-CH₂-C₆H₄-C(O)NH₂	647

Cpd. No.	R1	R2	R3	R4	R5	R6	MS ES$^+$ (M+H$^+$)
194	H$_2$N–X$_1$	(isobutyl)–X$_2$		X$_4$	NH$_2$ ... X$_5$	(pyruvamide-benzamide) X$_6$	557
195	H$_2$N–X$_1$	(4-nitrobenzyl)–X$_2$	X$_3$		HN–NH$_2$ guanidine NH ... X$_5$	(oxo-benzothiazole) X$_6$	635
196	H$_2$N–X$_1$	–X$_2$	(benzyl)–X$_3$		HN–NH$_2$ guanidine NH ... X$_5$	(oxo-benzothiazole) X$_6$	590

Table 13

5

Cpd. No.	R1	R3	R4	R6	MS (ES+) (M+H⁺)
197					584
198*					659
199					848
200					814
201*					642
202					567
203					534
204					587
205					812
206					656
207					664
208					630

Cpd. No.	R1	R3	R4	R6	MS (ES+) (M+H⁺)
209			X₄		588
210			X₄		552
211*			X₄		576
212		X₃			705
213		X₃			648
214		X₃			724
215*			X₄		666
216		X₃			780

Table 14

5

Cpd. No.	R1	R3	R4	R7	MS (ES+) (M+H$^+$)
217*			X_4—CH$_3$	X_7—NH$_2$	503
218			X_4—CH$_3$	X_7—NH$_2$	426
219*			X_4—CH$_3$	X_7—NH$_2$	441
220			X_4—CH$_3$	X_7—NH$_2$	503
221			X_4—CH$_3$	X_7—NH$_2$	455
221-1			X_4—CH$_3$	X_7—N	545
221-2			X_4—CH$_3$	X_7—NH$_2$	456
221-3			X_4—CH$_3$	X_7—NH$_2$	545

221-4			X$_4$—CH$_3$	X$_7$—NH$_2$	581
221-5*			X$_4$—CH$_3$	X$_7$—NH$_2$	490
221-6*			X$_4$—CH$_3$	X$_7$ NH$_2$ NH	518
221-7			X$_4$—CH$_3$	X$_7$—NH$_2$	486
221-8			X$_4$—CH$_3$	X$_7$—NH$_2$	465
221-9			X$_4$—CH$_3$	X$_7$—NH$_2$	441
221-10			X$_4$—CH$_3$	X$_7$—NH$_2$	432
221-11			X$_4$—CH$_3$	X$_7$—NH$_2$	471
221-12*			X$_4$—CH$_3$	X$_7$ NH NH$_2$	454

221-13*	diphenyl-CH₂-X₁	CH₃ / X₃		X₇-NH₂	503
221-14*	phenyl-SO₂-CH₂CH₂-X₁			X₇-NH₂	477
221-15*	diphenyl-CH-CH₂-X₁			X₇-NH₂	489
221-16	phenyl-SO₂-CH₂CH₂-X₁		X₄-OH	X₇-NH₂	506
221-17*	(3,4-dimethoxyphenyl)-CH₂CH₂-X₁		X₄-CH₃	X₇-C(=NH)NH₂	514
221-18*	diphenyl-CH-CH₂-X₁		X₄-CH₃	X₇-C(=NH)NH₂	530
221-19*	(4-methylphenyl)-SO₂-CH₂CH₂-X₁			X₇—NH₂	491
221-20*	(4-methoxyphenyl)-SO₂-CH₂CH₂-X₁			X₇—NH₂	507
221-21	phenyl-SO₂-CH₂CH₂-X₁			X₇-C(=NH)NH₂	503

Table 15

5

Cpd. No.	R1	R3	R4	R5	R6	MS (ES+) (M+H⁺)
222*	2,5-difluorobenzyl (X_1)		$CH_3\!-\!X_4$	4-(oxoacetyl-amino-ethyl)benzamide (X_5)	X_6-(CH$_2$)$_n$-NH$_2$	640
223*	2,5-difluorobenzyl (X_1)		$CH_3\!-\!X_4$	N-phenethyl-4-(oxoacetyl-amino-methyl)benzamide (X_5)	X_6-(CH$_2$)$_n$-NH$_2$	730
224*	benzyl (X_1)	tert-butyl-CH$_2$-X_3	$CH_3\!-\!X_4$	benzothiazol-2-yl-carbonyl (X_5)	X_6-(CH$_2$)$_n$-N=C(NH$_2$)NH (H_2N, NH)	575
225*	2,5-difluorobenzyl (X_1)	cyclohexane ($X_3\,X_4$)		4-(oxoacetyl-amino-ethyl)benzamide (X_5)	X_6-(CH$_2$)$_n$-NH$_2$	697
226*	2,5-difluorobenzyl (X_1)	cyclohexane ($X_3\,X_4$)		4-(oxoacetyl-amino-propyl)benzamide (X_5)	X_6-(CH$_2$)$_n$-NH$_2$	694

Cpd. No.	R1	R3	R4	R5	R6	MS (ES+) (M+H+)
227	2,5-difluorophenyl; X_2		CH_3—X_4	4-(aminocarbonyl)benzyl; X_5	X_6 ... NH_2	626
227-1	3-nitrobenzyl; X_1	cyclohexyl; $X_3$$X_4$		phenethyl; X_5	X_6 ... NH_2	647
227-2	3-nitrobenzyl; X_1	cyclohexyl; $X_3$$X_4$		isobutyl (CH_3, CH_3); X_5	X_6 ... NH_2	613
227-3	3-nitrobenzyl; X_1	cyclohexyl; $X_3$$X_4$		CH_3 (butyl); X_5	X_6 ... NH_2	599
227-4	3-nitrobenzyl; X_1	cyclohexyl; $X_3$$X_4$		2-(thiophen-2-yl)ethyl; X_5	X_6 ... NH_2	654

248

Cpd. No.	R1	R3	R4	R5	R6	MS (ES+) (M+H⁺)
227-5						599
227-6						615
227-7						660
227-8						691
227-9						638

249

Cpd. No.	R1	R3	R4	R5	R6	MS (ES+) (M+H⁺)
227-10						624
227-11						786
227-12						653
227-13						633

250

Cpd. No.	R1	R3	R4	R5	R6	MS (ES+) (M+H⁺)
227-14						573
227-15						733
227-16						654
227-17						711
227-18						669

251

Cpd. No.	R1	R3	R4	R5	R6	MS (ES+) (M+H')
227-19						724
227-20						725
227-30						705

Example 30

Synthesis of Representative β-Sheet Mimetics

This example further illustrates the synthesis

5   of representative β-sheet mimetics of this invention.

Synthesis of Structure (228):

(228)

10

Methyl-2,4-dioxo-pentanoate (14.4 g, 0.10 mol) and 10.6 g of trimethyl orthoacetate were dissolved in 100 mL of methanol followed by the addition of 300 μL of acetyl chloride. This solution was then stirred at room

15   temperature for 6 h. An aliquot was then taken and the solvent removed using a rotary evaporator. ^{1}H NMR analysis of the residue suggested a complete conversion to the methyl enol ether. The reaction solution was evaporated in vacuo. By ^{1}H NMR, purity was 90%, and the material was used

20   for the next step without purification.

2-Methoxy-4-oxo-2-pentenone (1.58 g, 10 mmol) and 1.63 g of t-butyldimethylsilyl chloride (11 mmol) were dissolved in 15 mL of DMF. Triethylamine (1.553 mL, 12 mmol) was added and the reaction stirred overnight under

5 argon at rt. The next morning 50 mL of hexane was added and the reaction was extracted with cold NaHCO$_3$ solution. The hexane layer was dried over Na$_2$SO$_4$ and hexane removed under vacuum to give 2.01 g of the diene as an oil (78%), which was used without further purification. NMR (CDCl$_3$) δ

10 0.16 (s, 6H), 0.94 (s, 9H), 3.53 (s, 3H),3.73 (s, 3H),4.32 (bs, 1H), 4.6 (bs,1H), 6.21 (s,1H).

Synthesis of Structure(229):

15   (229)

To a mixture of 4-phenyl urazole (177 mg, 1 mmol) and iodobenzene diacetate(322 mg, 1 mmol) in CH$_2$Cl$_2$ (5 mL) was added a solution of the diene (228) (269 mg, 1.05 mmol) in CH$_2$Cl$_2$. The reaction mixture was stirred 30

20 min, and then cooled to 0°C. BF$_3$.OEt$_2$ (141 mg, 1 mmol) was added dropwise and the reaction stirred for 30 min, diluted with CH$_2$Cl$_2$ (50 mL), washed with NaHCO$_3$ solution (2×15 mL), water (15 mL) and brine, dried and evaporated. Crude product was purified by column chromatography on

25 silica gel (EtOAc/hexane, 1:3, v/v) to afford pure product (97 mg,32%). ^{1}H NMR (500 MHz, CDCl$_3$) δ 7.53-7.42 (m, 5H),6.30 (s, 1H), 4.47 (s, 2H), 3.97 (s, 3H); MS (EI, 12 eV) 301 (M$^+$, 100), 273.4, 246.3, 154.4, 119.5.

Example 31

Synthesis of Representative β-Sheet Mimetics

5   This example further illustrates the synthesis of representative β-sheet mimetics of this invention.

Synthesis of Structure (24)

(230)

10   To a 250 mL flame-dried round bottom flask was added 130 mL of dry THF. The flask was cooled to -78°C under an argon atmosphere, and 10 mL of 2.5 M n-BuLi were added followed by 5.3 mL of hexamethyldisilazane. This solution was stirred at -78°C for 30 min., and then 2.2 mL

15   of methyl propiolate were added. After stirring at -78°C for 50 min., 2.5 mL (22 mmol) of hexadienal were added. The reaction was then slowly warmed to -30°C over a period of 4 h. After an hour at -30°C, it was quenched by addition of aqueous tartaric acid solution. The reaction

20   mixture was then partitioned between EtOAc and water, and the aqueous layer was washed with additional ethyl acetate. The combined organic layers were then washed with saturated sodium chloride, dried over sodium sulfate, and concentrated to give about 4.1 g of a reddish oil.

25   Flash chromatography via silica gel (20% ethyl acetate/80% hexane) gave 3.1 g of a yellowish oil (78%). [1]H NRM

(CDCl₃) δ 1.78 (d, 3H, J=9), 3.79, (s, 3H), 5.01 (bs, 1H), 5.63 (dd, 1H, J=9, 16), 5.84 (m, 1H), 6.06 (m, 1H), 6.38 (dd, 1H, J=16, 9).

Synthesis of Structure (25)

(231)

A 500 mL roundbottom flask was charged with phenyl urazole (4.91 g) and 150 mL of methylene chloride. Iodobenzene diacetate (8.94 g) was added to the flask and the reaction stirred for 10 min. as a deep red color developed. A solution of 5.0 g of compound (230) dissolved in 50 mL of methylene chloride was then added, and the reaction instantaneously decolorized. The reaction was stirred at room temperature for 3 additional hours. The solvent was removed on rotary evaporator and the residue placed under high vacuum overnight. The residue was purified via flash chromatography on silica gel (40% EtOAc/hexane) to give 8.3 g of a ~60/40 diastereomeric mixture of epimeric alcohols (84%). ¹H NMR (CDCl₃) (isomer 1): δ 1.474 (d, 3H, J=7), 3.773 (s, 3H), 4.66 (m, 2H), 4.83 (s, 1H), 5.73 (d, 1H, J=10), 6.19 (bd, 1H, J=10), 7.4=7.56 (m, 5H); (isomer 2): δ 1.53 (d, 3H, J=7), 3.77 (s, 3H), 4.64 (m, 1H, 4.72 (m, 1H), 5.18 (bs, 1H), 6.1 (s, 2H) 7.36-7.56 (m, 5H); MS (ES+) : 356 (M+1), 378 (M+Na).

Synthesis of Structure (26)

(232)

A solution of 1.0 g of (231) as a diastereomeric mixture of acetylene alcohols was dissolved in 40 mL of

5 MeOH and cooled to 0°C in an ice bath. To the reaction mixture 80 mg (~3 equivalents of hydride) of powdered sodium borohydride was added with stirring. After an hour at 0°C, the reaction was warmed to room temperature and stirred for an additional hour. It was quenched by

10 addition of 100 mL EtOAc and 60 mL of water. The layers were separated in a separatory funnel, and the aqueous phase extracted twice with additional EtOAc. The combined organic phases were then washed with saturated sodium chloride and dried over sodium sulfate. The organic

15 solvent was removed by rotary evaporator and the residue purified by flash chromatography (40/60 EtOAc/hexanes) to give 630 mg of a mixture of diastereomeric alcohols (~63%). ^{1}H NMR (CDCl$_3$) isomer 1: δ 1.39 (d, 3H, J=11), 3.78 (s, 3H), 4.68 (m, 1H), 4.71 (m, 1H), 4.75 (m, 1H), 5.81

20 (d, 1H, J=10), 6.16 (dm, 1H, J=10), 6.26 (d, 1H, J=9), 7.01 (d, J=9), 7.01 (d, J=9), 7.35=7.5 (m, 5H). Isomer 2: 1.43 (d, 3H, j=10), 3.72 (s, 3H), 4.5 (m, 2H), 5.53 (d, 1H, J=12), 5.86 (m, 2H), 6.12 (d, 1H, J=10), 6.89 (d, 1H, J=10), 7.35-7.5 (m, 5H). MS (ES+) 358 (M+1).

25

Synthesis of Structure (27)

(233)

To a solution of 357 mg of compound (231) as a diastereomeric mixture in 50 mL of methylene chloride was

5   added 424 mg of powdered Dess-Martin reagent. The reaction stirred at room temperature for 6 h. It was then stirred for five minutes with a sodium thiosulfate solution and extracted with aqueous bicarbonate solution. The organic phase was washed with saturated sodium

10   chloride and dried over anhydrous sodium sulfate. The methylene chloride was removed by rotary evaporation to give 348 mg of a solid residue (97%). δ 1.61 (d, 3H, J=9Hz), 3.82 (s, 3H), 4.52 (bm, 1H), 5.16 (s, 1H), 5.93 (bd, 1H, J=10Hz), 6.01 (bd, 1H, J=10Hz), 6.88 (d, 1H,

15   J=15Hz), 7.29 (d, 1H, J=15Hz), 7.35-7.55 (m, 5H); MS (EI) 355 (M°).

Synthesis of Structure (28)

(234)

20   A 100 mL roundbottom flask was charged with 357 mg of compound (232) as an isomeric mixture of alcohols and 25 mL of THF. The reaction solution was cooled to 0°C, the reaction was allowed to warm up to room temperature,

and stirred for an additional hour. It was then extracted with 40 mL of EtOAc and 30 mL of water. The aqueous phase was acidified with 1 mmol of tartaric acid, and reextracted with 40 mL of fresh EtOAc. The organic phase

5 was dried over anhydrous $NaSO_4$, filtered and the solvent removed via rotary evaporator to give 328 mg of a solid residue. ^1H NMR ($CDCl^3$) isomer 1: δ 1.37 (d, 3H, J=6.5), 4.61 (m, 1H), 4.65 (m, 1H), 4.68 (m, 1H), 5.77 (d, 1H, J=11), 6.12 (d, 1H, J=11), 6.23 (d, 1H, J=15), 7.083 (d,

10 1H, J=15), 7.35-7.54 (m, 5H); isomer 2: 1.47 (d, 3H, J=6.5), 4.5 (m, 1H), 4.58 (m, 1H), 4.96 (m, 1H), 5.9 (m, 2H), 6.12 (d, 1H, J=16), 6.98 (d, 1H, J=16) 7.35=7.54 (m, 5H).

15   Example 32

In this example, compounds (231) and (233) of Example 31 were assayed for their ability to block insulin disulfide reduction by thioredoxin. Thioredoxin has been

20 shown to up-regulate NF-kB for DNA binding by reduction of a disulfide bond involving Cys62 of the p50 subunit of NF-kB. Thioredoxin is also known to reduce the disulfide bonds in insulin 10^4 times faster than low molecular weight thiols (Holmgren, *J. Biol. Chem.* 254:9627-9632;

25 1979)(incorporated herein by reference). Therefore, if an inhibitor of NF-kB activation is acting via inhibition of thioredoxin, it should also be able to block reduction of insulin by thioredoxin. The following assay measures spectrophotometrically the increasing turbidity of insulin

30 at 650 nm as its disulfide bonds are reduced in the presence of thioredoxin.

A slight modification of the method of Holmgren was used. On a 96 well microtiter plate solutions of thioredoxin in 0.1 M potassium phosphate pH 6.5 buffer were preactivated for 15 minutes in the presence of 0.33

5   mM dithiothreitol (DTT) and 2 mM EDTA. Solutions of substrate and inhibitor were added to a final concentration of 8 μM thioredoxin, 0.13 mM insulin, and 0-100 μM of either compound (231) or (233). The turbidity of the solutions was measured at 650 nM over the course of

10   60 minutes on a Spectra Max 250 absorbance plate reader (Molecular Devices). The results demonstrate that turbidity decreases with increasing concentration of compounds (231) or (233).

As a negative control, inhibitor in the presence

15   of DTT and EDTA, but without thioredoxin present did not display turbidity (DTT did not reduce thioredoxin over the time period examined). As a positive control, the structurally related natural products parthenolide and santonin were tested in the above assay in place of the

20   inhibitors. Parthenolide, which contains an unsaturated exomethylene lactone and is known to inhibit NF-kB activation in a concentration dependent fashion (Bork et al., *FEBS Lett.* *402*: 85-90, 1997), similarly blocked thioredoxin-induced turbidity of insulin. Santonin, which

25   contains a saturated lactone group and does not inhibit NF-kB activation, did not block thioredoxin-induced turbidity of insulin. Taken together, these results are evidence that compounds (231) and (233) prevent NF-kB activation by inhibition of thioredoxin.

30

Example 33

Activity of a Representative β-Sheet Mimetic as a Protease Inhibitor

(234)

5

This example further illustrates the activity of a β-sheet mimetic of structure (234) (prepared by methods disclosed in reaction scheme 20) as an inhibitor of the metalloproteinases leucine aminopeptidase M and

10 thermolysin. The method is a modification of that of Spungin-Bialik et al., *FEBS Lett.* (1996) *380*, 79-82.

The following protocol was used: A buffer solution containing 50 mM Tris-Cl, 100 mM NaCl, 1 mM $CaCl_2$, 0.005% Triton X-100 (pH=7.5) is prepared. A second

15 buffer solution, 40 mM in EDTA, is prepared from the first. A 750μM solution of substrate, Suc-Ala-Ala-Phe-pNA, is prepared in water from a 50 mM stock solution DMSO. A 15 nM solution of thermolysin is prepared by diluting with buffer a 200 μM thermolysin stock solution

20 in 20% glycerol/H_2O. Dilute the commercially available solution of Leucine Aminopeptidase M (Sigma, 2.6mg/ml stock in H_2O) down to 50 μg/ml with buffer. The inhibitor in 50% EtOH/H_2O was diluted with water to 3× the desired concentration levels. Add 50μl of enzyme, substrate, and

25 inhibitor per well (96 well microtiter plate) to the desired number of microtiter strips. This will yield final concentrations of 5 nM for thermolysin and 250 μM

for the substrate. The wells should then be incubated at rt for 20 minutes. After 20 minutes, add the EDTA in buffer solution to all wells at 50µl per well. and add simultaneously to the wells at 50µl per well. This will

5 yield a final concentration of 10µg/ml. The plate should be read 100× at 405 nm with 21 second intervals. K_i values were calculated as before (Example 5). The values of K_i obtained for compound (234) were 6 and 11 μM for thermolysin and leucine aminopeptidase M, respectively.

10 These results demonstrate that a β-sheet mimetic of this invention can function as a metalloproteinase inhibitor.

Example 34
Activity of a Representative β-Sheet Mimetic
15 ## as a Protease Inhibitor

(235)

This example further illustrates the activity of a β-sheet mimetic of structure (235) (prepared by methods

20 disclosed in reaction scheme 15) as an inhibitor of the cysteine proteinase, papain. The assay method is a modification of that of Mellor et al., *Biochem. J.* (1993) *290*, 289.

The assay was conducted in a microtiter plate as

25 in Example 4. The following protocol was used: Prepare a buffer containing 0.05 M sodium citrate, 0.15 M NaCl, 2 mM DTT, 1 mM EDTA (pH=6.5). A 2 mM stock solution of

substrate (Ac-Phe-Gly-pNA) is diluted to 200 μM in buffer. A 5 mM stock solution (in 50% EtOH/H$_2$O) of the inhibitor is diluted to 500 μM in buffer, and six serial 1:5 dilutions are made. Aliquots of 100 μL each of buffer, substrate,

5 and inhibitor (at the appropriate concentrations) are added per well to an eight well microtiter strip. A 1.0 mM stock solution of papain is diluted to 200 μM in buffer and incubated for 5 min prior to addition of a 100 μL aliquot to the assay wells. The plate should be read 100x

10 at 405 nm with 21 second intervals. IC$_{50}$ values were calculated as before (Example 4). Compound (234) exhibited an IC$_{50}$ value of 8 μM. This result demonstrates that a β-sheet mimetic of this invention can function as a cysteine proteinase inhibitor.

15

Example 35
Activity of Representative β-Sheet Mimetics
as Antithrombotic Agents

20 This example illustrates the activity of β-sheet mimetics of structures (221-14) and (221-21) of Table 14 as antithrombotic agents. Rats (Splague Dawley) were fasted overnight and used under pentobarbital anesthesia. A polyethylene tube containing a 5 cm silk thread was

25 placed between the right cartid artery and the left junglar vein. Thirty minutes after oral administration of 100 mg.kg of one of the above compounds (dissolved with 50% propylene glycol at 20 mg/ml, and orally administered 5 ml/kg), or one minute after intravenous administration

30 of the Argatroban (0.3 mg/kg), blood was circulated through the tube for seven minutes. At the end of circulation, the tube was removed and the thrombus wet

weight and thrombus protein content were measured. Blood was also withdrawn from the abdominal artery and APTT was measured.

5   The results of these experiments are presented in Figures 5A and 5B, which plot thrombus protein (μg/thrombus) for each of a negative control (without added compound), compound 221-14 (Figure 5A) or 221-21 (Figure 5B) and Argatroban (a positive control). These results illustrate that both of the tested compounds

10   significantly inhibit thrombus formation.

      From the foregoing, it will be understood that, although specific embodiments of this invention have been described herein for purposes of illustration, various

15   modifications may be made without departing from the spirit and scope of the invention. Accordingly, the invention is not limited except by the appended claims.